

---

**maap-docs**

**NASA MAAP Team**

**Apr 24, 2024**



# CONTENTS

<b>1</b>	<b>Getting Started</b>	<b>1</b>
<b>2</b>	<b>Science Examples</b>	<b>35</b>
<b>3</b>	<b>Technical Tutorials</b>	<b>155</b>
<b>4</b>	<b>System Reference Guide</b>	<b>257</b>
<b>5</b>	<b>Release Notes</b>	<b>305</b>
<b>6</b>	<b>Indices and tables</b>	<b>311</b>



## GETTING STARTED

### 1.1 About the Multi-Mission Algorithm and Analysis Platform (MAAP)

**The MAAP platform is designed to combine data, algorithms, and computational abilities for the processing and sharing of data related to NASA's GEDI, ESA's BIOMASS, and NASA/ISRO's NISAR missions.** These missions generate vastly greater amounts of data than previous Earth observation missions. There are unique challenges to processing, storing, and sharing the relevant data due to the high data volume as well as with the data being collected from varied satellites, aircraft, and ground stations with different resolutions, coverages, and processing levels.


**MAAP aims to address unique challenges by making it easier to discover and use biomass relevant data, integrating the data for comparison, analysis, evaluation, and generation.** An algorithm development environment (ADE) is used to create repeatable and sharable science tools for the research community. The software is open source and adheres to ESA's and NASA's commitment to open data.

**NASA and ESA are collaborating to further the interoperability of biomass relevant data and metadata.** Tools have been developed to support a new approach to data stewardship and there is a data publication workflow for organizing and storing data and generating metadata to be discoverable in a cloud-based centralized location. The platform and data stewardship approaches are designed to ease barriers and promote collaboration between researchers, providers, curators, and experts across NASA and ESA.

**This guide aims to help users get started with using the platform for searching, visualizing, accessing, processing, querying, and sharing biomass relevant data to the MAAP.** These data, collected from satellites, aircraft, and ground stations, are organized into collections and granules. Collections are a grouping of files that share the same product specification. Granules are the individual files which are independently described, inventoried, and retrieved within a collection. Granules inherit additional attributes from their containing collection. Explanations of the various functions available in MAAP to use in the ADE will also be explored.

## 1.2 An overview of the MAAP platform

The MAAP is a cloud-based system to write science-analysis code and then run it at scale. This lets you keep all of the input and output data “in the cloud”. It is composed of a few parts:



- The **Algorithm Development Environment (ADE)** is a tool that helps with the development of algorithms in a consistent, standardized environment that helps with the development and testing of algorithms and facilitates large scale data processing. MAAP’s primary user interface is Jupyterlab, where code is written and tested before pushed to the large scale data processing system. Code is stored and checked out from Git-based repositories,

including Github and MAAP's own code repository subsystem.

- The **Data Processing System (DPS)** is where registered algorithms (see Algorithm Catalog) can be run at scale in the cloud. The MAAP system provides a Jupyter GUI to run Jobs, or the `maap.py` library can be used to run a batch of Jobs in a loop using Python. The DPS also has monitoring capabilities, and again the MAAP system provides a Jupyter GUI to help monitor Jobs. This can also be done using `maap.py` in Python.
- The **Algorithm Catalog**, where your algorithms from the ADE can be registered and compiled for use by the DPS. The MAAP system provides API and GUI tools to help you register and view your algorithms.
- The **Code Repository** is a git-based repository to store user code. It is also used to store the configuration files necessary for building algorithms to store in the algorithm catalog and for execution in the DPS.
- Input data comes from a few **Data Catalogs**. Currently there is a MAAP [STAC Catalog](#) and the [NASA CMR Catalog](#). More information can be found in the [search tutorials section](#).

## 1.3 Setting up your account and workspace


Learn how to sign up for an account and access the MAAP.

### 1.3.1 Signing up for an Earthdata Login account

The MAAP offers accounts for NASA users through [Earthdata Login](#). Before accessing the MAAP as a NASA user, you will need to create an Earthdata Login account. Anyone can register for an Earthdata Login profile here: <https://urs.earthdata.nasa.gov/users/new>.

### 1.3.2 Signing up for a new MAAP account

Once registered, you can register for a MAAP account by navigating to the MAAP ADE at <http://ade.maap-project.org>. On your first visit, select the “URS” login button shown here:



If this is your first visit to the MAAP, you will be asked to agree to the MAAP Terms of Use:


iv. Use of the MAAP in or to create content for any books, news publication or journal for purposes other than U.S. Government Purposes.

11. Publication of research which utilized the MAAP should properly acknowledge NASA and the MAAP and provide citations in appropriate journals or other established channels of public dissemination as soon as practicable and consistent with good scientific practice. Courtesy copies of upcoming reports or publications by users shall be furnished to NASA for informational purposes only. When possible, users should make reasonable efforts to provide these courtesy copies prior to publication.

**I agree to the terms of End User License Agreement**  
(Please select the checkbox to Agree)

AGREE

Once registered, you should be redirected back to the MAAP ADE showing a disabled account message similar to this:



At this point, a MAAP administrator will approve your account, which will grant you access to the MAAP ADE. Access is only granted to known users in the biomass science community and other projects directly related to MAAP. To check on the status of your pending account, contact the MAAP team at [support@maap-project.org](mailto:support@maap-project.org).

---

**Note:** Once your MAAP account is approved, you will receive an email notification using the address of your Earthdata Login account to let you know that your access is enabled.


---

### 1.3.3 Logging in

1. Navigate to <https://ade.maap-project.org/> in Chrome or Firefox. You should be redirected to a page that looks like



## LOGIN



to continue to the Algorithm Development Environment (ADE)

this:

2. Click the “Login with EarthData Account” button. If this is your first time logging in, you should be redirected to an EarthData Login page that looks like this:

← → ↻ [urs.earthdata.nasa.gov/home](https://urs.earthdata.nasa.gov/home) 🔒 ☆ ⚙️ □

**EARTHDATA** Find a DAAC 🔔 Feedback

# EARTHDATA LOGIN

[Documentation](#)

You have been logged out of Earthdata Login

**Username** ⓘ

**Password**

**LOG IN** **REGISTER**


- ⓘ I don't remember my username
- ⓘ I don't remember my password
- ⓘ Help

Feedback

**Why must I register?**

The Earthdata Login provides a single mechanism for user registration and profile management for all EOSDIS system components (DAACs, Tools, Services). Your Earthdata login also helps the EOSDIS program better understand the usage of EOSDIS services to improve user experience through customization of tools and improvement of services. EOSDIS data are openly available to all and free of charge except where governed by international agreements.


3. Enter your “EarthData Login” account credentials here and click “Log in”. You should see a temporary page that says “Redirecting”, followed by the MAAP showing your Workspaces (which will be empty to start):



### 1.3.4 Creating a workspace


Workspaces are effectively a JupyterLab “computer in the cloud”. To get started with Jupyter you need to create a workspace.

1. In the top-left corner of the MAAP dashboard, under “NASA MAAP”, click “Get Started”. You should see a menu that looks like this:




2. Select “Basic Stable”. This is called a “Stack” and represents a type of cloud compute environ-

ment that will be set up. If you are interested in seeing more about each Stack, the adjacent link in the left-hand area is where you can see the configuration of each Stack in detail. After choosing “Basic Stable”, you will see a loading screen that looks like this – wait for it to finish loading.




3. Once the workspace has loaded, you should see a Jupyter interface that looks like this (note: You will see fewer environments and items in your root directory — this is normal! You may also see some notifications in the bottom right that look like errors about SSH Keys and other things; that is normal as well. You will also see one asking if you would like to take a guided tour.).




### 1.3.5 Jupyter Interface overview

When you first log in you may see a notification in the bottom right about a guided tour. Feel free to view the tour, which will give you a quick overview of the Jupyter user interface. You can also find the MAAP Tour in the Help menu at any time.




In addition to typical JupyterLab menu bar and sidebar configuration:

## MAAP Jupyter Menus



- Git: Open repo in terminal, init, or clone repo.
- Jobs: Users may submit jobs through the submit tab and view their jobs through the view tab.
- Help: The help menu has several customized extensions and references to the MAAP documentation.

MAAP Jupyter Sidebar




- File Browser
- Running Terminals & Kernels
- Git Repo Interface (if this folder is a Git repo)
- Collaborators
- Table of Contents

- Extension Manager

## MAAP Blue Sidebar

- Workspaces: See workspaces, share them, as well as configure settings
- Stacks: See available platforms for workspaces & required memory
- Administration: Control the configuration & policies for your installation.
- Organizations: allow groups of developers to collaborate with private & shared workspaces. Resources & permissions are controlled & allocated within the organization by admin.
- Profile (bottom, labeled with your name): See account info, logout

### 1.3.6 MAAP Storage Options



#### My root folder (fast cloud storage)

- Your Jupyter home directory (~) is mounted to /projects. Files in here persist across sessions and exist across your workspaces.
  - Use this for code-related items, smaller data storage (such as Jupyter Notebooks, Python/ R/ Markdown files, etc.)
  - Git is more likely to behave predictably here compared to other storage
  - This is also the place to make persistent conda environments (covered in another section), but make sure to not make a conda env inside a git-tracked folder, or if you do add it to the .gitignore. If git is tracking an env, it could cause your workspace to crash.
- Uses local (to Jupyter) file system; generally faster and more reliable for “normal” file operations, but expensive

## Large file storage: my-private-bucket


~/my-private-bucket is an S3 bucket with persistent storage, but accessible only to you and others in a shared workspace.

- Use for large data storage
- It will be slower than the root folder to copy and move files, which is why it is not ideal for storing smaller files that need to be read or written quickly (e.g. Jupyter Notebooks)

## Sharing files: my-public-bucket and shared-buckets

~/my-public-bucket is an S3 bucket with persistent storage. It is the same as ~/shared-buckets/<my\_username>/ — anything you put in here will be accessible to other users via ~/shared-buckets/<my\_username> as a read-only file. Likewise, to find shared files from another user, look in ~/shared-buckets/<their\_username>.

- Use for large data storage for files that you want to share across workspaces
- Public and shared buckets are not recommended for Jupyter Notebooks



---

## Mounting your MAAP workspace on your local computer

If you prefer to work on your local computer, or to drag-and-drop copy files from your computer to/from MAAP, you access the workspace via SSH. The *process for doing this* is in the system guide.

## 1.4 Writing and Managing Code with MAAP

Writing and editing code in the MAAP is done in a Jupyter workspace.

Code is version-controlled using git, which may be GitHub or MAAP GitLab. Jupyter also provides a GUI widget to help with code push/pull as a sidebar tool. Git is intended to help with collaborative code development and version-control.

---


**Note:** If you have not used Github or git before, it is highly recommended that you [get acquainted with it](#). For a quick reference to git commands there is a [Git Cheat Sheet](#) in a variety of languages.

---

To assist connections to the MAAP system from a Jupyter notebook, a helper library called `maap.py` provides Python-native calls to the underlying RESTful MAAP API. Often a separate Jupyter notebook is used to run and monitor jobs with API calls. **When working with Jupyter notebooks, a manual save must be done to create a checkpoint.** Checkpoints are an emergency backup of the notebook and are different than the automatic saving of the notebook. Jupyter notebook checkpoints bloat git unnecessarily, so you can add the following to your `.gitignore` file to prevent this:

```
.ipynb_checkpoints
*/.ipynb_checkpoints/*
```

For more information on `.gitignore` files, see [here](#).



### 1.4.1 Helpful Templates while developing Algorithms in MAAP

- This [algorithm repository example](#) is a good starting point for a new algorithm, as it contains the various accessory files that facilitate running the algorithm at scale
- Which templates will help you? Let the development or documentation team know!
- For example: conda.yml with some default packages, run\_script.sh

## 1.4.2 Working with code repositories like GitHub and GitLab


### Connecting to Github using a Personal Access Token

Set personal access token: <https://docs.github.com/en/authentication/keeping-your-account-and-data-secure/creating-a-personal-access-token>



### Clone a Repository with GitHub

Here is an example repository you can use for this getting started guide: <https://github.com/MAAP-Project/dps-unit-test>


1. Copy the Github clone link from <https://github.com/MAAP-Project/dps-unit-test>



2. Open the built-in Jupyter Github UI to the left of the file browser. Choose “Clone a Repository” and paste in the .git link you copied from the Github repository. You can also access this menu through the **Git** tab at the top of the Jupyter window.



3. You should see a new folder created with the repo you cloned. If you browse to that folder and open up the Jupyter Github UI again, it will show you some info about that repo.



4. If you want to make changes to the code and have your own copy of it to register, clone the code into a public repository in Github or in MAAP Gitlab.

To open the IPython Notebook, go to a section directory and double-click on appropriate “.ipynb” file. For more information about the using Git in Jupyterlab, see <https://github.com/jupyterlab/jupyterlab-git>.

## The MAAP GitLab Code repository

After creating your MAAP account, you can create a code repository by navigating to the MAAP GitLab account at <https://repo.maap-project.org>. This GitLab account is connected to your ADE workspaces automatically when signing into the ADE.

You can then follow the same steps above to clone a repository from the MAAP GitLab.

### 1.4.3 Customizing your workspace environment

Your Jupyter workspace has a set of pre-installed libraries, depending on *which Stack you selected*. If you need libraries that are not pre-installed, we suggest using an environment manager; conda is pre-installed to help with this.

Full *documentation on configuring conda* may be found in the *System Reference Guide*.


### 1.4.4 Using maap.py to access MAAP functionality from Python notebooks

The MAAP platform offers a variety of functionality to run and monitor large-scale processing jobs. Access to the functionality is gained via the underlying [RESTful MAAP API](#). In a Python notebook, you will typically use this API via a helper library called `maap.py`, which will make using MAAP platform features easy, using Python syntax. For example, registering algorithms, running batches of jobs, monitoring jobs, or accessing data.

Much of the `maap.py` functionality is documented in the *Technical Tutorials section* and in-context in the *Science Tutorials*. The [maap-py Github page](#) has additional usage documentation.

## 1.5 Running Algorithms at Scale


In order to run algorithms in the scaled-up cloud compute environment, they must first be “registered” in the Algorithm Catalog. This will make them available to other MAAP users, clearly define their inputs and outputs, and prepare them to be run easily in the Data Processing System (DPS).



### 1.5.1 Register an Algorithm


To register an Algorithm that can be run in the DPS, the code should be placed in a public Git repo (either Github or Gitlab).

1. Open the Launcher -> Register Algorithm tool in the MAAP Extensions section




2. First you fill in the public code-repository information.

- The Repository URL is the .git URL.
- Repository Branch is used as a version when this algorithm is registered.
- The Run and Build Commands must be the full path of the scripts that will be used by the DPS to build and execute the algorithm. Typically these will be the repository\_name/script\_name.sh, as demonstrated in this screenshot:



3. Once that is complete “Add General Information”.

- The Algorithm Name will be the unique identifier for the algorithm in the MAAP system.
- Algorithm Description is additional free-form text to describe what this algorithm does.
- Disk Space is the minimum amount of space you expect—including all inputs, scratch, and outputs—it gives the DPS an approximation to help optimize the run.
- The Container URL is a URL of the Stack (workspace image environment) you are using as a base for the algorithm. In this example we use: `https://mas.maap-project.org/root/maap-workspaces/base_images/vanilla:v3.0.1`



## Container URLs

To find another Container URL, go to: [https://repo.maap-project.org/root/maap-workspaces/container\\_registry](https://repo.maap-project.org/root/maap-workspaces/container_registry) (choose Packages and Registries > Container registry if you go to the main maap-workspaces area). Find your base Stack and dig in until you can copy the link of the specific version of Stack that you need, as demonstrated in these screenshots:

The screenshot shows the GitLab interface for the repository `repo.maap-project.org/root/maap-workspaces`. The left sidebar contains navigation links: Project information, Repository, Issues (0), Merge requests (0), CI/CD, Deployments, Packages and registries, Monitor, Analytics, Wiki, and Snippets. A dropdown menu is open over the 'Packages and registries' link, showing options for Package Registry, Container Registry, and Terraform modules. The main content area features a blue header with a notification: 'You're using a new version of MAAP GitLab. We welcome you to [report any](#)'. Below this is a yellow warning box: 'You can't push or pull repositories using SSH until you add an SSH key to y' with an 'Add SSH key' button and a 'Don't show again' button. Another warning box follows: 'Your account is authenticated with SSO or SAML. To [push and pull](#) over HT' with a 'Personal Access Token' link and buttons for 'Remind later' and 'Don't show again'. The repository details show 'maap-workspaces' with Project ID: 13, a 'Request Access' link, and statistics: 6 Commits, 1 Branch, 0 Tags, and 344 KB Project Storage. A commit history section shows a commit titled 'Update deploy.yml.tpl' by Administrator, authored 2 months ago. At the bottom, there are branch selectors for 'main' and 'maap-workspaces / +'. A green horizontal bar is visible above the commit history section.

maap-workspaces

- Project information
- Repository
- Issues 0
- Merge requests 0
- CI/CD
- Deployments
- Packages and registries
  - Package Registry
  - Container Registry**
  - Terraform modules
- Monitor
- Analytics
- Wiki
- Snippets

You're using a new version of MAAP GitLab. We welcome you to [report an issue](#)

Administrator > maap-workspaces > **Container Registry**

## Container Registry

12 Image repositories ⌚ Cleanup is not scheduled.


Filter results

- maap-workspaces/jupyterlab3/vanilla 3 tags
- maap-workspaces/base\_images/vanilla 3 tags
- maap-workspaces/jupyterlab3/rgedi 3 tags
- maap-workspaces/base\_images/rgedi 3 tags
- maap-workspaces/jupyterlab3/r


The screenshot shows the GitLab Container Registry interface for the repository `base_images/vanilla`. The sidebar on the left contains navigation links for various project features. The main content area displays the repository name, its tags (3 tags), cleanup status (disabled), and creation time (May 18, 2023 20:47). Below this, there is a 'Filter results' input field and a list of image tags: `v2.0.0` (799.92 MiB), `v3.0.0`, and `v3.0.1` (811.61 MiB). A 'Copy image path' button is visible next to the `v3.0.1` tag.

4. Fill in the Input section. There are File Inputs and Positional Inputs (command-line parameters to adjust how the algorithm runs). In our example we have one File Input called `input_file`. For each input you can add a Description, a Default Value, and mark whether it's required or optional.


Input files are copied into `/inputs` in the working directory of your job.



- When it looks good, press Register Algorithm at the bottom of the page. A few seconds later you should see a modal dialog with a link to the algorithm registration process.




6. If you open that link in a new page or tab, you can monitor the progress of registration and see any error messages. By opening it in a new tab/window you can keep the Register Algorithm tool open and re-submit with the same values to correct any errors.




Here is an example error message:

If the process continues without failing (this may take some time) you will ultimately see “Job succeeded”:



- Now that the algorithm has registered, you will see it in the View & Submit Jobs tool in the Algorithm drop-down menu. It will be labeled with the name you put into the Algorithm Name field in the registration form you just submitted (in this example, `rob_test_registration` with version/branch `main`)




The screenshot shows a web interface with a terminal window at the top containing the file `algorithm_config.y`. Below the terminal are two tabs: `View` and `Submit`. The `View` tab is active, displaying the section **1. General Information**. Under the heading **Algorithm**, there is a dropdown menu with the placeholder text `Select algorithm...`. The dropdown is open, showing a list of algorithms: `rob_test_registration:main`, `do_HLS_stack_3-1-2_ubuntu:HLS_stack_2022_v2`, `dps-triage-test:main`, `HLS_stack_2023_v1:HLS_stack_2023_v1`, `do_topo_stack_3-1-5:master`, `gedi-subset:0.6.0` (highlighted with a blue bar), and `ST-test-02:develop`.

### 1.5.2 Run the Algorithm as a Job and Monitor it

MAAP is configured to run up to 4,000 concurrent jobs. There are two additional ways to run a job: via the Jobs UI in the Launcher, or via a call to the `maap-py` Python library.

The Jobs UI will let you run and monitor jobs easily. You can find full documentation in the system reference guide for *the Jobs UI* or *using maap-py* with Python in the System Reference Guide FAQs.



Some alternative methods of running the job are found below.

- Click DPS/MAS Operations menu -> Execute DPS Job
- Select your algorithm from the dropdown
- A new popup will ask for inputs; if it doesn't take inputs, the popup will say so.
- Click OK again to view the ID for the job just submitted.

OR

Import the maap-py library: if in Jupyter, click the small blue MAAP button in the top left corner to automatically insert code. If using a script, add these lines manually at the top of your notebook:

```
from maap.maap import MAAP
maap = MAAP()
```

Pass your algorithm's name, version, required inputs, and username to the function `maap.submitJob` (identifier is `job- algo_name:algo_version`) Check result: `maap.getJobResult()`



## SCIENCE EXAMPLES

### 2.1 HL30 Search and Composite

Authors: Nathan Thomas (GSFC/UMD), Sumant Jha (MSFC/USRA), Aimee Barciauskas (DevSeed), Alex Mandel (DevSeed)

Date: December 19, 2022

Description: In this tutorial, we will search the LPDAAC for Harmonized Landsat Sentinel-2 (HLS) 30m optical imagery that intersects an AOI. We will filter the catalog based on a cloud cover % and build a maximum-NDVI (Normalized Difference Vegetation Index) composite image, including a suite of popular indices, which will help give us an in-depth look at vegetation health.

#### 2.1.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the [“Getting started with the MAAP”](#) section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as `maap-py`. Running the tutorial outside of the MAAP ADE may lead to errors.

#### 2.1.2 About the Data

Harmonized Landsat Sentinel-2 30m

Harmonized Landsat Sentinel-2 (HLS) was developed in response to a greater need for moderate-to-high resolution imagery to track various short-term landcover changes. Data are gathered by the Landsat-8 and Landsat-9 satellites, which carry the Operational Land Imager (OLI), as well as the Sentinel-2A and Sentinel-2B satellites, which carry the Multi-Spectral Instrument (MSI). With combined measurements from both the Landsat and Sentinel satellites, HLS imagery has global coverage with a spatial resolution of 30m and a temporal resolution of 2-3 days. (Source: [HLS Overview Page](#))

Note about HLS datasets: The Sentinel and Landsat assets have been “harmonized” in the sense that these products have been generated to use the same spatial resolution and grid system. Thus, the HLS S30 and L30 products can be used interchangeably in algorithms and are “stackable”. However, the individual band assets are specific to each provider.

### 2.1.3 Additional Resources

- [HL30 v002 Dataset Landing Page](#)
- [Landsat 8 Bands and Combinations Blog](#)
- [HL30 v002 Dataset Landing Page](#)
- [Sentinel 2 Bands and Combinations Blog](#)
- [Harmonized Landsat Sentinel-2 \(HLS\) User Guide](#)

### 2.1.4 Importing and Installing Packages

We will begin by installing any packages we need and importing the packages that we will use.

If needed the following packages should be installed:

```
[1]: # cleanup data: removes data files that should be replaced
!rm -rf ./local-s3.json
!rm -rf ./sample.json

if False:
    !conda install -c conda-forge pystac-client -y
    !conda install -c conda-forge rio-tiler -y
```

#### Prerequisites

- geopandas
- folium
- pystac-client
- rio\_tiler

```
[ ]: # Uncomment the following lines to install these packages if you haven't already.
# !pip install geopandas
# !pip install folium
# !pip install pystac-client
# !pip install rio_tiler
```

We will now import a suite of packages that we will need:

```
[3]: from maap.maap import MAAP
maap = MAAP(maap_host='api.maap-project.org')
import geopandas as gpd
import folium
import h5py
import pandas
import matplotlib
import matplotlib.pyplot as plt
from shapely.geometry import Polygon
from pystac_client import Client
import datetime
import os
import rasterio as rio
```

(continues on next page)

(continued from previous page)

```
import boto3
import json
import botocore
from rasterio.session import AWSSession
from rio_tiler.io import COGReader
import numpy as np
import matplotlib
import matplotlib.pyplot as plt
```

```
/opt/conda/lib/python3.7/site-packages/geopandas/_compat.py:115: UserWarning: The
↳Shapely GEOS version (3.11.1-CAPI-1.17.1) is incompatible with the GEOS version PyGEOS.
↳was compiled with (3.8.1-CAPI-1.13.3). Conversions between both will be slow.
shapely_geos_version, geos_capi_version_string
```

## 2.1.5 Creating an AOI

To begin we will create a polygon in a forested area in Virginia, USA. We will do this by providing a number of lat/lon coordinates and creating an AOI.

```
[4]: lon_coords = [-80, -80, -79., -79, -80]
lat_coords = [39, 38.2, 38.2, 39, 39]

polygon_geom = Polygon(zip(lon_coords, lat_coords))
crs = 'epsg:4326'
AOI = gpd.GeoDataFrame(index=[0], crs=crs, geometry=[polygon_geom])
AOI_bbox = AOI.bounds.iloc[0].to_list()
```

We can visualize this polygon using a folium interactive map.

```
[5]: m = folium.Map([38.5, -79.3], zoom_start=9, tiles='OpenStreetMap')
folium.GeoJson(AOI).add_to(m)
folium.LatLngPopup().add_to(m)
m

[5]: <folium.folium.Map at 0x7f223c58c090>
```

## 2.1.6 Accessing the HLS Data

To be able to access the HLS imagery we need to activate a 'rasterio' AWS session. This will give us the required access keys that we need to search and read data from the LPDAAC S3 bucket.

```
[6]: def get_aws_session_DAAC():
    """Create a Rasterio AWS Session with Credentials"""
    creds = maap.aws.earthdata_s3_credentials('https://data.lpdaac.earthdatacloud.nasa.
↳gov/s3credentials')
    boto3_session = boto3.Session(
        aws_access_key_id=creds['accessKeyId'],
        aws_secret_access_key=creds['secretAccessKey'],
        aws_session_token=creds['sessionToken'],
        region_name='us-west-2')
```

(continues on next page)

(continued from previous page)

```
)
    return AWSSession(boto3_session)
```

```
[7]: print('Getting AWS credentials...')
aws_session = get_aws_session_DAAC()
print('Finished')
```

```
Getting AWS credentials...
Finished
```

Now that we have our session credentials set up, we can search the HLS catalog using the following function, filtering by spatial extent (our AOI) and a time window:

```
[8]: def query_stac(year, bbox, max_cloud, api, start_month_day, end_month_day):
    print('opening client')
    catalog = Client.open(api)

    date_min = str(year) + '-' + start_month_day
    print('start_month_day:\t\t', start_month_day)
    print('end_month_day:\t\t', end_month_day)
    date_max = str(year) + '-' + end_month_day
    start_date = datetime.datetime.strptime(date_min, "%Y-%m-%d")
    end_date = datetime.datetime.strptime(date_max, "%Y-%m-%d")
    start = start_date.strftime("%Y-%m-%dT00:00:00Z")
    end = end_date.strftime("%Y-%m-%dT23:59:59Z")

    print('start date, end date:\t\t', start, end)

    print('\nConducting HLS search now...')

    search = catalog.search(
        collections=["HLSL30.v2.0"],
        datetime=[start,end],
        bbox=bbox,
        max_items=500, # for testing, and keep it from hanging
        # query={"eo:cloud_cover":{"lt":20}} #doesn't work
    )
    print(f"Search query parameters:\n{search}\n")
    results = search.get_all_items_as_dict()

    return results
```

Here we run our STAC search and write the results out to a JSON file so we can access it later.

```
[9]: search = query_stac(2020, AOI_bbox, 20, 'https://cmr.earthdata.nasa.gov/stac/LPCLOUD',
    ↪ '06-01', '09-30')

with open("./sample.json", "w") as outfile:
    json.dump(search, outfile)
```

```
opening client
start_month_day:          06-01
end_month_day:            09-30
```

(continues on next page)

(continued from previous page)

```
start date, end date:          2020-06-01T00:00:00Z 2020-09-30T23:59:59Z
```

```
Conducting HLS search now...
```

```
Search query parameters:
```

```
<pystac_client.item_search.ItemSearch object at 0x7f223c514850>
```

So far, we have not filtered by cloud cover, which is a common filtering parameter for optical imagery. We can use the metadata files included in our STAC search to find the amount of cloud cover in each file and decide if it meets our threshold or not. We will set a cloud cover threshold of 50%. While we are doing this, we will also change the URLs to access the optical imagery from “https://” to AWS S3 URLs (“S3://”).

```
[10]: def write_local_data_and_catalog_s3(catalog, bands, save_path, cloud_cover, s3_path="s3:/
↳ /"):
    """Given path to a response json from a sat-api query, make a copy changing urls to
    ↳ local paths"""
    creds = maap.aws.earthdata_s3_credentials('https://data.lpdaac.earthdatacloud.nasa.
    ↳ gov/s3credentials')
    aws_session = boto3.session.Session(
        aws_access_key_id=creds['accessKeyId'],
        aws_secret_access_key=creds['secretAccessKey'],
        aws_session_token=creds['sessionToken'],
        region_name='us-west-2')
    s3 = aws_session.client('s3')

    with open(catalog) as f:
        clean_features = []
        asset_catalog = json.load(f)

        # Remove duplicate scenes
        features = asset_catalog['features']

        for feature in features:
            umm_json = feature['links'][6]['href']
            umm_data = !curl -i {umm_json}
            for line in umm_data:
                if "CLOUD_COVERAGE" in line:
                    cc_perc = (int(line.split("CLOUD_COVERAGE")[-1].split('"')[4]))
                    if cc_perc > cloud_cover:
                        pass
                    else:
                        try:
                            for band in bands:
                                output_file = feature['assets'][band]['href'].replace(
                                ↳ 'https://data.lpdaac.earthdatacloud.nasa.gov/', s3_path)
                                bucket_name = output_file.split("/") [2]
                                s3_key = "/" .join(output_file.split("/") [3:])
                                head = s3.head_object(Bucket = bucket_name, Key = s3_key,
                                ↳ RequestPayer='requester')
                                if head['ResponseMetadata']['HTTPStatusCode'] == 200:
                                    feature['assets'][band]['href'] = output_file
                                clean_features.append(feature)
```

(continues on next page)

(continued from previous page)

```

        except botocore.exceptions.ClientError as e:
            if e.response['Error']['Code'] == "404":
                print(f"The object does not exist. {output_file}")
            else:
                raise
    # save and updated catalog with local paths
    asset_catalog['features'] = clean_features
    local_catalog = catalog.replace('sample', 'local-s3')
    with open(local_catalog, 'w') as jsonfile:
        json.dump(asset_catalog, jsonfile)

    return local_catalog

```

When run, this will create a new JSON file that will only include files that meet our cloud cover threshold and have S3 URLs.

```
[11]: local_cat = write_local_data_and_catalog_s3('./sample.json', ['B02', 'B03', 'B04', 'B05',
↪ 'B06', 'B07', 'Fmask'], './', 60, s3_path="s3://")
```

Now that we have images that meet our requirements, we will composite them into a multiband image for our AOI. We will composite the image on a band-by-band basis, so we first have to get a list of all the file paths for each band.

```
[12]: def GetBandLists(inJSON, bandnum, tiles=[]):
    bands = dict({2:'B02', 3:'B03', 4:'B04', 5:'B05', 6:'B06', 7:'B07', 8:'Fmask'})
    BandList = []
    with open(inJSON) as f:
        response = json.load(f)
    for i in range(len(response['features'])):
        try:
            getBand = response['features'][i]['assets'][bands[bandnum]]['href']
            # check 's3' is at position [:2]
            if getBand.startswith('s3', 0, 2):
                BandList.append(getBand)
        except Exception as e:
            print(e)

    BandList.sort()
    return BandList

```

We will build a band list of file paths for each image band. We will also access the ‘fmask’ band to mask out clouds.

```
[13]: blue_bands = GetBandLists('./local-s3.json', 2)
green_bands = GetBandLists('./local-s3.json', 3)
red_bands = GetBandLists('./local-s3.json', 4)
nir_bands = GetBandLists('./local-s3.json', 5)
swir_bands = GetBandLists('./local-s3.json', 6)
swir2_bands = GetBandLists('./local-s3.json', 7)
fmask_bands = GetBandLists('./local-s3.json', 8)

print('number of each images in each band = ', len(blue_bands))

number of each images in each band = 21

```

## 2.1.7 Reading in HLS Data and Creating Composite

We will not read all of the HLS data, as we only need what's included in our AOI. To do this "windowed read" we need to know the dimensions, in pixels, of the window. To do this we need to convert our AOI to a projected coordinate system (UTM) and calculate the number of columns and rows we will need, using a pixel resolution of 30m.

```
[14]: def get_shape(bbox, res=30):
    left, bottom, right, top = bbox
    width = int((right-left)/res)
    height = int((top-bottom)/res)

    return height,width

# convert to m
AOI_utm = AOI.to_crs('epsg:32617')
height, width = get_shape(AOI_utm.bounds.iloc[0].to_list())
```

When building a maximum-NDVI composite, the first data we need is the red and NIR bands to make an NDVI band for each image. We will use 'riotiler' to perform a windowed read of our data. We will also read the 'fmask' layer as we can use this to mask out unwanted pixels.

```
[15]: def ReadData(file, in_bbox, height, width, epsg="epsg:4326", dst_crs="epsg:4326"):
    "Read a window of data from the raster matching the tile bbox"
    with COGReader(file) as cog:
        img = cog.part(in_bbox, bounds_crs=epsg, max_size=None, dst_crs=dst_crs,
        ↪height=height, width=width)

    return (np.squeeze(img.as_masked()).astype(np.float32)) * 0.0001
```

Our AWS session has an expiry time. Now would be a good time to renew our access key to ensure we do not encounter any timeout issues.

```
[16]: print('Getting AWS credentials...')
aws_session = get_aws_session_DAAC()
print('Finished')
```

```
Getting AWS credentials...
Finished
```

Using our renewed session, for each band we will read in the relevant band in each of our images, creating an array of image bands.

```
[17]: with rio.Env(aws_session):
    print('reading red bands...')
    red_stack = np.array([ReadData(red_bands[i], AOI_bbox, height, width, epsg="epsg:4326
    ↪", dst_crs="epsg:4326") for i in range(len(red_bands))])
    print('reading nir bands...')
    nir_stack = np.array([ReadData(nir_bands[i], AOI_bbox, height, width, epsg="epsg:4326
    ↪", dst_crs="epsg:4326") for i in range(len(nir_bands))])
    print('reading fmask bands...')
    fmask_stack = np.array([ReadData(fmask_bands[i], AOI_bbox, height, width, epsg="epsg:
    ↪4326", dst_crs="epsg:4326") for i in range(len(fmask_bands))])
    print('finished')
```

(continues on next page)

```
print("number of red_bands = ", np.shape(red_stack)[0])
```

```
reading red bands...
reading nir bands...
reading fmask bands...
finished
number of red_bands = 21
```

Now that we have our red band array and NIR band array we can make an NDVI image. While we do this, we will also apply our 'fmask' to remove any pixels that contain clouds.


```
[18]: ndvi_stack = np.ma.array(np.where(((fmask_stack==1)), -9999, (nir_stack-red_stack)/(nir_
↳ stack+red_stack)))
ndvi_stack = np.where((~np.isfinite(ndvi_stack)) | (ndvi_stack>1), -9999, ndvi_stack)

/opt/conda/lib/python3.7/site-packages/ipykernel_launcher.py:1: RuntimeWarning: divide_
↳ by zero encountered in true_divide
    """Entry point for launching an IPython kernel.
```

At this point, we can plot our images and see which ones contain cloud coverage. These images have gaps where there is no data or cloud coverage.

```
[19]: fig, axes = plt.subplots(3,7, figsize=(33,30))

for i, ax in enumerate(axes.flat):
    ndvi_stack[i] = np.where((ndvi_stack[i]>1) | (ndvi_stack[i]<-1), 0, ndvi_stack[i])
    ax.axes.xaxis.set_visible(False)
    ax.axes.yaxis.set_visible(False)
    ax.imshow(ndvi_stack[i], cmap='viridis', clim=(0.1, 0.5))
```



Now that we have a stack of NDVI bands, we can create an index band that maps the pixel position from each band where the NDVI value is greatest. We can use this to locate the pixels we want to use in our composite.

```
[20]: # Create Bool mask where there is no value in any of the NDVI layers
print("Make NDVI valid mask")
print("shape:\t\t", np.ma.array(ndvi_stack).shape)
MaxNDVI = np.ma.max(np.ma.array(ndvi_stack),axis=0)
BoolMask = np.ma.getmask(MaxNDVI)
del MaxNDVI

## Get the argmax index positions from the stack of NDVI images
print("Get stack nan mask")
ndvi_stack = np.ma.array(ndvi_stack)
print("Calculate Stack max NDVI image")
NDVI_max = np.nanargmax(ndvi_stack,axis=0)
## create a tmp array (binary mask) of the same input shape
NDVI_tmp = np.ma.zeros(ndvi_stack.shape, dtype=bool)

## for each dimension assign the index position (flattens the array to a LUT)
print("Create LUT of max NDVI positions")
for i in range(np.shape(ndvi_stack)[0]):
    NDVI_tmp[i,:,:]=NDVI_max==i
```

```

Make NDVI valid mask
shape:          (21, 3006, 2951)
Get stack nan mask
Calculate Stack max NDVI image
Create LUT of max NDVI positions

```

Now that we have our NDVI lookup table and a list of all the images for each band, we can make composites based on the maximum NDVI value. For this, we will use the following two functions:

```

[21]: def CollapseBands(inArr, NDVItmp, BoolMask):
        inArr = np.ma.masked_equal(inArr, 0)
        inArr[np.logical_not(NDVItmp)]=0
        compImg = np.ma.masked_array(inArr.sum(0), BoolMask)
        #print(compImg)
        return compImg

def CreateComposite(file_list, NDVItmp, BoolMask, in_bbox, height, width, epsg, dst_crs):
    MaskedFile = [ReadData(file_list[i], in_bbox, height, width, epsg, dst_crs) for i in
    ↪range(len(file_list))]
    Composite=CollapseBands(MaskedFile, NDVItmp, BoolMask)
    return Composite

```

For each band, we will read all the images (for the required band) and create a composite based on the maximum NDVI value.

```

[22]: aws_session = get_aws_session_DAAC()
with rio.Env(aws_session):
    print('Creating Blue Composite')
    blue_comp = CreateComposite(blue_bands, NDVItmp, BoolMask, AOI_bbox, height, width,
    ↪"epsg:4326", "epsg:4326")
    print('Creating Green Composite')
    green_comp = CreateComposite(green_bands, NDVItmp, BoolMask, AOI_bbox, height, width,
    ↪ "epsg:4326", "epsg:4326")
    print('Creating Red Composite')
    red_comp = CreateComposite(red_bands, NDVItmp, BoolMask, AOI_bbox, height, width,
    ↪"epsg:4326", "epsg:4326")
    print('Creating NIR Composite')
    nir_comp = CreateComposite(nir_bands, NDVItmp, BoolMask, AOI_bbox, height, width,
    ↪"epsg:4326", "epsg:4326")
    print('Creating SWIR Composite')
    swir_comp = CreateComposite(swir_bands, NDVItmp, BoolMask, AOI_bbox, height, width,
    ↪"epsg:4326", "epsg:4326")
    print('Creating SWIR2 Composite')
    swir2_comp = CreateComposite(swir2_bands, NDVItmp, BoolMask, AOI_bbox, height, width,
    ↪ "epsg:4326", "epsg:4326")
    print('Creating NDVI Composite')
    ndvi_comp = CollapseBands(ndvi_stack, NDVItmp, BoolMask)
    print('Creating fmask Composite')
    fmask_comp = CollapseBands(fmask_stack, NDVItmp, BoolMask)

```

```

Creating Blue Composite
Creating Green Composite
Creating Red Composite

```

(continues on next page)


(continued from previous page)

```
Creating NIR Composite  
Creating SWIR Composite  
Creating SWIR2 Composite  
Creating NDVI Composite  
Creating fmask Composite
```

We can look at our NDVI composite image and see we now have a complete image for our AOI.

```
[23]: fig, axes = plt.subplots(1,1, figsize=(20,20))  
      ax.axes.xaxis.set_visible(False)  
      ax.axes.yaxis.set_visible(False)  
      plt.imshow(np.where(fmask_comp==1, -9999, ndvi_comp))
```

```
[23]: <matplotlib.image.AxesImage at 0x7f223c43f6d0>
```



Now that we have a 7-band composite image, we can use these bands to calculate a suite of common vegetation indices using the following functions. These indices will give us a better look at vegetation health by giving us information on vegetation water content, greenness, and more.

```
[24]: # SAVI
def calcSAVI(red, nir):
    savi = ((nir - red)/(nir + red + 0.5))*(1.5)
    print('\tSAVI Created')
    return savi

# NDMI
def calcNDMI(nir, swir):
```

(continues on next page)

(continued from previous page)

```

ndmi = (nir - swir)/(nir + swir)
print('\tNDMI Created')
return ndmi

# EVI
def calcEVI(blue, red, nir):
    evi = 2.5 * ((nir - red) / (nir + 6 * red - 7.5 * blue + 1))
    print('\tEVI Created')
    return evi

# NBR
def calcNBR(nir, swir2):
    nbr = (nir - swir2)/(nir + swir2)
    print('\tNBR Created')
    return nbr

# MSAVI
def calcMSAVI(red, nir):
    msavi = (2 * nir + 1 - np.sqrt((2 * nir + 1)**2 - 8 * (nir - red))) / 2
    print('\tMSAVI Created')
    return msavi

```

We can call these functions and make our additional indices.

```

[25]: # calculate covars
print("Generating covariates")
SAVI = calcSAVI(red_comp, nir_comp)
#print("NDMI")
NDMI = calcNDMI(nir_comp, swir_comp)
#print("EVI")
EVI = calcEVI(blue_comp, red_comp, nir_comp)
#print("NBR")
NBR = calcNBR(nir_comp, swir2_comp)
MSAVI = calcMSAVI(red_comp, nir_comp)

```

```

Generating covariates
    SAVI Created
    NDMI Created
    EVI Created
    NBR Created
    MSAVI Created

```

We have a suite of 12 bands now, and we can merge them together into a single 12-band image stack.

```

[26]: print("\nCreating raster stack...\n")
stack = np.transpose([blue_comp, green_comp, red_comp, nir_comp, swir_comp, swir2_comp,
↳ ndvi_comp, SAVI, MSAVI, NDMI, EVI, NBR], [0, 1, 2])
stack = np.where(fmask_comp==1, -9999, stack)
print(np.shape(stack))

```

```

Creating raster stack...

```

```

(12, 3006, 2951)

```

## 2.1.8 Display Results


We can look at each of these bands by using ‘matplotlib’ to plot each one individually.

```
[27]: n: int = len(stack)
#topo_cmaps = ["bone", "Spectral", "magma", "RdBu", "coolwarm"]
topo_cmaps = ['Blues', 'Greens', 'Reds', 'PuRd', 'OrRd', 'BuPu', 'YlGn', 'GnBu', 'YlOrBr',
↳ 'inferno', 'plasma', 'viridis']
print(stack.shape)
bandnames = ['blue_comp', 'green_comp', 'red_comp', 'nir_comp', 'swir_comp', 'swir2_comp
↳ ', 'ndvi_comp', 'SAVI', 'MSAVI', 'NDMI', 'EVI', 'NBR']

font = {'size' : 30}
matplotlib.rc('font', **font)

#axs = [[0,0], [0,1], [0,2], [0,3], [0,4], [0,5], [1,0], [1,1], [1,2], [1,3], [1,4], [1,5], [2,0], [2,
↳ 1], [2,2], [2,3], [2,4], [2,5]]
fig, axes = plt.subplots(3,4, figsize=(33,30))
print(axes.flat)
for i, ax in enumerate(axes.flat):
    ax.imshow(stack[i], cmap=topo_cmaps[i], clim=(np.percentile(stack[i], 10), np.
↳ percentile(stack[i], 90)))
    ax.set_title(bandnames[i])

(12, 3006, 2951)
<numpy.flatiter object at 0x561c7d6fe260>
```



We can also visualize our composite NDVI band on our interactive ‘folium’ map. You can see that even though we found multiple images, by using a windowed read we were able to just read and process the data we needed.

```
[28]: m = folium.Map(location=[38.6, -78.5], zoom_start=9, tiles='CartoDB positron')
AOI_bx = AOI.bounds
#folium.GeoJson(AOI, style_function=lambda x: {'fillColor': 'orange','opacity':0}).add_to(m)
geo_r = folium.raster_layers.ImageOverlay(np.ma.getdata(ndvi_comp), opacity=1,
↳ bounds=[[AOI_bx['miny'][0],AOI_bx['minx'][0]],[AOI_bx['maxy'][0],AOI_bx['maxx'][0]])
geo_r.add_to(m)

m
```

```
[28]: <folium.folium.Map at 0x7f236144a950>
```

## 2.2 GEDI\_L2A Search and Visualize

Authors: Nathan Thomas (GSFC/UMD), Sumant Jha (MSFC/USRA), Samuel Ayers (UAH)

Date: March 9, 2023

Description: This tutorial aims to provide information and code to help users get started working with the Global Ecosystem Dynamics Investigation (GEDI) Level 2A (GEDI\_L2A) product using the MAAP. We will search for the data within NASA's Common Metadata Repository (CMR) and plot the orbit path.

### 2.2.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "[Getting started with the MAAP](#)" section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

### 2.2.2 About the Data

GEDI L2A Elevation and Height Metrics Data Global Footprint Level

This dataset provides Global Ecosystem Dynamics Investigation (GEDI) Level 2A (L2A) data, which has the purpose of providing waveform interpretation and extracted products from the GEDI L1B waveforms. These products include ground elevation, canopy top height, and relative height (RH) metrics. GEDI is attached to the International Space Station (ISS) and collects data globally between 51.6° N and 51.6° S latitudes at the highest resolution and densest sampling of any light detection and ranging (lidar) instrument in orbit to date; specifically, GEDI L2A data has a spatial resolution of 25m. (Source: [GEDI L2A Dataset Landing Page](#))

### 2.2.3 Additional Resources

- [Earthdata Search](#)
- [LPDAAC - Getting Started with GEDI L2A v2 Data in Python](#)
- [The GEDI Website](#)
- [GEDI\\_L2A v2 User Guide](#)

### 2.2.4 Importing and Installing Packages

We will start by importing the packages which will allow us to search for, access, explore, and visualize GEDI\_L2A product data.

Note: This Jupyter notebook utilizes the `folium` package. If you do not have this installed, uncomment the line and run the following code block.

```
[ ]: # !pip install folium
```

For this tutorial, we will import `boto3`, `folium`, `h5py`, `pandas`, and `exists` from `os.path` as shown in the following codeblock.

```
[2]: # Install packages
import boto3
import folium
import h5py
import os
import pandas as pd
from maap.maap import MAAP
from os.path import exists
```

## 2.2.5 Search for GEDI\_L2A Data

To search for data from the GEDI\_L2A product using NASA's CMR, we invoke the MAAP constructor, setting the `maap_host` argument to `'api.maap-project.org'`.

```
[ ]: # Invoke the MAAP using the MAAP host argument
maap = MAAP(maap_host='api.maap-project.org')
```

Now we can use the `searchGranule` function to find granule data within the collection, using the collection short name "GEDI02\_A". Note that we can use `searchGranule`'s `cmr_host` argument to specify a CMR instance external to MAAP and the `readable_granule_name` argument to find granules matching either granule UR or producer granule id (please see the [API documentation](#) for more information). In order to download data from NASA's CMR, we will set a variable to the first result from the `results` we obtained.

```
[4]: # Search for granule data using CMR host name and collection short name, and readable_
      ↪granule_name arguments
results = maap.searchGranule(
    cmr_host='cmr.earthdata.nasa.gov',
    short_name='GEDI02_A',
    readable_granule_name = "GEDI02_A_2021272190541_015849_04_T03030_02_003_02_V002.h5")
```

We'll go ahead and create a new data directory (if it doesn't already exist), and download the first result into it.

```
[12]: # set data directory
dataDir = './data'

# check if directory exists -> if directory doesn't exist, directory is created
if not os.path.exists(dataDir):
    os.mkdir(dataDir)

# Download first result
filename = results[0].getData(dataDir)
```

If desired, the `print` function can be utilized to see the file name and directory.

```
[13]: # Print file directory
print(filename)

./data/GEDI02_A_2021272190541_015849_04_T03030_02_003_02_V002.h5
```

## 2.2.6 Explore

Now that we have downloaded the data, let's look into what it contains.

```
[14]: # Create variable containing info from the file we downloaded
gediL2A = h5py.File(filename, 'r')
```

GEDI\_L2A data has data for 8 different beams. Let's create a list of beam names to help explore the data.

```
[15]: # Create list of beam names
beamNames = [g for g in gediL2A.keys() if g.startswith('BEAM')]
beamNames
```

```
[15]: ['BEAM0000',
       'BEAM0001',
       'BEAM0010',
       'BEAM0011',
       'BEAM0101',
       'BEAM0110',
       'BEAM1000',
       'BEAM1011']
```

Now let's explore the information available for one of the beams (in this case 'BEAM0000').

```
[16]: # Get list of objects in the data pertaining to 'BEAM0000'
beam = beamNames[0]
gediL2A_objs = []
gediL2A.visit(gediL2A_objs.append)
gediSDS = [o for o in gediL2A_objs if isinstance(gediL2A[o], h5py.Dataset)]
[i for i in gediSDS if beam in i][0:20]
```

```
[16]: ['BEAM0000/ancillary/l2a_alg_count',
       'BEAM0000/beam',
       'BEAM0000/channel',
       'BEAM0000/degrade_flag',
       'BEAM0000/delta_time',
       'BEAM0000/digital_elevation_model',
       'BEAM0000/digital_elevation_model_srtm',
       'BEAM0000/elev_highestreturn',
       'BEAM0000/elev_lowestmode',
       'BEAM0000/elevation_bias_flag',
       'BEAM0000/elevation_bin0_error',
       'BEAM0000/energy_total',
       'BEAM0000/geolocation/elev_highestreturn_a1',
       'BEAM0000/geolocation/elev_highestreturn_a2',
       'BEAM0000/geolocation/elev_highestreturn_a3',
       'BEAM0000/geolocation/elev_highestreturn_a4',
       'BEAM0000/geolocation/elev_highestreturn_a5',
       'BEAM0000/geolocation/elev_highestreturn_a6',
       'BEAM0000/geolocation/elev_lowestmode_a1',
       'BEAM0000/geolocation/elev_lowestmode_a2']
```

## 2.2.7 Visualize

Now that we've seen the various labels within the /BEAM0000 group, let's use this information to visualize the GEDI orbit path for our scenes. To start, we shall get samples for various shots, the beam number, longitude, latitude, and quality flags. We can use these samples to create and display a pandas dataframe.

```
[19]: # Set variables for shot, beam number, longitude, latitude, and quality flag samples
lonSample, latSample, shotSample, qualitySample, beamSample = [], [], [], [], []
lats = gediL2A[f'{beamNames[0]}/lat_lowestmode'][(0)]
lons = gediL2A[f'{beamNames[0]}/lon_lowestmode'][(0)]
shots = gediL2A[f'{beamNames[0]}/shot_number'][(0)]
quality = gediL2A[f'{beamNames[0]}/quality_flag'][(0)]
for i in range(len(shots)):
    if i % 100 == 0:
        shotSample.append(str(shots[i]))
        lonSample.append(lons[i])
        latSample.append(lats[i])
        qualitySample.append(quality[i])
        beamSample.append(beamNames[0])

# Create a pandas dataframe containing the sample information
latslons = pd.DataFrame({'Beam': beamSample, 'Shot Number': shotSample, 'Longitude': lonSample,
    'Latitude': latSample, 'Quality Flag': qualitySample})

# Display the dataframe
latslons
```

```
[19]:
```

	Beam	Shot Number	Longitude	Latitude	Quality Flag
0	BEAM0000	158490000400502383	52.337698	0.599011	0
1	BEAM0000	158490000400502483	52.367554	0.556129	0
2	BEAM0000	158490000400502583	52.396932	0.514800	0
3	BEAM0000	158490000400502683	52.426548	0.472746	0
4	BEAM0000	158490000400502783	52.456248	0.430695	0
...	...	...	...	...	...
1685	BEAM0000	158490000400670883	135.837810	-51.605016	0
1686	BEAM0000	158490000400670983	135.921291	-51.605653	0
1687	BEAM0000	158490000400671083	136.003206	-51.606299	0
1688	BEAM0000	158490000400671183	136.086629	-51.606741	0
1689	BEAM0000	158490000400671283	136.168523	-51.607159	0

[1690 rows x 5 columns]

We can now create a map of the orbit path using the dataframe that we have created and utilizing the `folium.Map` and `folium.Circle` functions. Include `map` in the code block to inspect the map which is created within the Jupyter notebook.

```
[20]: # Create a map
map = folium.Map(
    location=[
        latslons.Latitude.mean(),
        latslons.Longitude.mean()
    ], zoom_start=3, control_scale=True
)
```

(continues on next page)

```
# Add variables to the map
for index, location_info in latslons.iterrows():
    folium.Circle(
        [location_info["Latitude"], location_info["Longitude"]],
        popup=f"Shot Number: {location_info['Shot Number']}"
    ).add_to(map)

# Display map
map
```

```
[20]: <folium.folium.Map at 0x7f196e27bb80>
```

## 2.3 GEDI\_L2B Search and Visualize

Authors: Samuel Ayers (UAH), Sumant Jha (MSFC/USRA), Anish Bhusal (UAH), Alex Mandel (DevSeed), Aimee Barciauskas (DevSeed)

Date: December 19, 2022

Description: In this tutorial, we will use the integrated Earthdata search function in MAAP Algorithm Development Environment (ADE) to search for GEDI L2B data for an area of interest. We will then download some of this data and read its attributes in preparation for some analysis. We will perform a spatial subset on the data to reduce data volumes, and then make some basic plots of our data.

### 2.3.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

### 2.3.2 About the Data

GEDI L2B Canopy Cover and Vertical Profile Metrics Data Global Footprint Level V002

This dataset provides Global Ecosystem Dynamics Investigation (GEDI) Level 2 (L2) data, which has the purpose of extracting biophysical metrics and consists of Canopy Cover and Vertical Profile Metrics. These metrics are derived from the L1B waveform, and include canopy cover, Plant Area Index (PAI), Plant Area Volume Density (PAVD), and Foliage Height Diversity (FHD). GEDI is attached to the International Space Station (ISS) and collects data globally between 51.6° N and 51.6° S latitudes at the highest resolution and densest sampling of any light detection and ranging (lidar) instrument in orbit to date; specifically, GEDI L2B data has a spatial resolution of 25m. (Source: [GEDI L2B CMR Search](#))

### 2.3.3 Additional Resources

- GEDI\_L2B Version 2 Dataset Landing Page
- GEDI Level 2 Version 2 User Guide
- The GEDI Website

### 2.3.4 Importing and Installing Packages

We will begin by installing any packages we need and importing the packages that we will use.

#### Prerequisites

- geopandas
- folium

```
[ ]: # Uncomment the following lines to install these packages if you haven't already.
# !pip install geopandas
# !pip install folium
```

```
[38]: from maap.maap import MAAP
maap = MAAP(maap_host='api.maap-project.org')
import geopandas as gpd
import folium
import h5py
import pandas
import matplotlib
import matplotlib.pyplot as plt
import shapely
import os
```

### 2.3.5 Search Data Using an AOI

We will search and download GEDI L2B data using the bounding box of a vector AOI. Firstly, an AOI over the Shenandoah National Park will be created and then we will plot its location on a map.

```
[39]: # Using bounding coordinates to create a polygon around Shenandoah National Park
lon_coords = [-78.32129105072025, -78.04618813890727, -78.72985973163064, -79.
↳ 0158578082679, -78.32129105072025]
lat_coords = [38.88703610703791, 38.74909216350823, 37.88789051477522, 38.03177640342157,
↳ 38.88703610703791]

polygon_geom = shapely.geometry.polygon.Polygon(zip(lon_coords, lat_coords))
crs = 'epsg:4326'
AOI = gpd.GeoDataFrame(index=[0], crs=crs, geometry=[polygon_geom])
```

We can get the bounding box of the AOI so we can use it as a spatial limit on our data search. GeoPandas has a function for returning the spatial coordinates of a bounding box:

```
[40]: # Get the bounding box of the shp
bbox = AOI.bounds
# print the bounding box coords
```

(continues on next page)

(continued from previous page)

```
print('minx = ', bbox['minx'][0])
print('miny = ', bbox['miny'][0])
print('maxx = ', bbox['maxx'][0])
print('maxy = ', bbox['maxy'][0])
```

```
minx = -79.0158578082679
miny = 37.88789051477522
maxx = -78.04618813890727
maxy = 38.88703610703791
```


Let's look at our AOI on an interactive map using folium.

```
[41]: m = folium.Map(location=[38.5, -78], zoom_start=9, tiles='CartoDB positron')
      geo_j = folium.GeoJson(data=AOI, style_function=lambda x: {'fillColor': 'orange'})
      geo_j.add_to(m)
      m
```

```
[41]: <folium.folium.Map at 0x7fa48a66b710>
```

### 2.3.6 Search using the EarthData Search Integration

Search Data: To search GEDI data we can use the EarthData search integration in the MAAP ADE. Open the Earthdata search toolbar by clicking on the following:



This will open up the EarthData search interface in a new tab. We can use the search bar to search GEDI L2B data. By entering “L2B” in the search bar, we can see the relevant GEDI data is filtered. Click on the dataset to get more details.

The screenshot displays the EarthData Search web application. The top navigation bar includes the EarthData logo and a search input field. The main content area shows search results for 'GEDI L2B Canopy Cover and Vertical Profile Metrics Data Global Footprint Level V002' and 'GEDI L2A Elevation and Height Metrics Data Global Footprint Level V002'. The left sidebar contains a navigation menu with categories like 'Features', 'Keywords', 'Platforms', 'Instruments', 'Organizations', 'Projects', 'Processing Levels', and 'Data Format'. The search results include details such as the number of granules, start dates, and descriptions of the data collections.

While we have been searching for data, the MAAP ADE has been keeping a track of our search parameters. This means that we can easily insert our search for GEDI data straight into our notebook.

The screenshot shows a Jupyter Notebook interface with the 'Data Search' menu open. The menu options are: 'Open EarthData Search', 'View Selected Search Parameters', 'Paste Collection Search Query', 'Paste Granule Search Query', 'Paste Granule Search Results', and 'Set Results Limit'. The file browser on the left shows the current directory is 'MAAP\_Tutorials / GEDI /' and the selected file is 'SearchGEDI.ipynb'. Other files visible include 'EarthdataSearch.png' and 'Shenandoah\_AOI.gpkg'.

### 2.3.7 Inspect and Filter through the Data

This gives us our search parameters in our notebook using the GEDI dataset ID. The default limit for the number of returned results is 1000. Running this will produce 1000 results, but we can look at the first one by indexing the list of returned results. This is what the data entry looks like. You can see a large amount of metadata for the file along with the URL for where this specific file is stored.

```
[42]: data = maap.searchGranule(cmr_host='cmr.earthdata.nasa.gov', concept_id="C1908350066-
↳LPDAAC_ECS", limit=1000)[0]
data

[42]: {'concept-id': 'G2011069580-LPDAAC_ECS',
'collection-concept-id': 'C1908350066-LPDAAC_ECS',
'revision-id': '10',
'format': 'application/echo10+xml',
'Granule': {'GranuleUR': 'SC:GEDI02_B.002:2433465280',
'InsertTime': '2021-02-22T19:16:30.675Z',
'LastUpdate': '2021-09-16T13:36:07.965Z',
'Collection': {'DataSetId': 'GEDI L2B Canopy Cover and Vertical Profile Metrics Data_
↳Global Footprint Level V002'},
'DataGranule': {'SizeMBDataGranule': '16.5413',
'ProducerGranuleId': 'GEDI02_B_2019108002012_001959_01_T03909_02_003_01_V002.h5',
'DayNightFlag': 'UNSPECIFIED',
'ProductionDateTime': '2021-02-21T14:45:08Z'},
'PGEVersionClass': {'PGEVersion': '003'},
'Temporal': {'RangeDateTime': {'BeginningDateTime': '2019-04-18T00:20:12.000000Z',
'EndingDateTime': '2019-04-18T01:52:53.000000Z'}},
'Spatial': {'HorizontalSpatialDomain': {'Geometry': {'GPolygon': {'Boundary': {'Point':
↳ [{'PointLongitude': '80.2890335089',
'PointLatitude': '-4.6168623465'},
{'PointLongitude': '82.4542052313', 'PointLatitude': '-1.5568021223'},
{'PointLongitude': '83.6402279084', 'PointLatitude': '0.1277767863'},
{'PointLongitude': '83.6814118126', 'PointLatitude': '0.0987901632'},
{'PointLongitude': '82.4953794073', 'PointLatitude': '-1.5858244175'},
{'PointLongitude': '80.3302671214',
'PointLatitude': '-4.6459691487'}]}]}},
'OrbitCalculatedSpatialDomains': {'OrbitCalculatedSpatialDomain': {'StartOrbitNumber':
↳ '1959',
'StopOrbitNumber': '1959'}}},
'MeasuredParameters': {'MeasuredParameter': {'ParameterName': 'Level2B'}}},
'Platforms': {'Platform': {'ShortName': 'ISS',
'Instruments': {'Instrument': {'ShortName': 'GEDI',
'Sensors': {'Sensor': {'ShortName': 'LIDAR'}}}}}},
'Campaigns': {'Campaign': {'ShortName': 'GEDI'}}},
'AdditionalAttributes': {'AdditionalAttribute': [{'Name': 'identifier_product_doi',
'Values': {'Value': '10.5067/GEDI/GEDI02_B.002'}},
{'Name': 'identifier_product_doi_authority',
'Values': {'Value': 'https://doi.org'}},
{'Name': 'Reference_Ground_Track', 'Values': {'Value': '3909'}},
{'Name': 'SEGMENT_NUMBER', 'Values': {'Value': '01'}}]},
'InputGranules': {'InputGranule': ['GEDI01_B_2019108002012_001959_01_T03909_02_005_01_
↳V002.h5',
'GEDI02_A_2019108002012_001959_01_T03909_02_003_01_V002_10algs.h5']},
'OnlineAccessURLs': {'OnlineAccessURL': {'URL': 'https://e4ftl01.cr.usgs.gov//GEDI_L1_
```

(continues on next page)

(continued from previous page)

```

↪L2/GEDI/GEDI02_B.002/2019.04.18/GEDI02_B_2019108002012_001959_01_T03909_02_003_01_V002.
↪h5',
  'URLDescription': 'GEDI02_B_2019108002012_001959_01_T03909_02_003_01_V002.h5.␣
↪MimeType: application/x-hdfeos',
  'MimeType': 'application/x-hdfeos'}},
  'OnlineResources': {'OnlineResource': [{'URL': 'https://doi.org/10.5067/GEDI/GEDI02_B.
↪001 ',
  'Description': 'The Landing Page for this file may be accessed directly from this␣
↪link',
  'Type': 'DOI',
  'MimeType': 'text/html'},
  {'URL': 'https://e4ftl01.cr.usgs.gov//WORKING/BRWS/Browse.001/2021.02.23/GEDI02_B_
↪2019108002012_001959_01_T03909_02_003_01_V002.png',
  'Description': 'This Browse file may be downloaded directly from this link',
  'Type': 'BROWSE',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://e4ftl01.cr.usgs.gov//GEDI_L1_L2/GEDI/GEDI02_B.002/2019.04.18/GEDI02_
↪B_2019108002012_001959_01_T03909_02_003_01_V002.h5.xml',
  'Description': 'This Metadata file may be downloaded directly from this link',
  'Type': 'EXTENDED METADATA',
  'MimeType': 'text/xml'}]}},
  'Orderable': 'true',
  'DataFormat': 'HDF5',
  'Visible': 'true'}}

```

So far, this search function requests all of the GEDI data but we can add a spatial subset filter using our AOI from above to limit the results. Adding a spatial filter returns 259 GEDI L2B files that intersect with our AOI.

```

[43]: data_aoi = maap.searchGranule(cmr_host='cmr.earthdata.nasa.gov', concept_id="C1908350066-
↪LPDAAC_ECS", bounding_box="-79.0158578082679,37.88789051477522,-78.04618813890727,38.
↪887036107037915", limit=1000)
print(len(data_aoi))

```

259

This is more data than we need, so let's look at the contents of a single GEDI file. Firstly we need to bring it from the server side (S3) to our local side. This can be done using the MAAP function `getData`. We'll create a new data directory, and then we will pull the 7th file in our search results.

```

[44]: # set data directory
dataDir = './data'

# check if directory exists -> if directory doesn't exist, directory is created
if not os.path.exists(dataDir):
    os.mkdir(dataDir)

```

```

[45]: # pulling the 7th file into the new directory
gedi_data = data_aoi[6].getData(dataDir)
print(gedi_data)

./data/GEDI02_B_2019145051352_002537_03_T04809_02_003_01_V002.h5

```

GEDI data has 8 beams. So, we will check that all beams are in our file and print a list of the available beams.

```
[46]: gedi_h5_file = h5py.File(gedi_data, 'r')
gedi_keys = list(gedi_h5_file.keys())
gedi_beams = ['BEAM0000', 'BEAM0001', 'BEAM0010', 'BEAM0011', 'BEAM0101', 'BEAM0110',
↳ 'BEAM1000', 'BEAM1011']
gedi_beams_lst = []
for gedi_beam_name in gedi_keys:
    if gedi_beam_name in gedi_beams:
        gedi_beams_lst.append(gedi_beam_name)
print(gedi_beams_lst)

['BEAM0000', 'BEAM0001', 'BEAM0010', 'BEAM0011', 'BEAM0101', 'BEAM0110', 'BEAM1000',
↳ 'BEAM1011']
```

For each beam, we need to get all of the data and metrics associated with it. For this, we have a function that will gather all of the metrics we want and put them into a geopandas dataframe:

```
[47]: def get_gedi_df(gedi_h5_file, gedi_beam_name):
    gedi_beam = gedi_h5_file[gedi_beam_name]

    # Get location info.
    gedi_beam_geoloc = gedi_beam['geolocation']
    # Get land cover data.
    gedi_beam_landcover = gedi_beam['land_cover_data']

    gedi_beam_df = pandas.DataFrame(
        {'elevation_bin0'           : gedi_beam_geoloc['elevation_bin0'],
         'elevation_lastbin'        : gedi_beam_geoloc['elevation_lastbin'],
         'height_bin0'              : gedi_beam_geoloc['height_bin0'],
         'height_lastbin'           : gedi_beam_geoloc['height_lastbin'],
         'shot_number'              : gedi_beam_geoloc['shot_number'],
         'solar_azimuth'            : gedi_beam_geoloc['solar_azimuth'],
         'solar_elevation'          : gedi_beam_geoloc['solar_elevation'],
         'latitude_bin0'            : gedi_beam_geoloc['latitude_bin0'],
         'latitude_lastbin'         : gedi_beam_geoloc['latitude_lastbin'],
         'longitude_bin0'           : gedi_beam_geoloc['longitude_bin0'],
         'longitude_lastbin'        : gedi_beam_geoloc['longitude_lastbin'],
         'degrade_flag'            : gedi_beam_geoloc['degrade_flag'],
         'digital_elevation_model'  : gedi_beam_geoloc['digital_elevation_model'],
         'landsat_treecover'        : gedi_beam_landcover['landsat_treecover'],
         'modis_nonvegetated'       : gedi_beam_landcover['modis_nonvegetated'],
         'modis_nonvegetated_sd'    : gedi_beam_landcover['modis_nonvegetated_sd'],
         'modis_treecover'         : gedi_beam_landcover['modis_treecover'],
         'modis_treecover_sd'      : gedi_beam_landcover['modis_treecover_sd'],
         'beam'                     : gedi_beam['beam'],
         'cover'                    : gedi_beam['cover'],
         'master_frac'              : gedi_beam['master_frac'],
         'master_int'               : gedi_beam['master_int'],
         'num_detectedmodes'        : gedi_beam['num_detectedmodes'],
         'omega'                    : gedi_beam['omega'],
         'pai'                      : gedi_beam['pai'],
         'pgap_theta'               : gedi_beam['pgap_theta'],
         'pgap_theta_error'         : gedi_beam['pgap_theta_error'],
         'rg'                       : gedi_beam['rg'],
```

(continues on next page)

(continued from previous page)

```

        'rh100'          : gedi_beam['rh100'],
        'rhog'           : gedi_beam['rhog'],
        'rhog_error'     : gedi_beam['rhog_error'],
        'rhov'           : gedi_beam['rhov'],
        'rhov_error'     : gedi_beam['rhov_error'],
        'rossg'          : gedi_beam['rossg'],
        'rv'              : gedi_beam['rv'],
        'sensitivity'     : gedi_beam['sensitivity'],
        'stale_return_flag' : gedi_beam['stale_return_flag'],
        'surface_flag'    : gedi_beam['surface_flag'],
        'l2a_quality_flag' : gedi_beam['l2a_quality_flag'],
        'l2b_quality_flag' : gedi_beam['l2b_quality_flag']})

    gedi_beam_gdf = gpd.GeoDataFrame(gedi_beam_df, crs='EPSG:4326',
                                     geometry=gpd.points_from_xy(gedi_beam_df.
↳ longitude_lastbin,
                                                                    gedi_beam_
↳ df.latitude_lastbin))
    return gedi_beam_gdf

```

To access the data with this function, we can call the function for each beam id that we have:

```

[48]: BEAM0000 = get_gedi_df(gedi_h5_file, 'BEAM0000')
      BEAM0001 = get_gedi_df(gedi_h5_file, 'BEAM0001')
      BEAM0010 = get_gedi_df(gedi_h5_file, 'BEAM0010')
      BEAM0011 = get_gedi_df(gedi_h5_file, 'BEAM0011')
      BEAM0101 = get_gedi_df(gedi_h5_file, 'BEAM0101')
      BEAM0110 = get_gedi_df(gedi_h5_file, 'BEAM0110')
      BEAM1000 = get_gedi_df(gedi_h5_file, 'BEAM1000')
      BEAM1011 = get_gedi_df(gedi_h5_file, 'BEAM1011')

```

Now we can look at the data in one of the dataframes (beams). We can see that there are 108583 GEDI shots (108583 entries in each column).

```

[49]: print(BEAM0000.head())
      print('number of rows = ', len(BEAM0000))

```

```

      elevation_bin0  elevation_lastbin  height_bin0  height_lastbin  \
0      533.320205      532.870899 -9999.000000      -9999.000000
1      533.610735      533.161429 -9999.000000      -9999.000000
2      835.586133      790.954687      42.284134      -2.373195
3      822.361914      780.875651      38.280968      -3.229356
4      788.459662      760.602475      25.957445      -1.915897

      shot_number  solar_azimuth  solar_elevation  latitude_bin0  \
0  25370000300165164      -34.511044      -10.500773      51.821288
1  25370000300165165      -34.510292      -10.501078      51.821282
2  25370000300165166      -34.509689      -10.501341      51.821258
3  25370000300165167      -34.508926      -10.501648      51.821253
4  25370000300165168      -34.508163      -10.501955      51.821249

      latitude_lastbin  longitude_bin0  ...  rhov  rhov_error  rossg  \
0      51.821288      -127.096372  ...  0.6      -9999.0      0.5

```

(continues on next page)

(continued from previous page)

```

1      51.821282      -127.095550 ... 0.6      -9999.0      0.5
2      51.821260      -127.094876 ... 0.6      -9999.0      0.5
3      51.821255      -127.094048 ... 0.6      -9999.0      0.5
4      51.821250      -127.093210 ... 0.6      -9999.0      0.5

      rv  sensitivity  stale_return_flag  surface_flag  \
0 -9999.0000000 -14.502214          1              1
1 -9999.0000000  -8.689309          1              1
2  3615.732178    0.965246           0              1
3  4290.229980    0.969620           0              1
4  2557.771240    0.943713           0              1

      l2a_quality_flag  l2b_quality_flag          geometry
0              0          0 POINT (-127.09637 51.82129)
1              0          0 POINT (-127.09555 51.82128)
2              1          1 POINT (-127.09485 51.82126)
3              1          1 POINT (-127.09403 51.82126)
4              1          1 POINT (-127.09320 51.82125)

```

```

[5 rows x 41 columns]
number of rows = 108583

```

### 2.3.8 Create the Subset and Display the Data

Before displaying this data we can do a spatial subset to remove the data outside of our AOI by doing a spatial subset. We use the Geopandas clip function to clip out the GEDI data based on the extent of our AOI. This reduces the size of the dataframe from 108583 rows to 508.

```
[50]: BEAM0000_sub = gpd.clip(BEAM0000, AOI)
len(BEAM0000_sub)
```

```
[50]: 508
```

We can display this subset of data over our AOI extent.

```
[51]: m = folium.Map(location=[38.5, -78], zoom_start=9, tiles='CartoDB positron')

geo_j = folium.GeoJson(data=AOI, style_function=lambda x: {'fillColor': 'orange'})
geo_j.add_to(m)

geo_g = folium.GeoJson(data=BEAM0000_sub, marker = folium.CircleMarker(radius = 1, #
↳ Radius in metres
                                weight = 0, #outline weight
                                fill_color = '#FF0000',
                                fill_opacity = 1))

geo_g.add_to(m)
m
```

```
[51]: <folium.folium.Map at 0x7fa48b58f890>
```

Now we have this subset of data, we can look at some of the GEDI metrics over our area of interest. The 'rh100' metric should give us the top of the canopy heights. What does this look like over Shenandoah National Park? We will look at the ground height and the 'rh100' above ground. The DEM metric is in meters (m) and the 'rh100' metric is in

centimeters (cm) above the ground height. Therefore we must add the 'rh100' value to the ground height to get the total height of the tree for display purposes. The 'rh100' metric is also converted to meters (m) to normalize the units


```
[52]: latitude = BEAM0000_sub['latitude_lastbin']
rh100 = BEAM0000_sub['rh100']
ground = BEAM0000_sub['digital_elevation_model']

TreeHeight = ground + rh100/100
```

Finally, we can make a plot of the ground surface and the canopy heights above the ground surface. We can see the forest canopies in green above the topographically complex ground in brown.

```
[53]: plt.figure(figsize=(20, 5))
plt.scatter(latitude, TreeHeight, c='green')
plt.plot(latitude, ground, c='brown')
```

```
[53]: [<matplotlib.lines.Line2D at 0x7fa48b7eb7d0>]
```



Now you have this basic structure you can investigate some of the other metrics and GEDI beams to understand more about the data.

## 2.4 GEDI\_L3 Search and Download

Authors: Anish Bhusal (UAH), Sumant Jha (MSFC/USRA), Jamison French (DevSeed), Aimee Barciauskas (DevSeed), Alex Mandel (DevSeed)

Date: February 8, 2023

Description: In this tutorial, we will search for GEDI L3 data in NASA's Earthdata Search, and then download a GeoTIFF file from the ORNL DAAC S3. We will then visualize the GeoTIFF file, which consists of canopy heights.

### 2.4.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "[Getting started with the MAAP](#)" section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.


## 2.4.2 About the Data

### GEDI L3 Gridded Land Surface Metrics, Version 2

This dataset provides Global Ecosystem Dynamics Investigation (GEDI) Level 3 (L3) gridded mean canopy height, standard deviation of canopy height, mean ground elevation, standard deviation of ground elevation, and counts of laser footprints per 1-km x 1-km grid cells globally within -52 and 52 degrees latitude. GEDI is attached to the International Space Station (ISS) and collects data globally between 51.6° N and 51.6° S latitudes at the highest resolution and densest sampling of any light detection and ranging (lidar) instrument in orbit to date.

GEDI L3 data products are gridded by spatially interpolating Level 2 footprint estimates of canopy cover, canopy height, Leaf Area Index (LAI), vertical foliage profile and their uncertainties. Level 2 data contains terrain elevation, canopy height, RH metrics and Leaf Area Index (LAI). The raw waveforms are collected by GEDI system and processed to provide canopy height and profile metrics. These metrics provide easy to use and interpret information about the vertical distribution of canopy material.

Source: [GEDI L3 Gridded Land Surface Metrics, Version 2 Data Set Landing Page](#)



Source: <https://gedi.umd.edu/data/products/>

Figure: Sample of GEDI lidar waveform (left). The light brown area under the curve represents the return energy from the canopy, while the dark brown area signifies the return from the underlying topography. The black line is cumulative return energy, starting from the bottom of the ground return (normalized to 0) to the top of canopy (normalized to 1). The diagram on the right shows the distribution of trees that produced the waveform.

### 2.4.3 Additional Resources

- [GEDI L3 Gridded Land Surface Metrics, Version 2 User Guide](#)
- [GEDI Overview Page, LPDAAC](#)

### 2.4.4 Importing and Installing Packages

This tutorial assumes you've all packages installed. If you haven't already, uncomment the following lines to install these packages.

```
[ ]: # !pip install geopandas
      # !pip install contextily
      # !pip install backoff
      # !pip install folium
      # !pip install geojsoncontour
```

```
[16]: from maap.maap import MAAP
      import pandas as pd
      import folium
      from rasterio.plot import show
      import rasterio
      import boto3
      import os
```

After importing necessary packages, the next step is to initialize MAAP constructor using `api.maap-project.org` as `maap_host` argument.

```
[17]: maap = MAAP(maap_host="api.maap-project.org")
```

Now, the next step is to search granules from the CMR. To generate following query, you can use EarthData search feature from MAAP ADE. Refer to this [tutorial](#) for more info.

```
[18]: results=maap.searchGranule(cmr_host='cmr.earthdata.nasa.gov',concept_id="C2153683336-
      ↪ORNL_CLOUD", limit=1000)
```

The above query gives 1000 results by default. The number of necessary results can be changed using `limit` argument. We can view the `GranuleUR` from results using:

```
[19]: [result['Granule']['GranuleUR'] for result in results]
```

```
[19]: ['GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_stddev_2019108_2020287_002_02.tif'
      ↪',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_counts_2019108_2020287_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_counts_2019108_2021104_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_mean_2019108_2020287_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_stddev_2019108_2020287_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_stddev_2019108_2021104_002_02.tif'
      ↪',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_stddev_2019108_2021104_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_mean_2019108_2020287_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_mean_2019108_2021104_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_mean_2019108_2021104_002_02.tif',
      'GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_stddev_2019108_2021216_002_02.tif']
```

(continues on next page)

(continued from previous page)

```

↪ ',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_mean_2019108_2021216_002_02.tif',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_stddev_2019108_2021216_002_02.tif',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_mean_2019108_2021216_002_02.tif',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_counts_2019108_2021216_002_02.tif',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_mean_2019108_2022019_002_03.tif',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_counts_2019108_2022019_002_03.tif',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_mean_2019108_2022019_002_03.tif',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_elev_lowestmode_stddev_2019108_2022019_002_03.tif
↪ ',
'GEDI_L3_LandSurface_Metrics_V2.GEDI03_rh100_stddev_2019108_2022019_002_03.tif']

```

Before downloading a particular tif, let's catch the collection and file name for first item in results:

```
[20]: granule_ur=results[0]['Granule']['GranuleUR'].split(".")
collection_name=granule_ur[0]
file_name=granule_ur[1]
```

```
[21]: print(f"collection name: {collection_name} | file_name: {file_name}")
collection name: GEDI_L3_LandSurface_Metrics_V2 | file_name: GEDI03_elev_lowestmode_
↪stddev_2019108_2020287_002_02
```

### 2.4.5 Download file from ORNL DAAC S3

To download the file from the source, temporary s3 credentials are required for maap package. You can explicitly request `s3_cred_endpoint` for the credentials. The code below wraps that request to get credentials and download the file to your workspace.

```
[22]: def get_s3_creds(url):
    return maap.aws.earthdata_s3_credentials(url)

def get_s3_client(s3_cred_endpoint):
    creds=get_s3_creds(s3_cred_endpoint)
    boto3_session = boto3.Session(
        aws_access_key_id=creds['accessKeyId'],
        aws_secret_access_key=creds['secretAccessKey'],
        aws_session_token=creds['sessionToken']
    )
    return boto3_session.client("s3")

def download_s3_file(s3, bucket, collection_name, file_name):
    os.makedirs("/projects/gedi_l3", exist_ok=True) # create directories, as necessary
    download_path=f"/projects/gedi_l3/{file_name}.tif"
    s3.download_file(bucket, f"gedi/{collection_name}/data/{file_name}.tif", download_
↪path)
    return download_path
```

```
[23]: s3_cred_endpoint= 'https://data.ornl daac.earthdata.nasa.gov/s3credentials'
s3=get_s3_client(s3_cred_endpoint)
```

```
[24]: bucket="ornl-cumulus-prod-protected"
download_path=download_s3_file(s3, bucket, collection_name, file_name)
download_path
```

```
[24]: '/projects/gedi_l3/GEDI03_elev_lowestmode_stddev_2019108_2020287_002_02.tif'
```


Now, we have the file in our local workspace. It's time to visualize it using rasterio package

## 2.4.6 [Optional] Visualization using Rasterio

The downloaded file is too big to read and visualize directly so we might need to scale it down and view it as a small thumbnail.

```
[25]: def show_thumbnail(path):
src=rasterio.open(path)
overview = src.overviews(1)[0]
thumbnail = src.read(1, out_shape=(1, int(src.height // overview), int(src.width //
↳overview)))
show(thumbnail)
```

```
[26]: show_thumbnail(download_path)
```



## 2.4.7 [Optional] Overlay Raster Layer on top of Folium Map

To properly visualize the canopy heights, we need to display the TIF image on the map. The TIF image file may be too memory and compute-intensive for the kernel causing the process to exit.

```
[27]: # tif=rasterio.open(download_path)
# arr=tif.read()
# bounds=tif.bounds
```

```
[28]: #import numpy as np

# x1,y1,x2,y2=bounds
# bbox=[(bounds.bottom, bounds.left), (bounds.top, bounds.right)]
# m=folium.Map(location=[14.59, 120.98], zoom_start=10)
# img = folium.raster_layers.ImageOverlay(image=np.moveaxis(arr, 0, -1), bounds=bbox,
↳opacity=0.9, interactive=True, cross_origin=False, zindex=1)
# m
```

## 2.5 GEDI\_L4A Subset and Visualize

Authors: Chuck Daniels (DevSeed), Jamison French (DevSeed), Anish Bhusal (UAH), Sumant Jha (MSFC/USRA), Alex Mandel (DevSeed)

Date: November 14, 2022

Description: In this tutorial, we will use a GeoJSON to create an area of interest (AOI) and use it in MAAP's GEDI Subsetter. We will then visualize the output file created by the subsetter by plotting elevation contours.

### 2.5.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the [“Getting started with the MAAP”](#) section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

### 2.5.2 About the Data

GEDI L4A Footprint Level Aboveground Biomass Density, Version 2

This dataset provides Global Ecosystem Dynamics Investigation (GEDI) Level 4 (L4) data, which has the purpose of providing mean aboveground biomass density (AGBD) and consists of the GEDI\_L4A and GEDI\_L4B collections. GEDI L4A contains predictions of AGBD and estimates of the prediction standard error. GEDI is attached to the International Space Station (ISS) and collects data globally between 51.6° N and 51.6° S latitudes at the highest resolution and densest sampling of any light detection and ranging (lidar) instrument in orbit to date; specifically, GEDI L4A data has a spatial resolution of 25m. [Source: GEDI\\_L4A Version 2 User Guide](#)

### 2.5.3 Additional Resources

- [GEDI\\_L4A Version 2 Data Set Landing Page](#)
- [The GEDI Website](#)
- [Earthdata Search](#)
- [GEDI Subsetter DOI: 10.5281/zenodo.10019412](#)

### 2.5.4 [Optional] Install Python Packages

This notebook contains some cells marked as optional, meaning that you can use this notebook without necessarily running such cells.

However, if you do wish to run the optional cells, you must install the following Python packages, which might not already be installed in your environment:

- `geopandas`: for reading your AOI (GeoJson file), as well as for reading the job output (GeoPackage file containing the subset)
- `contextily`: for visually verifying your AOI
- `backoff`: for repeatedly polling the job status (after submission) until the job has been completed (either successfully or not)
- `folium`: for visualizing your data on a Leaflet map

- `geojsoncontour`: for converting your matplotlib contour plots to geojson

```
[ ]: # Uncomment the following lines to install these packages if you haven't already.
# !pip install geopandas
# !pip install contextily
# !pip install backoff
# !pip install folium
# !pip install geojsoncontour
```

A job can be submitted without these packages, but installing them in order to run the optional cells may make it more convenient for you to visually verify both your AOI and the subset output produced by your job.

## 2.5.5 Obtain Username

```
[18]: from maap.maap import MAAP

maap = MAAP(maap_host="api.maap-project.org")
username = maap.profile.account_info()["username"]
username

WARNING:maap.maap:Unable to load config file from source maap.cfg
WARNING:maap.maap:Unable to load config file from source ./maap.cfg
WARNING:maap.maap:Unable to load config file from source /projects/maap.cfg

[18]: 'smk0033'
```

## 2.5.6 Define the Area of Interest

You may use either a publicly available GeoJSON file for your AOI, such as those available at [geoBoundaries](#), or you may create a custom GeoJSON file for your AOI. The following 2 subsections cover both cases.

### Using a geoBoundary GeoJSON File

If your AOI is a publicly available geoBoundary, you can obtain the URL for the GeoJSON file using the function below. You simply need to supply an ISO3 value and a level. To find the appropriate ISO3 and level values, see the table on the [geoBoundaries](#) site.

```
[19]: import requests

def get_geo_boundary_url(iso3: str, level: int) -> str:
    response = requests.get(
        f"https://www.geoboundaries.org/api/current/gbOpen/{iso3}/ADM{level}")
    response.raise_for_status()
    return response.json()["gjDownloadURL"]

# If using a geoBoundary, uncomment the following assignment, supply
# appropriate values for `<iso3>` and `<level>`, then run this cell.
```

(continues on next page)

(continued from previous page)

```
# Example (Gabon level 0): get_geo_boundary("GAB", 0)
# aoi = get_geo_boundary_url("<iso3>", <level>)
```

### Using a Custom GeoJSON File

Alternatively, you can make your own GeoJSON file for your AOI and place it within your `my-public-bucket` folder within the ADE.

Based upon where you place your GeoJSON file under `my-public-bucket`, you can construct the URL for a job's `aoi` input value.


For example, if the relative path of your AOI GeoJSON file under `my-public-bucket` is `path/to/my-aoi.geojson` (avoid using whitespace in the path and filename), the URL you would supply as the value of a job's `aoi` input would be the following (where `{username}` is replaced with your username as output from the previous section):

```
f"https://maap-ops-workspace.s3.amazonaws.com/shared/{username}/path/to/my-aoi.geojson"
```

If this is the case, use the cell below.

```
[20]: #aoi = f"https://maap-ops-workspace.s3.amazonaws.com/shared/{username}/langtang_np.
↪geojson"
#for your convenience you can use this geoJSON file but if you have your own geojson,↪
↪use the commented link as example format
aoi = f"https://maap-ops-workspace.s3.amazonaws.com/shared/anisbhs1/langtang_np.geojson"
```


This example uses the AOI of Gosaikunda Lake region inside Langtang National Park. You can also create your own GeoJSON file for your AOI using sites like [geojson.io](http://geojson.io)



## 2.5.7 [Optional] Visually Verify your AOI

If you want to visually verify your AOI before proceeding, you may run the following cell, if you have the geopandas and contextily Python packages installed.

```
[21]: try:
import geopandas as gpd
import contextily as ctx
except:
print(
    "If you wish to visually verify your AOI, "
    "you must install the `geopandas` and `contextily` packages."
)
else:
aoi_gdf = gpd.read_file(aoi)
aoi_epsg4326 = aoi_gdf.to_crs(epsg=4326)
ax = aoi_epsg4326.plot(figsize=(10, 5), alpha=0.3, edgecolor="red")
ctx.add_basemap(ax, crs=4326)
```



## 2.5.8 Submit a Job

When supplying input values for a GEDI subsetting job, to use the default value for a field (where indicated), use a dash ("-") as the input value.

- **aoi** (required): URL to a GeoJSON file representing your area of interest, as explained above.
- **doi**: Digital Object Identifier (DOI) of the GEDI collection to subset, or a logical name representing such a DOI. Valid logical names: L1B, L2A, L2B, L4A
- **columns**: Comma-separated list of column names to include in the output file.
- **query**: Query expression for subsetting the rows in the output file.
- **limit**: Maximum number of GEDI granule data files to download (among those that intersect the specified AOI). (Default: 10000)

It is recommended to use `maap-dps-worker-32gb` queues when submitting a job with a large aoi.

```
[22]: inputs = dict(
    aoi=aoi,
    doi="L4A",
    lat="lat_lowestmode",
    lon="lon_lowestmode",
    beams="coverage",
    columns="agbd, agbd_se, sensitivity, geolocation/sensitivity_a2, elev_lowestmode",
    query="l2_quality_flag == 1 and l4_quality_flag == 1 and sensitivity > 0.95 and_
↪ `geolocation/sensitivity_a2` > 0.95",
    limit=10,
    temporal="-",
    output="gedi_subset.gpkg"
)

result = maap.submitJob(
    identifier="gedi-subset",
    algo_id="gedi-subset",
    version="0.6.0",
    queue="maap-dps-worker-32gb",
    username=username,
    **inputs,
)

job_id = result.id
job_id or result
```

```
[22]: '72fca5ba-935a-49a2-802f-1dcfd3a5628c'
```

## 2.5.9 Get the Job's Output File

Now that the job has been submitted, we can use the `job_id` to check the job status until the job has been completed.

```
[23]: from urllib.parse import urlparse

def job_status_for(job_id: str) -> str:
    return maap.getJobStatus(job_id)

def job_result_for(job_id: str) -> str:
    return maap.getJobResult(job_id)[0]

def to_job_output_dir(job_result_url: str) -> str:
    return f"/projects/my-private-bucket/{job_result_url.split(f'/{username}/')[1]}"
```

If you have installed the `backoff` Python package, running the following cell will automatically repeatedly check your job's status until the job has been completed. Otherwise, you will have to manually repeatedly rerun the following cell until the output is either 'Succeeded' or 'Failed'.

```
[24]: try:
    import backoff
except:
    job_status = job_status_for(job_id)
else:
    # Check job status every 2 minutes
    @backoff.on_predicate(
        backoff.constant,
        lambda status: status not in ["Deleted", "Succeeded", "Failed"],
        interval=120,
    )
    def wait_for_job(job_id: str) -> str:
        return job_status_for(job_id)

    job_status = wait_for_job(job_id)
```

```
job_status
```

```
INFO:backoff:Backing off wait_for_job(...) for 0.9s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 18.1s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 49.5s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 6.8s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 42.4s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 26.7s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 86.6s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 117.0s (Accepted)
INFO:backoff:Backing off wait_for_job(...) for 17.9s (Running)
INFO:backoff:Backing off wait_for_job(...) for 95.7s (Running)
```

```
[24]: 'Succeeded'
```

```
[25]: assert job_status == "Succeeded", (
```

(continues on next page)

(continued from previous page)

```

job_result_for(job_id)
if job_status == "Failed"
else f"Job {job_id} has not yet completed ({job_status}). Rerun the prior cell."
)

output_url = job_result_for(job_id)
output_dir = to_job_output_dir(output_url)
output_file = f"{output_dir}/gedi_subset.gpkg"
print(f"Your subset results are in the file {output_file}")

Your subset results are in the file /projects/my-private-bucket/dps_output/gedi-subset/0.
↪6.0/2023/06/27/20/05/21/764642/gedi_subset.gpkg

```

## 2.5.10 [Optional] Visually Verify the Results

If you installed the geopandas Python package, you can visually verify the output file by running the following cell.

```

[26]: try:
import geopandas as gpd
import matplotlib.pyplot as plt
except:
print(
    "If you wish to visually verify your output file, "
    "you must install the `geopandas` package."
)
else:
gedi_gdf = gpd.read_file(output_file)
print(gedi_gdf.head())
sensitivity_colors = plt.cm.get_cmap("viridis_r")
gedi_gdf.plot(markersize = 0.1)

```

```

                                filename \
0  GEDI04_A_2020064181434_006951_02_T04323_02_002...
1  GEDI04_A_2020064181434_006951_02_T04323_02_002...
2  GEDI04_A_2020064181434_006951_02_T04323_02_002...
3  GEDI04_A_2020064181434_006951_02_T04323_02_002...
4  GEDI04_A_2020064181434_006951_02_T04323_02_002...


```

	geolocation/sensitivity_a2	sensitivity	elev_lowestmode	agbd_se \
0		0.959091	0.959091	3256.992432 11.047880
1		0.968629	0.968629	3282.666748 11.057747
2		0.962079	0.962079	3314.994141 11.052886
3		0.962610	0.962610	3351.686035 11.045983
4		0.968436	0.968436	3436.938721 11.047858

```

                                agbd          geometry
0  169.741974 POINT (85.34628 28.06473)
1  235.977890 POINT (85.34667 28.06512)
2  189.141037 POINT (85.34705 28.06550)
3  180.132187 POINT (85.34742 28.06589)
4  191.731232 POINT (85.34817 28.06666)

```



### 2.5.11 Generate Contour Lines

Create a lat, lon mesh grid with elevation as a depth parameter. As shown in the plot above, the lines don't seem smooth. So we can apply linear or 'cubic' interpolation to smoothen those missing points.

```
[27]: geometry = gedi_gdf["geometry"]
      elevation=gedi_gdf["elev_lowestmode"]
```

```
[28]: lon = geometry.x
      lat = geometry.y
```

```
[29]: import numpy as np

      x=np.linspace(min(lon), max(lon), 1000)
      y=np.linspace(min(lat), max(lat), 1000)
```



```
[30]: from scipy.interpolate import griddata

      x_mesh, y_mesh = np.meshgrid(x,y)
```

You may experiment with nearest, linear, and cubic interpolation methods to see which gives more smooth results.

```
[31]: #grid the elevation
      z_mesh = griddata((lon, lat), elevation, (x_mesh, y_mesh), method='linear')
```

```
[32]: colors=['blue','royalblue', 'navy','pink', 'mediumpurple', 'darkorchid', 'plum', 'm',  
↳ 'mediumvioletred', 'palevioletred', 'crimson',  
↳ 'magenta','pink','red','yellow','orange', 'brown','green', 'darkgreen']  
levels=len(colors)  
contourf = plt.contourf(x_mesh, y_mesh, z_mesh, levels, alpha=0.5, colors=colors,  
↳ linestyles='None', vmin=elevation.min(), vmax=elevation.max())
```



Now we need to plot this contour into an interactive map for better visualization.

## 2.5.12 Plot the Contour Lines in Folium

You may need to install `geojsoncontour`, `mapclassify`, and `folium`, if you don't already have them installed. We need to convert this `contourf` into `geoJSON` format.

```
[33]: import folium
      from folium import plugins
      import branca
      import geojsoncontour
```

```
[34]: geojson = geojsoncontour.contourf_to_geojson(
      contourf=contourf,
      min_angle_deg=3.0,
      ndigits=5,
      stroke_width=1,
      unit='ft',
      fill_opacity=0.1,
      )
```

```
[35]: #create map view
      m = folium.Map([lat.mean(), lon.mean()], zoom_start=12, tiles="OpenStreetMap")

      folium.GeoJson(
          geojson,
          style_function=lambda x:{
              'color': x['properties']['stroke'],
              'weight': x['properties']['stroke-width'],
              'fillColor': x['properties']['fill'],
              'opacity': 0.5,
          }
      ).add_to(m)

      cm = branca.colormap.LinearColormap(colors, vmin=elevation.min(), vmax=elevation.max()).
      ↪to_step(levels)
      cm.caption='Elevation (in m)'
      m.add_child(cm)


      #legend
      plugins.Fullscreen(position='topright', force_separate_button=True).add_to(m)
```

```
[35]: <folium.plugins.fullscreen.Fullscreen at 0x7f356182c4c0>
```

```
[36]: m
```

```
[36]: <folium.folium.Map at 0x7f356182c670>
```

Now you have an interactive visualization of a contour plot.



## 2.6 GEDI\_L4B Search and Visualize

Authors: Nikita Susan (UAH), Aimee Barciauskas (DevSeed), Sumant Jha (MSFC/USRA), Alex Mandel (DevSeed)

Date: April 7, 2023

Description: In this example, we demonstrate how to access the GEDI L4B collection and granule data on the MAAP ADE, and then visualize the data using matplotlib.

### 2.6.1 Run This Notebook

To access and run this tutorial within MAAP’s Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP’s ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

### 2.6.2 About the Data

GEDI L4B Gridded Aboveground Biomass Density, Version 2

This dataset provides Global Ecosystem Dynamics Investigation (GEDI) Level 4 (L4) data, which has the purpose of providing mean aboveground biomass density (AGBD) and consists of the GEDI\_L4A and GEDI\_L4B collections. GEDI\_L4B uses a sample present within each 1km cell to statistically infer mean AGBD. GEDI is attached to the International Space Station (ISS) and collects data globally between 51.6° N and 51.6° S latitudes at the highest resolution and densest sampling of any light detection and ranging (lidar) instrument in orbit to date; specifically, GEDI L4B data has a spatial resolution of 1km. (Source: [GEDI\\_L4B Version 2 User Guide](#))

## 2.6.3 Additional Resources

- [GEDI\\_L4B Version 2 Dataset Landing Page](#)
- [The GEDI Website](#)
- [Earthdata Search](#)

## 2.6.4 Importing Packages

Within your Jupyter Notebook, start by importing the **maap package**. Then invoke the **MAAP** constructor, setting the `maap_host` argument to `'api.maap-project.org'`.

```
[22]: from maap.maap import MAAP
      from matplotlib import pyplot
      import os
      import pprint
      import rasterio
      import boto3

      maap = MAAP(maap_host="api.maap-project.org")
```

## 2.6.5 Search for the Collection and Associated Granules

Now, we will search for the collection using the collection short name:

```
[23]: collection = maap.searchCollection(cmr_host='cmr.earthdata.nasa.gov', short_name="GEDI_
      ↪L4B_Gridded_Biomass_2017", limit=100)
      print(collection)
```

```
[{'concept-id': 'C2244602422-ORNL_CLOUD', 'revision-id': '7', 'format': 'application/
      ↪echo10+xml', 'Collection': {'ShortName': 'GEDI_L4B_Gridded_Biomass_2017', 'VersionId':
      ↪'2', 'InsertTime': '2022-03-29T00:00:00Z', 'LastUpdate': '2023-06-12T20:25:17Z',
      ↪'LongName': 'GEDI L4B Gridded Aboveground Biomass Density, Version 2', 'DataSetId':
      ↪'GEDI L4B Gridded Aboveground Biomass Density, Version 2', 'Description': "This Global
      ↪Ecosystem Dynamics Investigation (GEDI) L4B product provides 1 km x 1 km (1 km,
      ↪hereafter) estimates of mean aboveground biomass density (AGBD) based on observations
      ↪from mission week 19 starting on 2019-04-18 to mission week 138 ending on 2021-08-04.
      ↪The GEDI L4A Footprint Biomass product converts each high-quality waveform to an AGBD
      ↪prediction, and the L4B product uses the sample present within the borders of each 1
      ↪km cell to statistically infer mean AGBD. The gridding procedure is described in the
      ↪GEDI L4B Algorithm Theoretical Basis Document (ATBD). Patterson et al. (2019)
      ↪describes the hybrid model-based mode of inference used in the L4B product.
      ↪Corresponding 1 km estimates of the standard error of the mean are also provided in
      ↪the L4B product. Uncertainty is due to both GEDI's sampling of the 1 km area (as
      ↪opposed to making wall-to-wall observations) and the fact that L4A biomass values are
      ↪modeled in a process subject to error instead of measured in a process that may be
      ↪assumed to be error-free.", 'DOI': {'DOI': '10.3334/ORN LDAAC/2017', 'Authority':
      ↪'https://doi.org'}, 'Orderable': 'false', 'Visible': 'true', 'RevisionDate': '2022-03-
      ↪29T00:00:00Z', 'ProcessingLevelId': '4', 'ProcessingLevelDescription': 'model products
      ↪', 'ArchiveCenter': 'ORNL_DAAC', 'CitationForExternalPublication': 'Dubayah, R.O., J.
      ↪Armston, S.P. Healey, Z. Yang, P.L. Patterson, S. Saarela, G. Stahl, L. Duncanson, and
      ↪J.R. Kellner. 2022. GEDI L4B Gridded Aboveground Biomass Density, Version 2. ORNL DAAC,
```

(continues on next page)

(continued from previous page)

```

→ Oak Ridge, Tennessee, USA. https://doi.org/10.3334/ORNLDAAC/2017', 'CollectionState':
→ 'COMPLETE', 'MaintenanceAndUpdateFrequency': 'As needed', 'UseConstraints': {
→ 'LicenseURL': {'URL': 'https://science.nasa.gov/earth-science/earth-science-data-
→ information-policy', 'Description': 'License URL for data use policy', 'Type': 'Data_
→ Use Policy', 'MimeType': 'text/html'}}, 'Price': '0', 'DataFormat': 'GeoTIFF',
→ 'SpatialKeywords': {'Keyword': 'GLOBAL LAND'}, 'Temporal': {'RangeDateTime': {
→ 'BeginningDateTime': '2019-04-18T00:00:00Z', 'EndingDateTime': '2021-08-04T23:59:59Z'}}
→, 'Contacts': {'Contact': {'Role': 'ARCHIVER', 'OrganizationName': 'ORNL_DAAC',
→ 'OrganizationAddresses': {'Address': {'StreetAddress': 'ORNL DAAC User Services Office,
→ P.O. Box 2008, MS 6407, Oak Ridge National Laboratory', 'City': 'Oak Ridge',
→ 'StateProvince': 'Tennessee', 'PostalCode': '37831-6407', 'Country': 'USA'}}},
→ 'OrganizationPhones': {'Phone': {'Number': '(865) 241-3952', 'Type': 'Direct Line'}},
→ 'OrganizationEmails': {'Email': 'uso@daac.ornl.gov'}}}, 'ScienceKeywords': {
→ 'ScienceKeyword': [{'CategoryKeyword': 'EARTH SCIENCE', 'TopicKeyword': 'BIOSPHERE',
→ 'TermKeyword': 'ECOSYSTEMS', 'VariableLevel1Keyword': {'Value': 'TERRESTRIAL ECOSYSTEMS
→ '}}, {'CategoryKeyword': 'EARTH SCIENCE', 'TopicKeyword': 'BIOSPHERE', 'TermKeyword':
→ 'VEGETATION', 'VariableLevel1Keyword': {'Value': 'BIOMASS'}}, {'CategoryKeyword':
→ 'EARTH SCIENCE', 'TopicKeyword': 'SPECTRAL/ENGINEERING', 'TermKeyword': 'LIDAR',
→ 'VariableLevel1Keyword': {'Value': 'LIDAR WAVEFORM'}}}], 'Platforms': {'Platform': {
→ 'ShortName': 'ISS', 'LongName': 'MUSES', 'Type': 'Space Stations/Crewed Spacecraft',
→ 'Instruments': {'Instrument': {'ShortName': 'GEDI', 'LongName': 'Global Ecosystem_
→ Dynamics Investigation'}}}, 'Campaigns': {'Campaign': {'ShortName': 'GEDI', 'LongName
→ ': 'Global Ecosystem Dynamics Investigation'}}, 'OnlineAccessURLs': {'OnlineAccessURL':
→ {'URL': 'https://daac.ornl.gov/gedi/GEDI_L4B_Gridded_Biomass/', 'URLDescription':
→ 'This link allows direct data access via Earthdata login'}}, 'OnlineResources': {
→ 'OnlineResource': [{'URL': 'https://daac.ornl.gov/GEDI/guides/GEDI_L4B_Gridded_Biomass.
→ html', 'Description': 'ORNL DAAC Data Set Documentation', 'Type': "USER'S GUIDE"}, {
→ 'URL': 'https://doi.org/10.3334/ORNLDAAC/2017', 'Description': 'Data set Landing Page_
→ DOI URL', 'Type': 'DATA SET LANDING PAGE'}, {'URL': 'https://data.ornl daac.earthdata.
→ nasa.gov/public/gedi/GEDI_L4B_Gridded_Biomass/comp/GEDI_L4B_ATBD_v1.0.pdf',
→ 'Description': 'GEDI L4B Gridded Aboveground Biomass Density, Version 2: GEDI_L4B_ATBD_
→ v1.0.pdf', 'Type': 'GENERAL DOCUMENTATION'}, {'URL': 'https://data.ornl daac.earthdata.
→ nasa.gov/public/gedi/GEDI_L4B_Gridded_Biomass/comp/GEDI_L4B_Gridded_Biomass.pdf',
→ 'Description': 'GEDI L4B Gridded Aboveground Biomass Density, Version 2: GEDI_L4B_
→ Gridded_Biomass.pdf', 'Type': 'GENERAL DOCUMENTATION'}, {'URL': 'https://daac.ornl.gov/
→ GEDI/guides/GEDI_L4B_Gridded_Biomass_Fig1.png', 'Description': 'Gridded mean_
→ aboveground biomass density (top) and standard error of the mean (bottom).', 'Type':
→ 'GET RELATED VISUALIZATION', 'MimeType': 'image/png'}, {'URL': 'https://gedi.umd.edu',
→ 'Description': 'GEDI Project Site', 'Type': 'PROJECT HOME PAGE', 'MimeType': 'text/html
→ '}, {'URL': 'https://webmap.ornl.gov/wcsdown/dataset.jsp?ds_id=2017', 'Description':
→ 'Web Coverage Service for this collection.', 'Type': 'WEB COVERAGE SERVICE (WCS)',
→ 'MimeType': 'application/gml+xml'}}], 'Spatial': {'SpatialCoverageType': 'HORIZONTAL',
→ 'HorizontalSpatialDomain': {'Geometry': {'CoordinateSystem': 'CARTESIAN',
→ 'BoundingRectangle': {'WestBoundingCoordinate': '-180.00', 'NorthBoundingCoordinate':
→ '52.00', 'EastBoundingCoordinate': '180.00', 'SouthBoundingCoordinate': '-52.00'}}},
→ 'GranuleSpatialRepresentation': 'CARTESIAN'}, 'DirectDistributionInformation': {'Region
→ ': 'us-west-2', 'S3BucketAndObjectPrefixName': 's3://ornl-cumulus-prod-protected/gedi/
→ GEDI_L4B_Gridded_Biomass/', 'S3CredentialsAPIEndpoint': 'https://data.ornl daac.
→ earthdata.nasa.gov/s3credentials', 'S3CredentialsAPIDocumentationURL': 'https://data.
→ ornl daac.earthdata.nasa.gov/s3credentialsREADME'}}}]

```

Next, we can search for granules using the searchGranule function and the concept ID from our collection search above:

```
[24]: COLLECTIONID = collection[0]['concept-id']
results = maap.searchGranule(cmr_host='cmr.earthdata.nasa.gov',concept_id=COLLECTIONID)
↪# COLLECTIONID 'C2244602422-ORNL_CLOUD'
print(f'Got {len(results)} results')
results[0]['Granule']
```

Got 10 results

```
[24]: {'GranuleUR': 'GEDI_L4B_Gridded_Biomass.GEDI04_B_MW019MW138_02_002_05_R01000M_PS.tif',
'InsertTime': '2022-03-29T00:00:00Z',
'LastUpdate': '2023-04-10T21:58:24Z',
'Collection': {'ShortName': 'GEDI_L4B_Gridded_Biomass_2017',
'VersionId': '2'},
'DataGranule': {'DataGranuleSizeInBytes': '20103343',
'SizeMBDataGranule': '20.103343',
'Checksum': {'Value': '025a141348906d5e612262218c496a2d468446ca30875439be6651d851bfbe23
↪'},
'Algorithm': 'SHA-256'},
'DayNightFlag': 'BOTH',
'ProductionDateTime': '2022-03-29T00:00:00Z',
'Temporal': {'RangeDateTime': {'BeginningDateTime': '2019-04-18T00:00:00Z',
'EndingDateTime': '2021-08-04T23:59:59Z'}},
'Spatial': {'HorizontalSpatialDomain': {'Geometry': {'BoundingRectangle': {
↪'WestBoundingCoordinate': '-180',
'NorthBoundingCoordinate': '52',
'EastBoundingCoordinate': '180',
'SouthBoundingCoordinate': '-52'}}}},
'MeasuredParameters': {'MeasuredParameter': [{'ParameterName': 'LIDAR WAVEFORM'},
{'ParameterName': 'BIOMASS'},
{'ParameterName': 'TERRESTRIAL ECOSYSTEMS'}]},
'Platforms': {'Platform': {'ShortName': 'ISS',
'Instruments': {'Instrument': {'ShortName': 'GEDI'}}}},
'Campaigns': {'Campaign': {'ShortName': 'GEDI'}},
'Price': '0',
'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://data.ornl daac.earthdata.nasa.
↪gov/protected/gedi/GEDI_L4B_Gridded_Biomass/data/GEDI04_B_MW019MW138_02_002_05_R01000M_
↪PS.tif',
'URLDescription': 'Download GEDI04_B_MW019MW138_02_002_05_R01000M_PS.tif',
'MimeType': 'image/tiff'},
{'URL': 'https://data.ornl daac.earthdata.nasa.gov/public/gedi/GEDI_L4B_Gridded_
↪Biomass/data/GEDI04_B_MW019MW138_02_002_05_R01000M_PS.tif.sha256',
'URLDescription': 'Download GEDI04_B_MW019MW138_02_002_05_R01000M_PS.tif.sha256'},
{'URL': 's3://ornl-cumulus-prod-protected/gedi/GEDI_L4B_Gridded_Biomass/data/GEDI04_B_
↪MW019MW138_02_002_05_R01000M_PS.tif',
'URLDescription': 'This link provides direct download access via S3 to the granule',
'MimeType': 'image/tiff'}]},
'OnlineResources': {'OnlineResource': [{'URL': 'https://daac.ornl.gov/GEDI/guides/GEDI_
↪L4B_Gridded_Biomass.html',
'Description': 'ORNL DAAC Data Set Documentation',
'Type': "USER'S GUIDE"},
{'URL': 'https://doi.org/10.3334/ORN LDAAC/2017',
'Description': 'Data set Landing Page DOI URL',
'Type': 'DATA SET LANDING PAGE'},
{'URL': 'https://daac.ornl.gov/daacdata/gedi/GEDI_L4B_Gridded_Biomass/comp/GEDI_L4B_
```

(continues on next page)

(continued from previous page)

```

↪ATBD_v1.0.pdf',
  'Description': 'Data Set Documentation',
  'Type': 'GENERAL DOCUMENTATION'},
  {'URL': 'https://daac.ornl.gov/daacdata/gedi/GEDI_L4B_Gridded_Biomass/comp/GEDI_L4B_
↪Gridded_Biomass.pdf',
  'Description': 'Data Set Documentation',
  'Type': 'GENERAL DOCUMENTATION'},
  {'URL': 'https://webmap.ornl.gov/sdat/pimg/2017_9.png',
  'Description': 'GEDI L4B Gridded Prediction Stratum, Version 2, Mission Weeks 19-138
↪',
  'Type': 'BROWSE',
  'MimeType': 'image/png'},
  {'URL': 'https://data.ornl.gov/daac.earthdata.nasa.gov/s3credentials',
  'Description': 'api endpoint to retrieve temporary credentials valid for same-region.
↪direct s3 access',
  'Type': 'VIEW RELATED INFORMATION'}}}],
'Orderable': 'false',
'DataFormat': 'COG'}

```

## 2.6.6 Accessing and Downloading the Granule from ORNL DAAC S3

Before downloading, we'll get the collection and file name:

```

[25]: granule_ur=results[0]['Granule']['GranuleUR'].split(".")
collection_name=granule_ur[0]
file_name=granule_ur[1]

print(collection_name)
print(file_name)

```

```

GEDI_L4B_Gridded_Biomass
GEDI04_B_MW019MW138_02_002_05_R01000M_PS

```

Now we'll proceed to get tempory s3 credentials, and then download the tif file to our workspace:

```

[26]: def get_s3_creds(url):
    return maap.aws.earthdata_s3_credentials(url)

def get_s3_client(s3_cred_endpoint):
    creds=get_s3_creds(s3_cred_endpoint)
    boto3_session = boto3.Session(
        aws_access_key_id=creds['accessKeyId'],
        aws_secret_access_key=creds['secretAccessKey'],
        aws_session_token=creds['sessionToken']
    )
    return boto3_session.client("s3")

def download_s3_file(s3, bucket, collection_name, file_name):
    os.makedirs("/projects/gedi_l4b", exist_ok=True) # create directories, as necessary
    download_path=f"/projects/gedi_l4b/{file_name}.tif"
    s3.download_file(bucket, f"gedi/{collection_name}/data/{file_name}.tif", download_

```

(continues on next page)

(continued from previous page)

```
↪path)
    return download_path
```

```
[27]: s3_cred_endpoint= 'https://data.ornl-daac.earthdata.nasa.gov/s3credentials'
s3=get_s3_client(s3_cred_endpoint)
```

```
[28]: bucket="ornl-cumulus-prod-protected"
download_path=download_s3_file(s3, bucket, collection_name, file_name)
download_path
```

```
[28]: '/projects/gedi_l4b/GEDI04_B_MW019MW138_02_002_05_R01000M_PS.tif'
```

Open the local file using rasterio, and print the shape of the data to verify if the file was read properly:

```
[29]: src = rasterio.open(download_path)
data = src.read(1)
```


```
print(data.shape)
```

```
(14616, 34704)
```

## 2.6.7 Plot the Data

Finally, we'll use matplotlib to visualize our .tif file:

```
[30]: pyplot.imshow(data)
pyplot.show()
```



## 2.7 ICESat-02 ATL03 Subset and Visualize

Authors: Sumant Jha (MSFC/USRA), Samuel Ayers (UAH), Alex Mandel (DevSeed), Aimee Barciauskas (DevSeed)

Date: March 6, 2023

Description: In this tutorial, we will search for ATL03 data within the NASA CMR. We will then read and visualize the data structure of a granule, create a subset and data frames, and visualize the photon heights.

## 2.7.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

## 2.7.2 About the Data

ATLAS/ICESat-2 L2A Global Geolocated Photon Data, Version 5

“This data set [ATL03] contains height above the WGS 84 ellipsoid (ITRF2014 reference frame), latitude, longitude, and time for all photons downlinked by the Advanced Topographic Laser Altimeter System (ATLAS) instrument on board the Ice, Cloud and land Elevation Satellite-2 (ICESat-2) observatory. The ATL03 product was designed to be a single source for all photon data and ancillary information needed by higher-level ATLAS/ICESat-2 products. As such, it also includes spacecraft and instrument parameters and ancillary data not explicitly required for ATL03.” (Source: [ATL03 Dataset Landing Page](#))

## 2.7.3 Additional Resources

- [ATL03 Version 5 User Guide](#)
- [Earthdata Search](#)

## 2.7.4 Importing and Installing Packages

Required packages:

You will need to install the following required packages if not already present in your working environment: maap-py, pandas, geopandas, folium, shapely, h5glance, h5py

```
[1]: # ! pip install geopandas
      # ! pip install folium
      # ! pip install h5glance
```

```
[2]: # Import the MAAP package
      from maap.maap import MAAP

      # Invoke the MAAP constructor using the maap_host argument
      maap = MAAP(maap_host='api.maap-project.org')

      # Import pandas dataframe
      import pandas as pd

      # Import libraries needed for visualizing data spatial extent
      import geopandas as gpd
      import folium
      from shapely.geometry import Polygon, Point

      # Import H5glance to interactively explore H5 file in notebook
      from h5glance import H5Glance
```

(continues on next page)

(continued from previous page)

```
# Import H5py to read h5 file
import h5py

# Import os to create a new directory
import os
```

## 2.7.5 Decide on a Subset of ATL03 Data

First, we will create a subset using a spatial extent and date range before visualizaing using folium. For this tutorial, we will focus on a very small area over Yosemite National Park and use a temporal range of one day.

```
[3]: # Create a variable for short name of ATL03 data
short_name = 'ATL03'

# Create Latitude, Longitude list.
lat_coords = [37.700057, 37.700057, 37.758166, 37.758166, 37.700057]
lon_coords = [-119.680359, -119.680359, -119.538910, -119.538910, -119.680359]

# Create bounding box
spatial_extent = [lon_coords[0], lat_coords[0], lon_coords[2], lat_coords[2]]

# Reformat bounding box to work with NASA CMR API
spatial_extent = ','.join(str(coords) for coords in spatial_extent)

# Provide date range. It is just 1 day.
date_range = ['2021-02-02', '2022-02-03']

# For folium purpose, provide the map center
map_center = [37.729139, -119.609670]

# Convert to AOI for visualizaton with folium
polygon_geom = Polygon(zip(lon_coords, lat_coords))

# Provide relevant Coordinate Reference System
crs = 'epsg:4326'

# Convert to Geodataframe and back to list in that specific reference system
AOI = gpd.GeoDataFrame(index=[0], crs=crs, geometry=[polygon_geom])
AOI_bbox = AOI.bounds.iloc[0].to_list()
```

```
[4]: # Visualize the spatial extent using folium.
m = folium.Map(map_center, zoom_start=12, tiles='OpenStreetMap')
folium.GeoJson(AOI).add_to(m)
folium.LatLngPopup().add_to(m)
m
```

```
[4]: <folium.folium.Map at 0x7f50c1cffb50>
```

## 2.7.6 Search for Granules

We will now search for granules in NASA's CMR given our spatial extent and date range, then print the number of granules available.

```
[5]: # Provide the name of cmr host to use with maap py
      nasa_cmr_host = "cmr.earthdata.nasa.gov"
      # Search granule using maap-py using subset criteria identified earlier.
      data = maap.searchGranule(cmr_host=nasa_cmr_host,short_name = short_name, bounding_box =
      ↪spatial_extent,temporal= date_range,limit=1000)
      # Check to see if the granule search was successful in finding data within spatial and
      ↪temporal extent
      print(len(data))

104
```

Let's create a new data directory and use maap-py's `getData` function to extract the first H5 file. We will then print the name of the extracted file.

```
[6]: # set data directory
      dataDir = "./data"

      # check if directory exists -> if directory doesn't exist, directory is created
      if not os.path.exists(dataDir):
          os.mkdir(dataDir)

      # download and extract the resource
      ice_data = data[0].getData(dataDir)
      print(ice_data)

./data/ATL03_20210202191800_06231006_005_01.h5
```

## 2.7.7 Read the H5 File

Let's read in the H5 file to understand the data structure. There are two ways to do this. We can just list keys and then go forward exploring each key one by one...

```
[7]: # Open the H5 file and list the keys
      ice_file = h5py.File(ice_data,'r')
      list(ice_file.keys())
```

```
[7]: ['METADATA',
      'ancillary_data',
      'atlas_impulse_response',
      'ds_surf_type',
      'ds_xyz',
      'gt1l',
      'gt1r',
      'gt2l',
      'gt2r',
      'gt3l',
      'gt3r',
      'orbit_info',
      'quality_assessment']
```

... or use the h5glance package to interactively list various keys, sub-keys and variables.

H5Glance lists all the keys and sub-keys and allows for the copying of path variables on the fly, all from within the Jupyter Notebook. Note: In the web version of this notebook which is shown here, not all sub-fields will be listed. But they can be accessed when using a Jupyter Notebook running on ADE or local machines.

```
[8]: H5Glance(ice_file)
[8]: ./data/ATL03_20210202191800_06231006_005_01.h5/ (47 attributes)
-METADATA      (9 children) (3 attributes)
-ancillary_data  (34 children) (2 attributes)
-atlas_impulse_response  (2 children) (1 attributes)
-ds_surf_type    [int32: 5] (12 attributes)
-ds_xyz          [int32: 3] (12 attributes)
-gt1l           (5 children) (7 attributes)
-gt1r           (5 children) (7 attributes)
-gt2l           (5 children) (7 attributes)
-gt2r           (5 children) (7 attributes)
-gt3l           (5 children) (7 attributes)
-gt3r           (5 children) (7 attributes)
-orbit_info      (7 children) (2 attributes)
-quality_assessment  (9 children) (1 attributes)
```

## 2.7.8 Subset the Data by Required Columns

In this case, we will need Latitude, Longitude, Photon Height and Along Track Distance. We are using the copied path from the data tree generated by H5Glance above.

Use h5py to read file and variables from the copied path.

```
[9]: with h5py.File(ice_data, 'r') as f:
      gt1l_lat = f['/gt1l/heights/lat_ph'][:]
      gt1l_lon = f['/gt1l/heights/lon_ph'][:]
      gt1l_height = f['/gt1l/heights/h_ph'][:]
      gt1l_dist_ph = f['/gt1l/heights/dist_ph_along'][:]
```

## 2.7.9 Show the Subset Data in a Dataframe

1. By using the Pandas module:

```
[10]: # Write latitude, longitude, photon height and along track distance for gt1l to a
      ↪ dataframe
      gt1l_df = pd.DataFrame({'Latitude': gt1l_lat, 'Longitude': gt1l_lon, 'Photon_Height':
      ↪ gt1l_height, 'Along_track_distance': gt1l_dist_ph})
      gt1l_df
```

```
[10]:
```

	Latitude	Longitude	Photon_Height	Along_track_distance
0	59.482065	-115.906874	611.887878	16.894447
1	59.482065	-115.906877	580.084106	16.980614
2	59.482064	-115.906882	527.962097	17.122099
3	59.482063	-115.906885	491.036133	17.222527
4	59.482059	-115.906875	616.919922	17.593958
...	...	...	...	...

(continues on next page)

(continued from previous page)

```

36561868 33.011390 -119.752303 69.065865 4.154013
36561869 33.011382 -119.752316 -16.501354 5.156162
36561870 33.011380 -119.752329 -108.562981 5.470425
36561871 33.011376 -119.752317 -17.947205 5.871534
36561872 33.011375 -119.752319 -37.489002 5.938596

```

```
[36561873 rows x 4 columns]
```

2. By using the Geopandas module:

Create geopandas dataframe with a column for point locations in the geometry column, and other relevant variables.

```

[11]: geometry = gpd.points_from_xy(gt11_lon, gt11_lat)
data = {'Latitude': gt11_lat, 'Longitude': gt11_lon, 'Photon_Height': gt11_height, 'Along_
↪ track_distance': gt11_dist_ph}
gdf = gpd.GeoDataFrame(data, geometry=geometry, crs='EPSG:4326')

# View the resulting geopandas dataframe
print(gdf.head())

```

	Latitude	Longitude	Photon_Height	Along_track_distance	\
0	59.482065	-115.906874	611.887878	16.894447	
1	59.482065	-115.906877	580.084106	16.980614	
2	59.482064	-115.906882	527.962097	17.122099	
3	59.482063	-115.906885	491.036133	17.222527	
4	59.482059	-115.906875	616.919922	17.593958	

```

          geometry
0 POINT (-115.90687 59.48207)
1 POINT (-115.90688 59.48206)
2 POINT (-115.90688 59.48206)
3 POINT (-115.90689 59.48206)
4 POINT (-115.90687 59.48206)

```


## 2.7.10 Visualize Photon Heights

Finally, we'll visualize the photon heights with respect to along track distance for this H5 file using inputs from the geopandas dataframe:

```

[12]: import matplotlib.pyplot as plt
fig, ax = plt.subplots(figsize=(14, 4))
gdf.Photon_Height.plot(ax=ax, ls='', marker='.', ms=0.01)
ax.set_xlabel('Along track distance (m)', fontsize=12);
ax.set_ylabel('Photon Height (m)', fontsize=12)
ax.set_title('ICESat-2 ATL03', fontsize=14)
ax.tick_params(axis='both', which='major', labelsize=12)

```



## 2.8 ATLAS/ICESat-02 ATL08 Access and Visualize

Author: Sumant Jha (MSFC/USRA), Alex Mandel (DevSeed), Jamison French (DevSeed), Rajat Shinde (UAH), Sheyenne Kirkland (UAH)

Date: March 7, 2024

Description: In this example, we'll walk through accessing ATL08 data using both cloud access and through downloading. We'll then explore the data using `H5py`, `h5Glance`, and `xarray`. Finally, we'll visualize some of the data using `xarray`.

### 2.8.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the [“Getting started with the MAAP”](#) section of our documentation.

Disclaimer: This tutorial will use an experimental feature to allow access to the DAAC without using EarthDataLogin. This tutorial will need to be ran within MAAP's ADE to allow this experimental feature to work. Running the tutorial outside of the MAAP ADE will result in errors. Additionally, it is recommended to use the Pangeo workspace within the MAAP ADE.

### 2.8.2 About the Data

This data set (ATL08) contains along-track heights above the WGS84 ellipsoid (ITRF2014 reference frame) for the ground and canopy surfaces. The canopy and ground surfaces are processed in fixed 100 m data segments, which typically contain more than 100 signal photons. The data were acquired by the Advanced Topographic Laser Altimeter System (ATLAS) instrument on board the Ice, Cloud and land Elevation Satellite-2 (ICESat-2) observatory.

```
Parameter(s): TERRAIN ELEVATION
Platform(s): ICESat-2
Sensor(s): ATLAS
Data Format(s): HDF5
Temporal Coverage: 14 October 2018 to present
Temporal Resolution: 91 day
Spatial Resolution: Varies
Spatial Reference System(s): WGS 84 EPSG:4326
Spatial Coverage: N: 90 S: -90 E: 180 W: -180
```

(Source: ATL08 v6 Dataset Landing Page)

### 2.8.3 Additional Resources

- Earthdata Search
- ATL08 v6 User Guide

### 2.8.4 Importing and Installing Packages

The following example uses several packages. If you do not have the following packages, uncomment the code below:

```
[ ]: # !pip install -q h5py h5glance requests fsspec s3fs h5netcdf
```

Optional download (do not need to download if you're using the Pangeo workspace. Uncomment if using other workspaces):

```
[ ]: # !pip install -q rioxarray
```

```
[11]: import os
import h5py
from maap.maap import MAAP
from h5glance import H5Glance
import requests
import xarray
import boto3
import fsspec
```

### 2.8.5 Accessing the Data

In this section we'll walk through two different ways to access the data. The first method is to access the data through S3.

The second method is to access it by using `maap-py`, then download the data locally. From there, we will explore some of the data using `h5glance`.

#### Example 1: Accessing the Data with S3

We will use role assumption to gain access to the data. To do this, we'll use an experimental feature by setting up a parameter, assuming a role, and get temporary credentials with the assumed role. We'll also set up credentials into `fsspec` so we can later use `xarray` for data exploration.

```
[12]: def assume_role_credentials(ssm_parameter_name):
# Create a session using your current credentials
session = boto3.Session()

# Retrieve the SSM parameter
ssm = session.client('ssm', "us-west-2")
parameter = ssm.get_parameter(
    Name=ssm_parameter_name,
    WithDecryption=True
```

(continues on next page)

(continued from previous page)

```

)
parameter_value = parameter['Parameter']['Value']

# Assume the DAAC access role
sts = session.client('sts')
assumed_role_object = sts.assume_role(
    RoleArn=parameter_value,
    RoleSessionName='TutorialSession'
)

# From the response that contains the assumed role, get the temporary
# credentials that can be used to make subsequent API calls
credentials = assumed_role_object['Credentials']

return credentials

def fsspec_access(credentials):
    # Pass assumed role credentials into fsspec
    return fsspec.filesystem(
        "s3",
        key=credentials['AccessKeyId'],
        secret=credentials['SecretAccessKey'],
        token=credentials['SessionToken']
    )

```

```
[13]: s3_fsspec = fsspec_access(assume_role_credentials("/iam/maap-data-reader"))
```

## Example 2: Download Data Locally

We are going to use NASA host which is NASA's Common Metadata Repository (CMR) to search for and download ICESat data. ICESat's ATL08 data's concept id can be found on <https://search.earthdata.nasa.gov/search> and looking for 'ATL08' in the search bar. When you check the metadata associated with your search result, you can get the concept\_id associated with below tutorial. In this case, the concept\_id is C2613553260-NSIDC\_CPRD.

For this example, we are going to use granule id of ATL08\_20230816182927\_08792008\_006\_01.h5. This will be in HDF5 format.

With all this information in hand, we are ready to make a query to [cmr.earthdata.nasa.gov](http://cmr.earthdata.nasa.gov) using maap-py.

```
[14]: maap = MAAP(maap_host='api.maap-project.org')

nasa_host = "cmr.earthdata.nasa.gov"
results = maap.searchGranule(cmr_host=nasa_host,
                             concept_id="C2613553260-NSIDC_CPRD",
                             readable_granule_name="ATL08_20230816182927_08792008_006_01.
↪h5")
```

Let's see how this turned out. Did we get a result?

```
[15]: data_file = results[0]
data_file
```

```
[15]: {'concept-id': 'G2800397933-NSIDC_CPRD',
'collection-concept-id': 'C2613553260-NSIDC_CPRD',
'revision-id': '2',
'format': 'application/echo10+xml',
'Granule': {'GranuleUR': 'ATL08_20230816182927_08792008_006_01.h5',
'InsertTime': '2023-11-11T10:14:36.642Z',
'LastUpdate': '2023-11-11T10:14:36.642Z',
'Collection': {'DataSetId': 'ATLAS/ICESat-2 L3A Land and Vegetation Height V006'},
'DataGranule': {'SizeMBDataGranule': '106.29328060150146',
'ProducerGranuleId': 'ATL08_20230816182927_08792008_006_01.h5',
'DayNightFlag': 'UNSPECIFIED',
'ProductionDateTime': '2023-09-21T19:57:30.000Z'},
'Temporal': {'RangeDateTime': {'BeginningDateTime': '2023-08-16T18:29:24.813Z',
'EndingDateTime': '2023-08-16T18:36:27.524Z'}},
'Spatial': {'HorizontalSpatialDomain': {'Geometry': {'GPolygon': {'Boundary': {'Point':
↪ [{"PointLongitude': '-49.71155',
'PointLatitude': '-0.55384'},
{'PointLongitude': '-51.21715', 'PointLatitude': '-15.49643'},
{'PointLongitude': '-52.36359', 'PointLatitude': '-26.40442'},
{'PointLongitude': '-52.43242', 'PointLatitude': '-27.04278'},
{'PointLongitude': '-52.5585', 'PointLatitude': '-27.03176'},
{'PointLongitude': '-52.48902', 'PointLatitude': '-26.39347'},
{'PointLongitude': '-51.3338', 'PointLatitude': '-15.48562'},
{'PointLongitude': '-49.82395', 'PointLatitude': '-0.54264'},
{'PointLongitude': '-49.76474', 'PointLatitude': '0.04913'},
{'PointLongitude': '-49.65236', 'PointLatitude': '0.03773'}]}]}},
'OnlineAccessURLs': {'OnlineAccessURL': [{"URL': 'https://data.nsidc.earthdatacloud.
↪nasa.gov/nsidc-cumulus-prod-protected/ATLAS/ATL08/006/2023/08/16/ATL08_20230816182927_
↪08792008_006_01.h5',
'MimeType': 'application/x-hdf5'},
{'URL': 's3://nsidc-cumulus-prod-protected/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01.h5',
'MimeType': 'application/x-hdf5'}]},
'OnlineResources': {'OnlineResource': [{"URL': 'https://data.nsidc.earthdatacloud.nasa.
↪gov/nsidc-cumulus-prod-protected/ATLAS/ATL08/006/2023/08/16/ATL08_20230816182927_
↪08792008_006_01.h5.dmrpp',
'Type': 'USER SUPPORT',
'MimeType': 'application/vnd.opendap.dap4.dmrpp+xml'},
{'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01.iso.xml',
'Type': 'USER SUPPORT',
'MimeType': 'text/xml'},
{'URL': 's3://nsidc-cumulus-prod-protected/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01.h5.dmrpp',
'Type': 'USER SUPPORT',
'MimeType': 'application/vnd.opendap.dap4.dmrpp+xml'},
{'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01.iso.xml',
'Type': 'USER SUPPORT',
'MimeType': 'text/xml'},
{'URL': 'https://opendap.earthdata.nasa.gov/collections/C2613553260-NSIDC_CPRD/
↪granules/ATL08_20230816182927_08792008_006_01.h5',
'Type': 'USER SUPPORT'}]}},
```

(continues on next page)

(continued from previous page)

```

'AssociatedBrowseImageUrls': {'ProviderBrowseUrl': [{'URL': 'https://data.nsidc.
↪earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.default.default1.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.default.default2.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1l.groundtrack.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1l.h_canopy_abs.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1l.h_te_median.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1l.n_ca_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1l.n_te_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1r.groundtrack.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1r.h_canopy_abs.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1r.h_te_median.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1r.n_ca_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt1r.n_te_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2l.groundtrack.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2l.h_canopy_abs.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2l.h_te_median.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2l.n_ca_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2l.n_te_photons.jpg',
  'MimeType': 'image/jpeg'}],

```

(continues on next page)

(continued from previous page)

```

    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2r.groundtrack.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2r.h_canopy_abs.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2r.h_te_median.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2r.n_ca_photons.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt2r.n_te_photons.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3l.groundtrack.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3l.h_canopy_abs.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3l.h_te_median.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3l.n_ca_photons.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3l.n_te_photons.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3r.groundtrack.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3r.h_canopy_abs.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3r.h_te_median.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3r.n_ca_photons.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 'https://data.nsidc.earthdatacloud.nasa.gov/nsidc-cumulus-prod-public/ATLAS/
↪ATL08/006/2023/08/16/ATL08_20230816182927_08792008_006_01_BRW.gt3r.n_te_photons.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.default.default1.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.default.default2.jpg',
      'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_

```

(continues on next page)

(continued from previous page)

```
↪20230816182927_08792008_006_01_BRW.gt1l.groundtrack.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1l.h_canopy_abs.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1l.h_te_median.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1l.n_ca_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1l.n_te_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1r.groundtrack.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1r.h_canopy_abs.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1r.h_te_median.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1r.n_ca_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt1r.n_te_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2l.groundtrack.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2l.h_canopy_abs.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2l.h_te_median.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2l.n_ca_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2l.n_te_photons.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2r.groundtrack.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2r.h_canopy_abs.jpg',
  'MimeType': 'image/jpeg'},
  {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2r.h_te_median.jpg',
```

(continues on next page)

```

    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2r.n_ca_photons.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt2r.n_te_photons.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3l.groundtrack.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3l.h_canopy_abs.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3l.h_te_median.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3l.n_ca_photons.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3l.n_te_photons.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3r.groundtrack.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3r.h_canopy_abs.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3r.h_te_median.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3r.n_ca_photons.jpg',
    'MimeType': 'image/jpeg'},
    {'URL': 's3://nsidc-cumulus-prod-public/ATLAS/ATL08/006/2023/08/16/ATL08_
↪20230816182927_08792008_006_01_BRW.gt3r.n_te_photons.jpg',
    'MimeType': 'image/jpeg'}}]]}}

```

Looks like we did get a result and will be able to learn a lot about it from available metadata. Let's download the HDF file locally.

Establish a temporary directory to store the data file and display the path and filename:

```

[16]: dataDir = './data'
      if not os.path.exists(dataDir): os.mkdir(dataDir)
      data = data_file.getData(dataDir)
      data
[16]: './data/ATL08_20230816182927_08792008_006_01.h5'

```

## 2.8.6 Exploring the Data

There are two different ways we'll open and look at the data: 1. Using `xarray` 2. Using `h5py`

### 1. `xarray`

First, let's grab the S3 URL for direct access from our results above.

```
[17]: s3_url = results[0]['Granule']['OnlineAccessURLs']['OnlineAccessURL'][1]['URL']
s3_url

[17]: 's3://nsidc-cumulus-prod-protected/ATLAS/ATL08/006/2023/08/16/ATL08_20230816182927_
↳08792008_006_01.h5'
```

Now we can open a specific group within the HDF5 file using `xarray`.

```
[18]: with s3_fsspec.open(s3_url) as f:
    atl08_track = xarray.open_dataset(f, group='gt1l/land_segments', engine="h5netcdf",
↳phony_dims='sort')
atl08_track

[18]: <xarray.Dataset>
Dimensions:                (delta_time: 18690, ds_geosegments: 5, ds_surf_type: 5)
Coordinates:
  * delta_time              (delta_time) datetime64[ns] 2023-08-16T18:29:24.853128...
    latitude                (delta_time) float32 ...
    longitude               (delta_time) float32 ...
Dimensions without coordinates: ds_geosegments, ds_surf_type
Data variables: (12/41)
  asr                      (delta_time) float32 ...
  atlas_pa                 (delta_time) float32 ...
  beam_azimuth             (delta_time) float32 ...
  beam_coelev              (delta_time) float32 ...
  brightness_flag         (delta_time) float32 ...
  cloud_flag_atm          (delta_time) float32 ...
  ...
  snr                     (delta_time) float32 ...
  solar_azimuth           (delta_time) float32 ...
  solar_elevation         (delta_time) float32 ...
  surf_type               (delta_time, ds_surf_type) int8 ...
  terrain_flg            (delta_time) float64 ...
  urban_flag              (delta_time) float64 ...
Attributes:
  Description:    Contains data categorized as land at 100 meter intervals.
  data_rate:     Data are stored as aggregates of 100 meters.
```

## 2. H5py and H5glance

Let's check the available keys and structure of the HDF5 files using H5py and H5glance. This will use the downloaded file that we saved locally.

Open the file and list the keys:

```
[19]: atl08_file = h5py.File(data, 'r')
list(atl08_file.keys())
```

```
[19]: ['METADATA',
'ancillary_data',
'ds_geosegments',
'ds_metrics',
'ds_surf_type',
'gt1l',
'gt1r',
'gt2l',
'gt2r',
'gt3l',
'gt3r',
'orbit_info',
'quality_assessment']
```

Use H5glance module to interactively check all available variables and field that can be used for further analysis and visualizations:

```
[20]: H5Glance(atl08_file)
```

```
[20]: ./data/ATL08_20230816182927_08792008_006_01.h5/ (47 attributes)
-METADATA      (9 children) (3 attributes)
-ancillary_data  (26 children) (2 attributes)
-ds_geosegments [int8: 5] (12 attributes)
-ds_metrics     [int8: 18] (12 attributes)
-ds_surf_type   [int32: 5] (12 attributes)
-gt1l          (2 children) (7 attributes)
-gt1r          (2 children) (7 attributes)
-gt2l          (2 children) (7 attributes)
-gt2r          (2 children) (7 attributes)
-gt3l          (2 children) (7 attributes)
-gt3r          (2 children) (7 attributes)
-orbit_info     (9 children) (2 attributes)
-quality_assessment (2 children) (1 attributes)
```

### 2.8.7 Visualizing the Data


By looking at the data variables, we can also create a visualization using xarray. Let's plot elevation:

```
[21]: with s3_fsspec.open(s3_url) as f:
    atl08_track = xarray.open_dataset(f, group='gt1l/land_segments', engine="h5netcdf",
    ↪ phony_dims='sort')
    print(atl08_track)
    atl08_track.dem_h.plot()
```

```


<xarray.Dataset>
Dimensions:          (delta_time: 18690, ds_geosegments: 5, ds_surf_type: 5)
Coordinates:
  * delta_time      (delta_time) datetime64[ns] 2023-08-16T18:29:24.853128...
    latitude        (delta_time) float32 ...
    longitude       (delta_time) float32 ...
Dimensions without coordinates: ds_geosegments, ds_surf_type
Data variables: (12/41)
  asr               (delta_time) float32 ...
  atlas_pa          (delta_time) float32 ...
  beam_azimuth     (delta_time) float32 ...
  beam_coelev      (delta_time) float32 ...
  brightness_flag  (delta_time) float32 ...
  cloud_flag_atm   (delta_time) float32 ...
  ...              ...
  snr              (delta_time) float32 ...
  solar_azimuth    (delta_time) float32 ...
  solar_elevation  (delta_time) float32 ...
  surf_type        (delta_time, ds_surf_type) int8 ...
  terrain_flg      (delta_time) float64 ...
  urban_flag       (delta_time) float64 ...
Attributes:
  Description:      Contains data categorized as land at 100 meter intervals.
  data_rate:       Data are stored as aggregates of 100 meters.

```



If we want to plot canopy height, we can also do that:

```
[22]: with s3_fsspec.open(s3_url) as f:
      atl08_track = xarray.open_dataset(f, group='gt11/land_segments/canopy', engine=
      ↪ "h5netcdf", phony_dims='sort')
      atl08_track.h_canopy.plot()
```



## 2.9 NISAR Access and Visualize

Authors: Sumant Jha (MSFC/USRA), Emile Tenezakis (DevSeed), Alex Mandel (DevSeed), Samuel Ayers (UAH)

Date: March 9, 2023

Description: In the following tutorial, we are going to look at how to access, read, and visualize simulated-NISAR data which is available from the NISAR mission. This mission is expected to launch in 2024.

## 2.9.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

## 2.9.2 About the Data

Unmanned Aerial Vehicle Synthetic Aperture Radar (UAVSAR)

This tutorial currently uses UAVSAR data, which has the purpose of mapping crustal deformations associated with natural hazards. UAVSAR data can also include topographic data which are derived from phase measurements. If two or more passes are made, UAVSAR data can be used to detect changes on the surface of the Earth, and is overall a highly useful tool in monitoring natural hazards and disasters. (Source: [ESA eoPortal - UAVSAR](#))

Note: UAVSAR is a predecessor to NASA-ISRO Synthetic Aperture Radar (NISAR), which is a mission that will likely be launched in 2024. At this time we are using UAVSAR data to simulate the data that we will get from the NISAR satellite.

## 2.9.3 Additional Resources

- [Alaska Satellite Facility \(ASF\) UAVSAR](#)
- [JPL - NISAR Mission](#)
- [JPL - SAR Overview](#)
- [ASF - SAR Media Resources](#)

## 2.9.4 Import and Install Packages

Before we start any work, we will need to prepare our Jupyter workspace with the necessary python packages. In this tutorial we rely on - h5py, numpy, glob, os, h5glance, osgeo, and matplotlib.

You might have some or all packages already installed. Follow the instructions below to check and install the packages required for this tutorial. The block below will check if your packages are available and install them if they are not.

```
[1]: # %pip install h5py glob2 h5glance gdal matplotlib pystac-client
```

We also require that you have the gdal package installed out of the Jupyter environment to use: `gdal_translate` and `gdalinfo`. If on Mac OS, you might need to install the `xcode` package before being able to install `gdal`.

To install `gdal` outside the Jupyter environment, please follow the instructions here as it will vary by the OS you are using: <https://gdal.org/download.html>

Import installed packages to read the NISAR h5 files and look at the data structure.

```
[2]: import h5py
import glob
import os
from h5glance import H5Glance
from pystac_client import Client
```

## 2.9.5 Download NISAR Data

NISAR data can be downloaded from <https://uavsar.jpl.nasa.gov/cgi-bin/data.pl>. At the time of this tutorial, there are 21033 NISAR products available through the above link. There are a few ways to download data that we can use. We can directly download an SLC file or we can download an H5 file and translate it to SLC to work with this tutorial. In this tutorial, we demonstrate how to get an H5 file, translate it to SLC and use it. Users can alternatively directly download SLC files.

We can browse the 129 NISAR mode products in the MAAP STAC catalog and retrieve its asset HREFs for download.

```
[3]: cat = Client.open("https://stac.maap-project.org/")

items = list(cat.search(collections="nisar-sim", max_items=10).items())
```

```
[4]: item_asset = items[0].assets["CX_129.h5"].href
```

Before downloading, we'll create a new data directory to download the file into.

```
[5]: # set data directory
dataDir = "./data"

# check if directory exists -> if directory doesn't exist, directory is created
if not os.path.exists(dataDir):
    os.mkdir(dataDir)
```

```
[6]: # download the file using wget
!wget -P {dataDir} {item_asset}

--2023-09-18 14:52:57-- https://downloaduav.jpl.nasa.gov/Release2z/Haywrд_14501_21043_
↪012_210602_L090_CX_02/Haywrд_14501_21043_012_210602_L090_CX_129_02.h5
Resolving downloaduav.jpl.nasa.gov (downloaduav.jpl.nasa.gov)... 137.78.249.121
Connecting to downloaduav.jpl.nasa.gov (downloaduav.jpl.nasa.gov)|137.78.249.121|:443...↪
↪connected.
HTTP request sent, awaiting response... 301 Moved Permanently
Location: https://uavsar.jpl.nasa.gov/Release2z/Haywrд_14501_21043_012_210602_L090_CX_02/
↪Haywrд_14501_21043_012_210602_L090_CX_129_02.h5 [following]
--2023-09-18 14:52:57-- https://uavsar.jpl.nasa.gov/Release2z/Haywrд_14501_21043_012_
↪210602_L090_CX_02/Haywrд_14501_21043_012_210602_L090_CX_129_02.h5
Resolving uavsar.jpl.nasa.gov (uavsar.jpl.nasa.gov)... 137.78.249.121
Connecting to uavsar.jpl.nasa.gov (uavsar.jpl.nasa.gov)|137.78.249.121|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1750205900 (1.6G)
Saving to: './data/Haywrд_14501_21043_012_210602_L090_CX_129_02.h5.2'

Haywrд_14501_21043_ 100%[=====>] 1.63G 53.5MB/s in 35s

2023-09-18 14:53:40 (48.3 MB/s) - './data/Haywrд_14501_21043_012_210602_L090_CX_129_02.
↪h5.2' saved [1750205900/1750205900]
```

The file should now appear in the directory we created.

If you downloaded multiple H5 files, initialize an empty variable to store the names of all H5 files in the directory.

```
[7]: nisar_list = []
```

```
[8]: for file in glob.glob("./data/*.h5"):
      nisar_list.append(file)
      print(file)
```

```
./data/Haywrd_14501_21043_012_210602_L090_CX_129_02.h5
```

## 2.9.6 Explore the Data

Explore the structure of NISAR \*.H5 file using H5glance.

```
[10]: H5Glance(nisar_list[0])
```

```
[10]: ./data/Haywrd_14501_21043_012_210602_L090_CX_129_02.h5/ (6 attributes)
      ↳science (1 children)
```

## 2.9.7 Convert the Data

Use gdal to convert HH polarization for frequencyA to ENVI SLC format and visualize it. (More example notebooks are provided here: <https://github.com/isce-framework/sds-ondemand>)

Before we go ahead and convert the HH polarization, check out the metadata information associated with it.

```
[11]: path = f"HDF5:{nisar_list[0]}://science/LSAR/SLC/swaths/frequencyA/HH"
      !gdalinfo {path}
```

```
Driver: HDF5Image/HDF5 Dataset
Files: ./data/Haywrd_14501_21043_012_210602_L090_CX_129_02.h5
Size is 2640, 15404
Metadata:
  contact=nisarops@jpl.nasa.gov
  Conventions=CF-1.7
  institution=NASA JPL
  mission_name=NISAR
  reference_document=TBD
  title=NISAR L1 SLC Product
Corner Coordinates:
Upper Left ( 0.0, 0.0)
Lower Left ( 0.0,15404.0)
Upper Right ( 2640.0, 0.0)
Lower Right ( 2640.0,15404.0)
Center ( 1320.0, 7702.0)
Band 1 Block=128x128 Type=CFloat32, ColorInterp=Undefined
Metadata:
  science_LSAR_SLC_swaths_frequencyA_HH_description=Focused SLC image (HH)
  science_LSAR_SLC_swaths_frequencyA_HH_units=DN
```

Translate the HH polarization into SLC files. SLC files are Single Look Complex files. More information can be found in the product description [here](#).

```
[12]: path = f"HDF5:{nisar_list[0]}://science/LSAR/SLC/swaths/frequencyA/HH HH.slc"
      !gdal_translate -of ENVI {path}
```

```
Input file size is 2640, 15404
0...10...20...30...40...50...60...70...80...90...100 - done.
```

Check the metadata again.

```
[13]: !gdalinfo HH.slc
```

```
Driver: ENVI/ENVI .hdr Labelled
Files: HH.slc
       HH.slc.aux.xml
       HH.hdr
Size is 2640, 15404
Metadata:
  contact=nisarops@jpl.nasa.gov
  Conventions=CF-1.7
  institution=NASA JPL
  mission_name=NISAR
  reference_document=TBD
  title=NISAR L1 SLC Product
Image Structure Metadata:
  INTERLEAVE=BAND
Corner Coordinates:
Upper Left  (   0.0,   0.0)
Lower Left  (   0.0,15404.0)
Upper Right (2640.0,   0.0)
Lower Right (2640.0,15404.0)
Center      (1320.0, 7702.0)
Band 1 Block=2640x1 Type=CFloat32, ColorInterp=Undefined
  Metadata:
    science_LSAR_SLC_swaths_frequencyA_HH_description=Focused SLC image (HH)
    science_LSAR_SLC_swaths_frequencyA_HH_units=DN
```

## 2.9.8 Visualize

Finally, lets plot amplitude and phase.

```
[14]: import numpy as np
import rasterio
import matplotlib.pyplot as plt

# Extract a subset of the SLC to display
x0 = 0
y0 = 10
x_offset = 1000
y_offset = 1000

with rasterio.open("HH.slc") as ds:
    # Define the window of data to read
    window = rasterio.windows.Window(x0, y0, x_offset, y_offset)

    # Read the data from the specified window
```

(continues on next page)

(continued from previous page)

```

slc = ds.read(1, window=window)
print(slc)

fig = plt.figure(figsize=(14, 12))


# Display amplitude of the slc
ax = fig.add_subplot(2, 1, 1)
ax.imshow(np.abs(slc), vmin=-2, vmax=2, cmap="gray")
ax.set_title("amplitude")

# Display phase of the slc
ax = fig.add_subplot(2, 1, 2)
ax.imshow(np.angle(slc))
ax.set_title("phase")

plt.show()
/opt/conda/lib/python3.10/site-packages/rasterio/__init__.py:304:
↳NotGeoreferencedWarning: Dataset has no geotransform, gcps, or rpcs. The identity
↳matrix will be returned.
dataset = DatasetReader(path, driver=driver, sharing=sharing, **kwargs)

[[ 2.46178992e-02-0.01162272j  2.06204206e-02+0.0438217j
  2.01302450e-02-0.00866299j ... -3.71712632e-03+0.00754739j
 -3.99701595e-02+0.01584719j  4.39935476e-02+0.03462401j]
 [-5.99635430e-02-0.04907523j -1.78322736e-02-0.04193708j
  4.85753343e-02-0.00152001j ... -3.92718357e-04+0.03611586j
  3.35564204e-02+0.0750533j -2.58343443e-02+0.00963823j]
 [-1.27040278e-02+0.00876454j  9.38015990e-03+0.01417367j
 -1.09148119e-02-0.00828656j ... -1.72818732e-02-0.08329829j
  5.43021038e-03-0.03845887j -2.69295573e-02-0.03714512j]
 ...
 [-1.18659958e-02-0.04372251j -4.90541667e-01-0.04433485j
 -6.41287342e-02+0.12093218j ... -8.06556106e-01+0.35332313j
  2.51429707e-01-0.24497119j  2.09877625e-01+0.43311965j]
 [ 1.27028033e-01+0.08081798j -1.80030346e-01-0.05467323j
 -1.05361664e+00-0.45684314j ... -8.28622878e-01-0.33322746j
 -1.37368396e-01-0.42675552j  3.07213575e-01-0.02091259j]
 [ 1.09616600e-01-0.02663859j -1.23310655e-01+0.22490016j
 -9.74314928e-01+0.17205611j ... -4.84358639e-01-0.2353034j
 -8.60485807e-02+0.06121469j  2.02866718e-02+0.14383014j]]

```



```
[ ]:
```

## 2.10 AfriSAR Search and Visualize

Authors: Nikita Susan (UAH), Aimee Barciauskas (DevSeed)

Date: January 17, 2023

Description: In this tutorial, we will search for AfriSAR AGB (Above Ground Biomass) data and download a TIFF file from the ORNL DAAC S3. The TIFF file will then be read in with rioxarray and visualized using hvplot.

### 2.10.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

### 2.10.2 About the Data

“This dataset provides gridded estimates of aboveground biomass (AGB) for four sites in Gabon at 0.25 ha (50 m) resolution derived with field measurements and airborne LiDAR data collected from 2010 to 2016. The sites represent a mix of forested, savannah, and some agricultural and disturbed landcover types: Lope site, within Lope National Park; Mabounie, mostly forested site; Mondah Forest, protected area; and the Rabi forest site, part of the Smithsonian Institution of Global Earth Observatories world-wide network of forest plots. Plot-level biophysical measurements of tree diameter and tree height (or estimated by allometry) were performed at 1 ha and 0.25 ha scales on multiple plots at each site and used to derive AGB for each tree and then summed for each plot. Aerial LiDAR scans were used to construct digital elevation models (DEM) and digital surface models (DSM), and then the DEM and DSM were used to construct a canopy height model (CHM) at 1 m resolution. After checking site-plot locations against the CHM, mean canopy height (MCH) was computed over each 0.25 ha. A single regression model relating MCH and AGB estimates, incorporating local height based on the trunk DBH (HD) relationships, was produced for all sites and combined with the CHM layer to construct biomass maps at 0.25 ha resolution.” (Source: [AfriSAR AGB User Guide](#))

### 2.10.3 Additional Resources

- [AfriSAR AGB Dataset Landing Page](#)
- [Earthdata Search](#)

### 2.10.4 Import and Install Packages

First, let's import and install packages. If you don't have the packages below installed already, uncomment the following line.

```
[ ]: # !pip install rioxarray hvplot
```

```
[38]: import rioarray
import rasterio as rio
import hvplot.xarray
from maap.maap import MAAP
import boto3
from rasterio.session import AWSSession
import os

import warnings
warnings.filterwarnings("ignore")
```

## 2.10.5 Search for AfriSAR AGB Data

Using MAAP's searchCollection function and the collection short name, we'll pull in the AfriSAR\_AGB\_Maps\_1681 collection.

```
[8]: maap = MAAP(maap_host='api.maap-project.org')
```

```
[83]: results = maap.searchCollection(cmr_host='cmr.earthdata.nasa.gov', short_name='AfriSAR_
↳AGB_Maps_1681')
results
```

```
[83]: [{'concept-id': 'C2734261660-ORNL_CLOUD',
'revision-id': '2',
'format': 'application/echo10+xml',
'Collection': {'ShortName': 'AfriSAR_AGB_Maps_1681',
'VersionId': '1',
'InsertTime': '2022-11-28T00:00:00Z',
'LastUpdate': '2023-07-17T18:24:39Z',
'LongName': 'AfriSAR: Aboveground Biomass for Lope, Mabounie, Mondah, and Rabi Sites,
↳Gabon',
'DataSetId': 'AfriSAR: Aboveground Biomass for Lope, Mabounie, Mondah, and Rabi Sites,
↳ Gabon',
'Description': 'This dataset provides gridded estimates of aboveground biomass (AGB)
↳for four sites in Gabon at 0.25 ha (50 m) resolution derived with field measurements
↳and airborne LiDAR data collected from 2010 to 2016. The sites represent a mix of
↳forested, savannah, and some agricultural and disturbed landcover types: Lope site,
↳within Lope National Park; Mabounie, mostly forested site; Mondah Forest, protected
↳area; and the Rabi forest site, part of the Smithsonian Institution of Global Earth
↳Observatories world-wide network of forest plots. Plot-level biophysical measurements
↳of tree diameter and tree height (or estimated by allometry) were performed at 1 ha
↳and 0.25 ha scales on multiple plots at each site and used to derive AGB for each tree
↳and then summed for each plot. Aerial LiDAR scans were used to construct digital
↳elevation models (DEM) and digital surface models (DSM), and then the DEM and DSM were
↳used to construct a canopy height model (CHM) at 1 m resolution. After checking site-
↳plot locations against the CHM, mean canopy height (MCH) was computed over each 0.25
↳ha. A single regression model relating MCH and AGB estimates, incorporating local
↳height based on the trunk DBH (HD) relationships, was produced for all sites and
↳combined with the CHM layer to construct biomass maps at 0.25 ha resolution.',
'DOI': {'DOI': '10.3334/ORNLDAAC/1681', 'Authority': 'https://doi.org'},
'Orderable': 'false',
'Visible': 'true',
```

(continues on next page)

(continued from previous page)

```

'RevisionDate': '2022-11-28T00:00:00Z',
'ProcessingLevelId': '3',
'ProcessingLevelDescription': 'Variables mapped on uniform space-time grid scales.
↳with completeness and consistency',
'ArchiveCenter': 'ORNL_DAAC',
'CitationForExternalPublication': 'Saatchi, S.S., J. Chave, N. Labriere, N. Barbier,
↳M. Maxime-Rejou, A. Ferraz, and S. Tao. 2019. AfriSAR: Abovegroud Biomass for Lope,
↳Mabounie, Mondah, and Rabi Sites, Gabon. ORNL DAAC, Oak Ridge, Tennessee, USA. https://
↳doi.org/10.3334/ORNLDAAC/1681',
'CollectionState': 'COMPLETE',
'MaintenanceAndUpdateFrequency': 'As needed',
'UseConstraints': {'LicenseURL': {'URL': 'https://science.nasa.gov/earth-science/
↳earth-science-data/data-information-policy',
'Description': 'License URL for data use policy',
'Type': 'Data Use Policy',
'MimeType': 'text/html'}}},
'Price': '0',
'DataFormat': 'GeoTIFF',
'SpatialKeywords': {'Keyword': 'GABON'},
'Temporal': {'RangeDateTime': {'BeginningDateTime': '2016-02-01T00:00:00Z',
'EndingDateTime': '2016-03-31T23:59:59Z'}},
'Contacts': {'Contact': {'Role': 'ARCHIVER',
'OrganizationName': 'ORNL_DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'ORNL DAAC User Services
↳Office, P.O. Box 2008, MS 6407, Oak Ridge National Laboratory',
'City': 'Oak Ridge',
'StateProvince': 'Tennessee',
'PostalCode': '37831-6407',
'Country': 'USA'}}},
'OrganizationPhones': {'Phone': {'Number': '(865) 241-3952',
'Type': 'Direct Line'}},
'OrganizationEmails': {'Email': 'uso@daac.ornl.gov'}},
'ScienceKeywords': {'ScienceKeyword': [{'CategoryKeyword': 'EARTH SCIENCE',
'TopicKeyword': 'BIOSPHERE',
'TermKeyword': 'ECOSYSTEMS',
'VariableLevel1Keyword': {'Value': 'TERRESTRIAL ECOSYSTEMS',
'VariableLevel2Keyword': {'Value': 'FORESTS'}}},
{'CategoryKeyword': 'EARTH SCIENCE',
'TopicKeyword': 'BIOSPHERE',
'TermKeyword': 'VEGETATION',
'VariableLevel1Keyword': {'Value': 'BIOMASS'}},
{'CategoryKeyword': 'EARTH SCIENCE',
'TopicKeyword': 'BIOSPHERE',
'TermKeyword': 'VEGETATION',
'VariableLevel1Keyword': {'Value': 'CARBON'}}}],
'Platforms': {'Platform': [{'ShortName': 'FIELD SURVEYS',
'LongName': 'FIELD SURVEYS',
'Type': 'Field Sites',
'Instruments': {'Instrument': {'ShortName': 'STEEL MEASURING TAPE',
'LongName': 'STEEL MEASURING TAPE'}}},
{'ShortName': 'Airplane',
'LongName': 'Airplane',

```

(continues on next page)

```

    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LIDAR',
    'LongName': 'Light Detection and Ranging'}}},
    {'ShortName': 'B-200',
    'LongName': 'Beechcraft King Air B-200',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}}],
    'Campaigns': {'Campaign': {'ShortName': 'AfriSAR', 'LongName': 'AfriSAR'}},
    'OnlineAccessURLs': {'OnlineAccessURL': {'URL': 'https://daac.ornl.gov/afrisar/
↪AfriSAR_AGB_Maps/',
    'URLDescription': 'This link allows direct data access via Earthdata login'}},
    'OnlineResources': {'OnlineResource': [{'URL': 'https://daac.ornl.gov/AFRISAR/guides/
↪AfriSAR_AGB_Maps.html',
    'Description': 'ORNL DAAC Data Set Documentation',
    'Type': "USER'S GUIDE"},
    {'URL': 'https://doi.org/10.3334/ORNLDAAC/1681',
    'Description': 'Data set Landing Page DOI URL',
    'Type': 'DATA SET LANDING PAGE'},
    {'URL': 'https://data.ornl.earthdata.nasa.gov/public/afrisar/AfriSAR_AGB_Maps/
↪comp/AfriSAR_AGB_Maps.pdf',
    'Description': 'AfriSAR: Aboveground Biomass Maps for Lope, Mabounie, Mondah, and
↪Rabi, Gabon, 2016: AfriSAR_AGB_Maps.pdf',
    'Type': 'GENERAL DOCUMENTATION'},
    {'URL': 'https://data.ornl.earthdata.nasa.gov/public/afrisar/AfriSAR_AGB_Maps/
↪comp/AfriSAR_AGB_Maps_PlotDetails.csv',
    'Description': 'AfriSAR: Aboveground Biomass for Lope, Mabounie, Mondah, and Rabi
↪Sites, Gabon: AfriSAR_AGB_Maps_PlotDetails.csv',
    'Type': 'GENERAL DOCUMENTATION'},
    {'URL': 'https://daac.ornl.gov/AFRISAR/guides/AfriSAR_AGB_Maps_Fig1.png',
    'Description': 'Aboveground biomass (AGB) map at 0.25-ha resolution for the Mondah
↪study site. Source: Mabounie_AGB_50m.tif',
    'Type': 'GET RELATED VISUALIZATION',
    'MimeType': 'image/png'}}}],
    'Spatial': {'SpatialCoverageType': 'HORIZONTAL',
    'HorizontalSpatialDomain': {'Geometry': {'CoordinateSystem': 'CARTESIAN',
    'BoundingRectangle': {'WestBoundingCoordinate': '9.30',
    'NorthBoundingCoordinate': '0.61',
    'EastBoundingCoordinate': '11.64',
    'SouthBoundingCoordinate': '-1.95'}}}},
    'GranuleSpatialRepresentation': 'CARTESIAN'},
    'DirectDistributionInformation': {'Region': 'us-west-2',
    'S3BucketAndObjectPrefixName': 's3://ornl-cumulus-prod-protected/afrisar/AfriSAR_AGB_
↪Maps/',
    'S3CredentialsAPIEndpoint': 'https://data.ornl.earthdata.nasa.gov/s3credentials',
    'S3CredentialsAPIDocumentationURL': 'https://data.ornl.earthdata.nasa.gov/
↪s3credentialsREADME'}}}]

```

Using the searchGranule function and the concept-id from our collection search, we can also discover granules within the collection. For this tutorial, we'll be visualizing the third granule in the collection, so let's retrieve that one. This granule is of the Rabi forest site.

```
[84]: granules = maap.searchGranule(cmr_host = 'cmr.earthdata.nasa.gov', concept_id =
↳ 'C2734261660-ORNL_CLOUD')
granules[3]

[84]: {'concept-id': 'G2734344223-ORNL_CLOUD',
'collection-concept-id': 'C2734261660-ORNL_CLOUD',
'revision-id': '1',
'format': 'application/echo10+xml',
'Granule': {'GranuleUR': 'AfriSAR_AGB_Maps.Rabi_AGB_50m.tif',
'InsertTime': '2022-11-28T00:00:00Z',
'LastUpdate': '2023-07-17T18:24:45Z',
'Collection': {'ShortName': 'AfriSAR_AGB_Maps_1681', 'VersionId': '1'},
'DataGranule': {'DataGranuleSizeInBytes': '14109',
'SizeMBDataGranule': '0.014109',
'Checksum': {'Value':
↳ '514dca209ed19076e5bdf2595af86af2a76d7a318ad76cc56480fc4a8bb26fba',
'Algorithm': 'SHA-256'},
'DayNightFlag': 'BOTH',
'ProductionDateTime': '2022-11-28T00:00:00Z'},
'Temporal': {'RangeDateTime': {'BeginningDateTime': '2016-02-01T00:00:00Z',
'EndingDateTime': '2016-03-31T23:59:59Z'}},
'Spatial': {'HorizontalSpatialDomain': {'Geometry': {'BoundingRectangle': {
↳ 'WestBoundingCoordinate': '9.85914',
'NorthBoundingCoordinate': '-1.90031',
'EastBoundingCoordinate': '9.90636',
'SouthBoundingCoordinate': '-1.94602'}}}},
'MeasuredParameters': {'MeasuredParameter': [{'ParameterName': 'FORESTS'},
{'ParameterName': 'CARBON'},
{'ParameterName': 'BIOMASS'}]},
'Platforms': {'Platform': [{'ShortName': 'FIELD SURVEYS',
'Instruments': {'Instrument': {'ShortName': 'STEEL MEASURING TAPE'}}},
{'ShortName': 'Airplane',
'Instruments': {'Instrument': {'ShortName': 'LIDAR'}}},
{'ShortName': 'B-200',
'Instruments': {'Instrument': {'ShortName': 'LVIS'}}}],
'Campaigns': {'Campaign': {'ShortName': 'AfriSAR'}},
'Price': '0',
'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://data.ornl daac.earthdata.nasa.
↳ gov/protected/afrisar/AfriSAR_AGB_Maps/data/Rabi_AGB_50m.tif',
'URLDescription': 'Download Rabi_AGB_50m.tif',
'MimeType': 'image/tiff'},
{'URL': 'https://data.ornl daac.earthdata.nasa.gov/public/afrisar/AfriSAR_AGB_Maps/
↳ data/Rabi_AGB_50m.tif.sha256',
'URLDescription': 'Download Rabi_AGB_50m.tif.sha256'},
{'URL': 's3://ornl-cumulus-prod-protected/afrisar/AfriSAR_AGB_Maps/data/Rabi_AGB_50m.
↳ tif',
'URLDescription': 'This link provides direct download access via S3 to the granule',
'MimeType': 'image/tiff'}]},
'OnlineResources': {'OnlineResource': [{'URL': 'https://daac.ornl.gov/AFRISAR/guides/
↳ AfriSAR_AGB_Maps.html',
'Description': 'ORNL DAAC Data Set Documentation',
'Type': "USER'S GUIDE"},
{'URL': 'https://doi.org/10.3334/ORNLDAAC/1681',
```

(continues on next page)

(continued from previous page)

```

    'Description': 'Data set Landing Page DOI URL',
    'Type': 'DATA SET LANDING PAGE'},
    {'URL': 'https://daac.ornl.gov/daacdata/afrisar/AfriSAR_AGB_Maps/comp/AfriSAR_AGB_
↪Maps.pdf',
    'Description': 'Data Set Documentation',
    'Type': 'GENERAL DOCUMENTATION'},
    {'URL': 'https://daac.ornl.gov/daacdata/afrisar/AfriSAR_AGB_Maps/comp/AfriSAR_AGB_
↪Maps_PlotDetails.csv',
    'Description': 'Data Set Documentation',
    'Type': 'GENERAL DOCUMENTATION'},
    {'URL': 'https://data.ornl.gov/daac.earthdata.nasa.gov/s3credentials',
    'Description': 'api endpoint to retrieve temporary credentials valid for same-
↪region direct s3 access',
    'Type': 'VIEW RELATED INFORMATION'}}},
    'Orderable': 'false',
    'DataFormat': 'COG'}}

```

## 2.10.6 Download the Granule File

We'll download our file directly from the ORNL DAAC S3.

Let's pull in the collection and file name for the granule of interest.

```
[70]: granule_ur=granules[3]['Granule']['GranuleUR'].split(".")
collection_name=granule_ur[0]
file_name=granule_ur[1]
```

```
[71]: print(f"collection name: {collection_name} | file_name: {file_name}")
```

```
collection name: AfriSAR_AGB_Maps | file_name: Rabi_AGB_50m
```

Next, we will request temporary s3 credentials for the ORNL DAAC. Once these credentials are given, the file can be downloaded to our workspace.

```
[72]: def get_s3_creds(url):
    return maap.aws.earthdata_s3_credentials(url)

def get_s3_client(s3_cred_endpoint):
    creds=get_s3_creds(s3_cred_endpoint)
    boto3_session = boto3.Session(
        aws_access_key_id=creds['accessKeyId'],
        aws_secret_access_key=creds['secretAccessKey'],
        aws_session_token=creds['sessionToken']
    )
    return boto3_session.client("s3")

def download_s3_file(s3, bucket, collection_name, file_name):
    os.makedirs("/projects/afrisar", exist_ok=True) # create directories, as necessary
    download_path=f"/projects/afrisar/{file_name}.tif"
    s3.download_file(bucket, f"afrisar/{collection_name}/data/{file_name}.tif", download_
↪path)
    return download_path

```

```
[73]: s3_cred_endpoint= 'https://data.ornl-daac.earthdata.nasa.gov/s3credentials'
s3=get_s3_client(s3_cred_endpoint)
```

```
[74]: bucket="ornl-cumulus-prod-protected"
download_path=download_s3_file(s3, bucket, collection_name, file_name)
download_path
```

```
[74]: '/projects/afrisar/Rabi_AGB_50m.tif'
```

## 2.10.7 Read and Visualize

Read in our file with rioxarray...

```
[75]: da = rioxarray.open_rasterio(download_path)
da = da.squeeze('band', drop=True)
da
```

```
[75]: <xarray.DataArray (y: 101, x: 105)>
[10605 values with dtype=float32]
Coordinates:
  * x                (x) float64 5.956e+05 5.956e+05 ... 6.007e+05 6.008e+05
  * y                (y) float64 9.79e+06 9.79e+06 9.79e+06 ... 9.785e+06 9.785e+06
  spatial_ref       int64 0
Attributes:
  AREA_OR_POINT:    Area
  _FillValue:       -9999.0
  scale_factor:     1.0
  add_offset:       0.0
```

... and visualize our data using hvplot.

```
[76]: ds_masked = da.where(da != da._FillValue)

ds_masked.hvplot(
    'x', 'y',
    cmap='viridis',
    frame_height=400,
    frame_width=400
).redim.range(value=(0, da.max().values))
```

```
[76]: :Image [x,y] (value)
```

## 2.11 LVIS Access and Explore

Authors: Rajat Shinde (UAH), Sheyenne Kirkland (UAH), Alex Mandel (DevSeed), Jamison French (DevSeed), Emile Tenezakis (DevSeed), Brian Freitag (NASA MSFC)

Date: August 22, 2023

Description: In this tutorial, we will explore the LVIS (Land Vegetation and Ice Sensor) based data products and work on accessing these data products using MAAP.

### 2.11.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: It is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

### 2.11.2 Importing Packages

We import the `os` module, import the MAAP package, and create a new MAAP class instance.

```
[ ]: # import os module
import os

# import the MAAP package to handle queries
from maap.maap import MAAP

# import printing package to help display outputs
from pprint import pprint

# invoke the MAAP search client
maap = MAAP()
```

### 2.11.3 Creating a Data Directory for this Tutorial

```
[14]: # set data directory path
dataDir = './data'

# check if directory exists -> if directory doesn't exist, directory is created
if not os.path.exists(dataDir):
    os.mkdir(dataDir)
```

After executing the previous cell, we can observe that the data directory has been created and all the files in this tutorial will be downloaded to this directory.

### Accessing the LVIS Facility L1B Geolocated Return Energy Waveforms V001

#### 2.11.4 About the Dataset

The LVIS Facility L1B Geolocated Return Energy Waveforms V001 dataset contains Level-1B geolocated return energy waveforms collected by the NASA Land, Vegetation and Ice Sensor (LVIS) Facility, an imaging lidar and camera sensor suite. The short name for this collection is LVISF1B. This short name is used for searching this collection in the NASA CMR using the `searchCollection()` method.

## 2.11.5 Searching the Collection

```
[15]: lvisf1b_collections = maap.searchCollection(
      short_name='LVISF1B',
      version='1',
      cmr_host='cmr.earthdata.nasa.gov'
    )
lvisf1b_collections
```

```
[15]: [{'concept-id': 'C1723866745-NSIDC_ECS',
      'revision-id': '38',
      'format': 'application/echo10+xml',
      'Collection': {'ShortName': 'LVISF1B',
      'VersionId': '1',
      'InsertTime': '2023-08-22T18:01:08.485Z',
      'LastUpdate': '2023-08-22T18:01:08.485Z',
      'LongName': 'Not provided',
      'DataSetId': 'LVIS Facility L1B Geolocated Return Energy Waveforms V001',
      'Description': 'This data set contains Level-1B geolocated return energy waveforms_
↳ collected by the NASA Land, Vegetation, and Ice Sensor (LVIS) Facility, an imaging_
↳ lidar and camera sensor suite.',
      'DOI': {'DOI': '10.5067/XQJ8PN8FTIDG'},
      'StandardProduct': 'false',
      'RevisionDate': '2023-05-31T00:00:00.000Z',
      'SuggestedUsage': 'Scientific Research',
      'ProcessingCenter': 'NASA/GSFC/SED/ESD/LRSL',
      'ProcessingLevelId': 'Level 1B',
      'ProcessingLevelDescription': 'Sensor units',
      'ArchiveCenter': 'NASA NSIDC DAAC',
      'CollectionState': 'PLANNED',
      'RestrictionComment': ' These data are freely, openly, and fully accessible, provided_
↳ that you are logged into your NASA Earthdata profile (https://urs.earthdata.nasa.gov/).
↳ ',
      'UseConstraints': {'LicenseText': ' These data are freely, openly, and fully_
↳ available to use without restrictions, provided that you cite the data according to_
↳ the recommended citation at https://nsidc.org/about/use_copyright.html. For more_
↳ information on the NASA EOSDIS Data Use Policy, see https://earthdata.nasa.gov/earth-
↳ observation-data/data-use-policy.'},
      'DataFormat': 'HDF5',
      'SpatialKeywords': {'Keyword': ['CANADA',
      'GREENLAND',
      'UNITED STATES OF AMERICA',
      'COSTA RICA',
      'FRENCH GUIANA']}},
      'Temporal': {'EndsAtPresentFlag': 'false',
      'RangeDateTime': {'BeginningDateTime': '2018-11-07T00:00:00.000Z'}},
      'Contacts': {'Contact': [{'Role': 'ARCHIVER',
      'OrganizationName': 'NASA NSIDC DAAC',
      'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data_
↳ Center CIRES, 449 UCB University of Colorado',
      'City': 'Boulder',
      'StateProvince': 'CO',
      'PostalCode': '80309-0449',
```

(continues on next page)

(continued from previous page)

```

    'Country': 'USA'}},
    'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
    'Type': 'Telephone'}},
    'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
    {'Role': 'DISTRIBUTOR',
    'OrganizationName': 'NASA NSIDC DAAC',
    'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data_
↳Center CIRES, 449 UCB University of Colorado',
    'City': 'Boulder',
    'StateProvince': 'CO',
    'PostalCode': '80309-0449',
    'Country': 'USA'}},
    'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
    'Type': 'Telephone'}},
    'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
    {'Role': 'PROCESSOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
    {'Role': 'ORIGINATOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
    {'Role': 'TECHNICAL CONTACT',
    'ContactPersons': {'ContactPerson': [{'FirstName': 'NSIDC',
    'MiddleName': 'User',
    'LastName': 'Services',
    'JobPosition': 'TECHNICAL CONTACT'},
    {'FirstName': 'J.',
    'MiddleName': 'Bryan',
    'LastName': 'Blair',
    'JobPosition': 'TECHNICAL CONTACT'},
    {'FirstName': 'Michelle',
    'LastName': 'Hofton',
    'JobPosition': 'TECHNICAL CONTACT'}]}]}},
    'ScienceKeywords': {'ScienceKeyword': {'CategoryKeyword': 'EARTH SCIENCE',
    'TopicKeyword': 'SPECTRAL/ENGINEERING',
    'TermKeyword': 'INFRARED WAVELENGTHS',
    'VariableLevelKeyword': {'Value': 'SENSOR COUNTS'}}},
    'Platforms': {'Platform': [{'ShortName': 'B-200',
    'LongName': 'Beechcraft King Air B-200',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}}}}],
    {'ShortName': 'G-III',
    'LongName': 'Gulfstream III',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}}}}],
    {'ShortName': 'G-V',

```

(continues on next page)

(continued from previous page)

```

'LongName': 'Gulfstream V',
'Type': 'Jet',
'Instruments': {'Instrument': {'ShortName': 'LVIS',
'LongName': 'Land, Vegetation, and Ice Sensor',
'Technique': 'instrument',
'NumberOfSensors': '1',
'Sensors': {'Sensor': {'ShortName': 'LVIS',
'LongName': 'Land, Vegetation, and Ice Sensor'}}}}},
{'ShortName': 'P-3B',
'LongName': 'Lockheed P-3B Orion',
'Type': 'Propeller',
'Instruments': {'Instrument': {'ShortName': 'LVIS',
'LongName': 'Land, Vegetation, and Ice Sensor',
'Technique': 'instrument',
'NumberOfSensors': '1',
'Sensors': {'Sensor': {'ShortName': 'LVIS',
'LongName': 'Land, Vegetation, and Ice Sensor'}}}}}],
'AdditionalAttributes': {'AdditionalAttribute': [{'Name': 'AircraftID',
'DataType': 'STRING',
'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft'},
{'Name': 'SIPSMetGenVersion',
'DataType': 'STRING',
'Description': 'The version of the SIPSMetGen software used to produce the
↪ metadata file for this granule'},
{'Name': 'ThemeID',
'DataType': 'STRING',
'Description': 'The identifier of the theme under which data are logically grouped
↪ '},
{'Name': 'identifier_product_doi',
'DataType': 'STRING',
'Description': 'Digital object identifier that uniquely identifies this data
↪ product'},
{'Name': 'identifier_product_doi_authority',
'DataType': 'STRING',
'Description': 'URL of the digital object identifier resolving authority'}]},
'Campaigns': {'Campaign': [{'ShortName': 'ABOVE',
'LongName': 'Arctic-Boreal Vulnerability Experiment (ABOVE) NASA field campaign',
'StartDate': '2017-06-29T00:00:00.000Z',
'EndDate': '2017-07-17T00:00:00.000Z'},
{'ShortName': 'GEDI',
'LongName': "NASA's Global Ecosystem Dynamics Investigation",
'StartDate': '2019-01-01T00:00:00.000Z',
'EndDate': '2019-12-31T00:00:00.000Z'},
{'ShortName': 'MULTI_NASA',
'LongName': 'Operation IceBridge Multiple Campaigns',
'StartDate': '1993-01-01T00:00:00.000Z',
'EndDate': '2025-12-31T00:00:00.000Z'}]},
'SpatialInfo': {'SpatialCoverageType': 'HORIZONTAL'},
'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://n5eil01u.ecs.nsidc.org/
↪ ICEBRIDGE/LVISF1B.001/',
'URLDescription': 'Direct download via HTTPS protocol.'}],

```

(continues on next page)

(continued from previous page)

```

    {'URL': 'https://search.earthdata.nasa.gov/search?q=LVISF1B+V001',
     'URLDescription': "NASA's newest search and order tool for subsetting,
↳reprojecting, and reformatting data."},
    {'URL': 'https://nsidc.org/data/data-access-tool/LVISF1B/versions/1/',
     'URLDescription': 'Search and filter data files using a map-based interface'}}},
  'OnlineResources': {'OnlineResource': [{'URL': 'https://doi.org/10.5067/XQJ8PN8FTIDG',
↳information, support, and other resources.',
     'Type': 'CollectionURL : DATA SET LANDING PAGE'},
    {'URL': 'https://doi.org/10.5067/XQJ8PN8FTIDG',
     'Description': "Includes a user's guide, supplemental documents like ATBDs and
↳academic papers, How Tos, FAQs, etc.",
     'Type': 'VIEW RELATED INFORMATION : GENERAL DOCUMENTATION'}}}],
  'Spatial': {'SpatialCoverageType': 'HORIZONTAL',
  'HorizontalSpatialDomain': {'Geometry': {'CoordinateSystem': 'CARTESIAN',
  'BoundingRectangle': {'WestBoundingCoordinate': '-167.0',
  'NorthBoundingCoordinate': '88.0',
  'EastBoundingCoordinate': '18.0',
  'SouthBoundingCoordinate': '2.0'}}}},
  'GranuleSpatialRepresentation': 'GEODETTIC'}}}]

```

The above cell searches and generates the metadata associated with the LVISF1B collection. The `concept-id` in the above output is important and defines the collection id. Using this collection id (See `COLLECTION_ID` below), we will be searching for the granules in this collection.

## 2.11.6 Searching and Downloading a Granule

We use `searchGranule()` method for searching granules in a particular collection. Once the list of granules is retrieved, we can download a granule to above-defined path by using the `getData()` method.

```
[16]: COLLECTION_ID = lvif1b_collections[0]["concept-id"]
```

```

results = maap.searchGranule(
    concept_id=COLLECTION_ID,
    cmr_host="cmr.earthdata.nasa.gov"
)
pprint(f'Got {len(results)} results')

#Validating download
filename = results[0].getData(dataDir)
print(filename)

'Got 20 results'
./data/LVISF1B_US2018_1107_R2011_067463.h5

```

## 2.11.7 Validating the Downloaded Product

The downloaded product is stored in a Hierarchical Data Format, Version 5 or HDF5 file format (.h5). Such files can be accessed in Python by using the `h5py` library.

```
[17]: #Testing the HDF5 files
import h5py
with h5py.File(filename, "r") as f:
    print("Keys: %s" % f.keys())
    # get first object name/key; may or may NOT be a group
    a_group_key = list(f.keys())[0]

    # get the object type for a_group_key: usually group or dataset
    print(type(f[a_group_key]))

    # If a_group_key is a group name,
    # this gets the object names in the group and returns as a list
    data = list(f[a_group_key])

    # If a_group_key is a dataset name,
    # this gets the dataset values and returns as a list
    data = list(f[a_group_key])
    # preferred methods to get dataset values:
    ds_obj = f[a_group_key] # returns as a h5py dataset object
    ds_arr = f[a_group_key][()] # returns as a numpy array

    print(ds_arr)

Keys: <KeysViewHDF5 ['AZIMUTH', 'INCIDENTANGLE', 'LAT0', 'LAT1215', 'LFID', 'LON0',
↪ 'LON1215', 'RANGE', 'RXWAVE', 'SHOTNUMBER', 'SIGMEAN', 'TIME', 'TXWAVE', 'Z0', 'Z1215',
↪ 'ancillary_data']>
<class 'h5py._hl.dataset.Dataset'>
[159.14177 159.4966 158.7841 ... 127.461716 124.07847 124.752396]
```

Since we are able to access data values from the downloaded granule, it is justified that the downloaded file is a valid data product.

## Accessing the ABoVE LVIS L1B Geolocated Return Energy Waveforms V001

### 2.11.8 About the Dataset

The ABoVE LVIS L1B Geolocated Return Energy Waveforms V001 dataset contains return energy waveform data over Alaska and Western Canada measured by the NASA Land, Vegetation, and Ice Sensor (LVIS), an airborne lidar scanning laser altimeter. The data were collected as part of NASA's Terrestrial Ecology Program campaign, the Arctic-Boreal Vulnerability Experiment (ABOVE). The short name for this collection is ABLVIS1B.

## 2.11.9 Searching the Collection

```
[18]: ablvis1b_collections = maap.searchCollection(
    short_name='ABLVIS1B',
    version='1',
    cmr_host='cmr.earthdata.nasa.gov'
)
ablvis1b_collections
```

```
[18]: [{'concept-id': 'C1513105920-NSIDC_ECS',
  'revision-id': '49',
  'format': 'application/echo10+xml',
  'Collection': {'ShortName': 'ABLVIS1B',
  'VersionId': '1',
  'InsertTime': '2023-08-22T16:58:08.001Z',
  'LastUpdate': '2023-08-22T16:58:08.001Z',
  'LongName': 'Not provided',
  'DataSetId': 'ABOVE LVIS L1B Geolocated Return Energy Waveforms V001',
  'Description': "This data set contains return energy waveform data over Alaska and
  ↪Western Canada measured by the NASA Land, Vegetation, and Ice Sensor (LVIS), an
  ↪airborne lidar scanning laser altimeter. The data were collected as part of NASA's
  ↪Terrestrial Ecology Program campaign, the Arctic-Boreal Vulnerability Experiment
  ↪(ABOVE).",
  'DOI': {'DOI': '10.5067/UMRAWS57QAFU'},
  'StandardProduct': 'false',
  'RevisionDate': '2023-07-05T00:00:00.000Z',
  'SuggestedUsage': 'Scientific Research',
  'ProcessingCenter': 'NASA/GSFC/SED/ESD/LRSL',
  'ProcessingLevelId': 'Level 1B',
  'ProcessingLevelDescription': 'Sensor units',
  'ArchiveCenter': 'NASA NSIDC DAAC',
  'CollectionState': 'PLANNED',
  'RestrictionComment': ' These data are freely, openly, and fully accessible, provided
  ↪that you are logged into your NASA Earthdata profile (https://urs.earthdata.nasa.gov/).
  ↪',
  'UseConstraints': {'LicenseText': ' These data are freely, openly, and fully
  ↪available to use without restrictions, provided that you cite the data according to
  ↪the recommended citation at https://nsidc.org/about/use_copyright.html. For more
  ↪information on the NASA EOSDIS Data Use Policy, see https://earthdata.nasa.gov/earth-
  ↪observation-data/data-use-policy.'},
  'DataFormat': 'HDF5',
  'SpatialKeywords': {'Keyword': ['ALASKA', 'CANADA']},
  'Temporal': {'EndsAtPresentFlag': 'false',
  'RangeDateTime': {'BeginningDateTime': '2017-06-29T00:00:00.000Z',
  'EndingDateTime': '2017-07-17T23:59:59.999Z'}},
  'Contacts': {'Contact': [{'Role': 'ARCHIVER',
  'OrganizationName': 'NASA NSIDC DAAC',
  'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data
  ↪Center CIRES, 449 UCB University of Colorado',
  'City': 'Boulder',
  'StateProvince': 'CO',
  'PostalCode': '80309-0449',
  'Country': 'USA'}}}]},
```

(continues on next page)

(continued from previous page)

```

'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
  'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{'Role': 'DISTRIBUTOR',
'OrganizationName': 'NASA NSIDC DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data_
↳Center CIRES, 449 UCB University of Colorado',
  'City': 'Boulder',
  'StateProvince': 'CO',
  'PostalCode': '80309-0449',
  'Country': 'USA'}},
'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
  'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{'Role': 'PROCESSOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
{'Role': 'ORIGINATOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
{'Role': 'TECHNICAL CONTACT',
'ContactPersons': {'ContactPerson': [{'FirstName': 'NSIDC',
  'MiddleName': 'User',
  'LastName': 'Services',
  'JobPosition': 'TECHNICAL CONTACT'},
{'FirstName': 'J.',
  'MiddleName': 'Bryan',
  'LastName': 'Blair',
  'JobPosition': 'TECHNICAL CONTACT'},
{'FirstName': 'Michelle',
  'LastName': 'Hofton',
  'JobPosition': 'TECHNICAL CONTACT'}]}]},
'ScienceKeywords': {'ScienceKeyword': {'CategoryKeyword': 'EARTH SCIENCE',
  'TopicKeyword': 'SPECTRAL/ENGINEERING',
  'TermKeyword': 'INFRARED WAVELENGTHS',
  'VariableLevelKeyword': {'Value': 'SENSOR COUNTS'}}},
'Platforms': {'Platform': [{'ShortName': 'AIRCRAFT',
  'LongName': 'Not provided',
  'Type': 'Aircraft',
  'Instruments': {'Instrument': [{'ShortName': 'ALTIMETERS',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'ALTIMETERS'}}}],
{'ShortName': 'LASERS',
  'LongName': 'Light Amplification by Stimulated Emission of Radiation',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'LASERS',
    'LongName': 'Light Amplification by Stimulated Emission of Radiation'}}]}]},
{'ShortName': 'B-200',
  'LongName': 'Beechcraft King Air B-200',
  'Type': 'Propeller',
  'Instruments': {'Instrument': {'ShortName': 'LVIS',
  'LongName': 'Land, Vegetation, and Ice Sensor',
  'Technique': 'instrument',
  'NumberOfSensors': '1',

```

(continues on next page)

```

    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'C-130',
    'LongName': 'Lockheed C-130 Hercules',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',
            'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'DC-8',
    'LongName': 'Douglas DC-8',
    'Type': 'Aircraft',
    'Characteristics': {'Characteristic': {'Name': 'AircraftID',
        'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft',
        'DataType': 'STRING',
        'Unit': 'Not Applicable',
        'Value': 'N817NA'}},
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',
            'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'G-V',
    'LongName': 'Gulfstream V',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',
            'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'HU-25C',
    'LongName': 'Dassault HU-25C Guardian',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',
            'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'P-3B',
    'LongName': 'Lockheed P-3B Orion',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',

```

(continues on next page)

(continued from previous page)

```

      'LongName': 'Land, Vegetation, and Ice Sensor'}}}}}],
    {'ShortName': 'RQ-4',
     'LongName': 'Northrop Grumman RQ-4 Global Hawk',
     'Type': 'Uncrewed Aerial Vehicles',
     'Instruments': {'Instrument': {'ShortName': 'LVIS',
                                     'LongName': 'Land, Vegetation, and Ice Sensor',
                                     'Technique': 'instrument',
                                     'NumberOfSensors': '1',
                                     'Sensors': {'Sensor': {'ShortName': 'LVIS',
                                                             'LongName': 'Land, Vegetation, and Ice Sensor'}}}}}],
     'AdditionalAttributes': {'AdditionalAttribute': [{'Name': 'AircraftID',
                                                       'DataType': 'STRING',
                                                       'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft'},
                                                     {'Name': 'SIPSMetGenVersion',
                                                       'DataType': 'STRING',
                                                       'Description': 'The version of the SIPSMetGen software used to produce the
↪ metadata file for this granule'},
                                                     {'Name': 'ThemeID',
                                                       'DataType': 'STRING',
                                                       'Description': 'The identifier of the theme under which data are logically grouped
↪ '},
                                                     {'Name': 'identifier_product_doi',
                                                       'DataType': 'STRING',
                                                       'Description': 'Digital object identifier that uniquely identifies this data
↪ product'},
                                                     {'Name': 'identifier_product_doi_authority',
                                                       'DataType': 'STRING',
                                                       'Description': 'URL of the digital object identifier resolving authority'}}],
     'Campaigns': {'Campaign': {'ShortName': 'ABOVE',
                                 'LongName': 'Arctic-Boreal Vulnerability Experiment (ABOVE) NASA field campaign',
                                 'StartDate': '2017-06-29T00:00:00.000Z',
                                 'EndDate': '2017-07-17T00:00:00.000Z'}},
     'SpatialInfo': {'SpatialCoverageType': 'HORIZONTAL'},
     'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://n5eil01u.ecs.nsidc.org/
↪ ICEBRIDGE/ABLVIS1B.001',
                                                'URLDescription': 'Direct download via HTTPS protocol.'},
                                               {'URL': 'https://search.earthdata.nasa.gov/search?q=ABLVIS1B+V001',
                                                'URLDescription': "NASA's newest search and order tool for subsetting,
↪ reprojecting, and reformatting data."},
                                               {'URL': 'https://nsidc.org/icebridge/portal/map',
                                                'URLDescription': 'Tool to visualize, search, and download IceBridge data.'},
                                               {'URL': 'https://nsidc.org/data/data-access-tool/ABLVIS1B/versions/1/',
                                                'URLDescription': 'Search and filter data files using a map-based interface'}}],
     'OnlineResources': {'OnlineResource': [{'URL': 'https://doi.org/10.5067/UMRAWS57QAFU',
                                               'Description': 'Provides access to data, documentation, tools, citation
↪ information, support, and other resources.',
                                               'Type': 'CollectionURL : DATA SET LANDING PAGE'},
                                              {'URL': 'https://doi.org/10.5067/UMRAWS57QAFU',
                                               'Description': "Includes a user's guide, supplemental documents like ATBDs and
↪ academic papers, How Tos, FAQs, etc.",
                                               'Type': 'VIEW RELATED INFORMATION : GENERAL DOCUMENTATION'}}}],

```

(continues on next page)

(continued from previous page)

```
'Spatial': {'SpatialCoverageType': 'HORIZONTAL',
'HorizontalSpatialDomain': {'Geometry': {'CoordinateSystem': 'CARTESIAN',
'BoundingRectangle': {'WestBoundingCoordinate': '-158.0',
'NorthBoundingCoordinate': '72.0',
'EastBoundingCoordinate': '-104.0',
'SouthBoundingCoordinate': '48.0'}}}},
'GranuleSpatialRepresentation': 'GEODETIC'}}}]
```

Based on the output of the above cell, we can retrieve the `concept-id` as collection id and use in the subsequent cells for downloading the granules from this collection.

### 2.11.10 Searching and Downloading a Granule

```
[20]: COLLECTION_ID = ablvis1b_collections[0]['concept-id']
```

```
results = maap.searchGranule(
    concept_id=COLLECTION_ID,
    cmr_host="cmr.earthdata.nasa.gov"
)
pprint(f'Got {len(results)} results')
```

```
#Validating download
filename = results[0].getData(dataDir)
print(filename)
```

```
'Got 20 results'
./data/LVIS1B_ABoVE2017_0629_R1803_056233.h5
```

### 2.11.11 Validating the Downloaded Product

Similar to the LVISF1B dataset (as discussed above), ABLVIS1B dataset has products stored as `.h5` files. We will be following the same steps as described above to validate the downloaded product.

```
[21]: #Testing the HDF5 files
import h5py
with h5py.File(filename, "r") as f:
    print("Keys: %s" % f.keys())
    # get first object name/key; may or may NOT be a group
    a_group_key = list(f.keys())[0]

    # get the object type for a_group_key: usually group or dataset
    print(type(f[a_group_key]))

    # If a_group_key is a group name,
    # this gets the object names in the group and returns as a list
    data = list(f[a_group_key])

    # If a_group_key is a dataset name,
    # this gets the dataset values and returns as a list
```

(continues on next page)

(continued from previous page)

```

data = list(f[a_group_key])
# preferred methods to get dataset values:
ds_obj = f[a_group_key] # returns as a h5py dataset object
ds_arr = f[a_group_key][()] # returns as a numpy array

print(ds_arr)

```

```

Keys: <KeysViewHDF5 ['AZIMUTH', 'INCIDENTANGLE', 'LAT0', 'LAT1215', 'LFID', 'LON0',
↳ 'LON1215', 'RANGE', 'RXWAVE', 'SHOTNUMBER', 'SIGMEAN', 'TIME', 'TXWAVE', 'Z0', 'Z1215',
↳ 'ancillary_data']>
<class 'h5py._hl.dataset.Dataset'>
[209.55528 209.98833 209.2643 ... 181.83081 183.49066 182.28035]

```

## Accessing LVIS Facility L2 Geolocated Surface Elevation and Canopy Height Product V001

### 2.11.12 About the Dataset

The LVIS Facility L2 Geolocated Surface Elevation and Canopy Height Product V001 dataset contains Level-2 geolocated surface elevation and canopy height measurements collected by the NASA Land, Vegetation, and Ice Sensor (LVIS) Facility, an imaging lidar and camera sensor suite. The short name for this collection is LVISF2.

### 2.11.13 Searching the Collection

```

[23]: lvisf2_collections = maap.searchCollection(
    short_name='LVISF2',
    version='1',
    cmr_host='cmr.earthdata.nasa.gov'
)
lvisf2_collections

```

```

[23]: [{'concept-id': 'C1723866830-NSIDC_ECS',
  'revision-id': '29',
  'format': 'application/echo10+xml',
  'Collection': {'ShortName': 'LVISF2',
  'VersionId': '1',
  'InsertTime': '2023-08-22T16:21:40.702Z',
  'LastUpdate': '2023-08-22T16:21:40.702Z',
  'LongName': 'Not provided',
  'DataSetId': 'LVIS Facility L2 Geolocated Surface Elevation and Canopy Height Product_
↳ V001',
  'Description': 'This data set contains Level-2 geolocated surface elevation and_
↳ canopy height measurements collected by the NASA Land, Vegetation, and Ice Sensor_
↳ (LVIS) Facility, an imaging lidar and camera sensor suite.',
  'DOI': {'DOI': '10.5067/VP7J20HJQISD'},
  'StandardProduct': 'false',
  'RevisionDate': '2023-05-31T00:00:00.000Z',
  'SuggestedUsage': 'Scientific Research',
  'ProcessingCenter': 'NASA/GSFC/SED/ESD/LRSL',
  'ProcessingLevelId': 'Level 2',
  'ProcessingLevelDescription': 'Derived geophysical variables',

```

(continues on next page)

(continued from previous page)

```

'ArchiveCenter': 'NASA NSIDC DAAC',
'CollectionState': 'PLANNED',
'RestrictionComment': ' These data are freely, openly, and fully accessible, provided.
↳that you are logged into your NASA Earthdata profile (https://urs.earthdata.nasa.gov/).
↳',
'UseConstraints': {'LicenseText': ' These data are freely, openly, and fully.
↳available to use without restrictions, provided that you cite the data according to.
↳the recommended citation at https://nsidc.org/about/use_copyright.html. For more.
↳information on the NASA EOSDIS Data Use Policy, see https://earthdata.nasa.gov/earth-
↳observation-data/data-use-policy.'},
'DataFormat': 'ASCII',
'SpatialKeywords': {'Keyword': ['ALASKA',
'CANADA',
'GREENLAND',
'UNITED STATES OF AMERICA',
'COSTA RICA',
'FRENCH GUIANA']},
'Temporal': {'EndsAtPresentFlag': 'false',
'RangeDateTime': {'BeginningDateTime': '2018-11-07T00:00:00.000Z'}},
'Contacts': {'Contact': [{'Role': 'ARCHIVER',
'OrganizationName': 'NASA NSIDC DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data.
↳Center CIRES, 449 UCB University of Colorado',
'City': 'Boulder',
'StateProvince': 'CO',
'PostalCode': '80309-0449',
'Country': 'USA'}}},
'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{'Role': 'DISTRIBUTOR',
'OrganizationName': 'NASA NSIDC DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data.
↳Center CIRES, 449 UCB University of Colorado',
'City': 'Boulder',
'StateProvince': 'CO',
'PostalCode': '80309-0449',
'Country': 'USA'}}},
'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{'Role': 'PROCESSOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
{'Role': 'ORIGINATOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
{'Role': 'TECHNICAL CONTACT',
'ContactPersons': {'ContactPerson': [{'FirstName': 'NSIDC',
'MiddleName': 'User',
'LastName': 'Services',
'JobPosition': 'TECHNICAL CONTACT'},
{'FirstName': 'J.',
'MiddleName': 'Bryan',
'LastName': 'Blair',
'JobPosition': 'TECHNICAL CONTACT'},

```

(continues on next page)

(continued from previous page)

```

    {'FirstName': 'Michelle',
     'LastName': 'Hofton',
     'JobPosition': 'TECHNICAL CONTACT'}}]]]]},
'ScienceKeywords': {'ScienceKeyword': [{'CategoryKeyword': 'EARTH SCIENCE',
    'TopicKeyword': 'CRYOSPHERE',
    'TermKeyword': 'GLACIERS/ICE SHEETS',
    'VariableLevel1Keyword': {'Value': 'GLACIER ELEVATION/ICE SHEET ELEVATION'}},
 {'CategoryKeyword': 'EARTH SCIENCE',
    'TopicKeyword': 'CRYOSPHERE',
    'TermKeyword': 'SEA ICE',
    'VariableLevel1Keyword': {'Value': 'SEA ICE ELEVATION'}},
 {'CategoryKeyword': 'EARTH SCIENCE',
    'TopicKeyword': 'LAND SURFACE',
    'TermKeyword': 'TOPOGRAPHY',
    'VariableLevel1Keyword': {'Value': 'TERRAIN ELEVATION'}},
 {'CategoryKeyword': 'EARTH SCIENCE',
    'TopicKeyword': 'BIOSPHERE',
    'TermKeyword': 'VEGETATION',
    'VariableLevel1Keyword': {'Value': 'CANOPY CHARACTERISTICS',
    'VariableLevel2Keyword': {'Value': 'VEGETATION HEIGHT'}}]]]]},
'Platforms': {'Platform': [{'ShortName': 'B-200',
    'LongName': 'Beechcraft King Air B-200',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}}}]},
 {'ShortName': 'G-III',
    'LongName': 'Gulfstream III',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}}}]},
 {'ShortName': 'G-V',
    'LongName': 'Gulfstream V',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}}}]},
 {'ShortName': 'P-3B',
    'LongName': 'Lockheed P-3B Orion',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',

```

(continues on next page)

(continued from previous page)

```

    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}],
    'AdditionalAttributes': {'AdditionalAttribute': [{'Name': 'AircraftID',
        'DataType': 'STRING',
        'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft'},
        {'Name': 'SIPSMetGenVersion',
        'DataType': 'STRING',
        'Description': 'The version of the SIPSMetGen software used to produce the
↪ metadata file for this granule'},
        {'Name': 'ThemeID',
        'DataType': 'STRING',
        'Description': 'The identifier of the theme under which data are logically grouped
↪ '},
        {'Name': 'identifier_product_doi',
        'DataType': 'STRING',
        'Description': 'Digital object identifier that uniquely identifies this data
↪ product'},
        {'Name': 'identifier_product_doi_authority',
        'DataType': 'STRING',
        'Description': 'URL of the digital object identifier resolving authority'}]},
    'Campaigns': {'Campaign': [{'ShortName': 'ABOVE',
        'LongName': 'Arctic-Boreal Vulnerability Experiment (ABOVE) NASA field campaign',
        'StartDate': '2017-06-29T00:00:00.000Z',
        'EndDate': '2017-07-17T00:00:00.000Z'},
        {'ShortName': 'GEDI',
        'LongName': "NASA's Global Ecosystem Dynamics Investigation",
        'StartDate': '2019-01-01T00:00:00.000Z',
        'EndDate': '2019-12-31T00:00:00.000Z'},
        {'ShortName': 'MULTI_NASA',
        'LongName': 'Operation IceBridge Multiple Campaigns',
        'StartDate': '1993-01-01T00:00:00.000Z',
        'EndDate': '2025-12-31T00:00:00.000Z'}]},
    'SpatialInfo': {'SpatialCoverageType': 'HORIZONTAL'},
    'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://n5eil01u.ecs.nsidc.org/
↪ ICEBRIDGE/LVISF2.001/',
        'URLDescription': 'Direct download via HTTPS protocol.'},
        {'URL': 'https://search.earthdata.nasa.gov/search?q=LVISF2+V001',
        'URLDescription': "NASA's newest search and order tool for subsetting,
↪ reprojecting, and reformatting data."},
        {'URL': 'https://nsidc.org/data/data-access-tool/LVISF2/versions/1/',
        'URLDescription': 'Search and filter data files using a map-based interface'}]},
    'OnlineResources': {'OnlineResource': [{'URL': 'https://doi.org/10.5067/VP7J20HJQISD',
        'Description': 'Provides access to data, documentation, tools, citation
↪ information, support, and other resources.',
        'Type': 'CollectionURL : DATA SET LANDING PAGE'},
        {'URL': 'https://doi.org/10.5067/VP7J20HJQISD',
        'Description': "Includes a user's guide, supplemental documents like ATBDs and
↪ academic papers, How Tos, FAQs, etc.",
        'Type': 'VIEW RELATED INFORMATION : GENERAL DOCUMENTATION'}]}],

```

(continues on next page)

(continued from previous page)

```
'Spatial': {'SpatialCoverageType': 'HORIZONTAL',
  'HorizontalSpatialDomain': {'Geometry': {'CoordinateSystem': 'CARTESIAN',
    'BoundingRectangle': {'WestBoundingCoordinate': '-167.0',
      'NorthBoundingCoordinate': '88.0',
      'EastBoundingCoordinate': '18.0',
      'SouthBoundingCoordinate': '2.0'}}}},
  'GranuleSpatialRepresentation': 'GEODETTIC'}}}]
```

### 2.11.14 Searching and Downloading a Granule

```
[24]: COLLECTION_ID = lvisf2_collections[0]['concept-id']
```

```
results = maap.searchGranule(
    concept_id=COLLECTION_ID,
    cmr_host="cmr.earthdata.nasa.gov"
)
pprint(f'Got {len(results)} results')
```

```
#Validating download
filename = results[0].getData(dataDir)
print(filename)
```

```
'Got 20 results'
./data/LVVISF2_US2018_1107_R2011_067463.TXT
```

We follow the same steps as above for searching and downloading a granule from the LVISF2 collection. However, as we observe, the downloaded product in this case is a .txt file. So, we will be using the `numpy` Python package for accessing the downloaded text file.

### 2.11.15 Validating the Downloaded Product

```
[25]: #Testing the TXT files from the LVIS collections
```

```
import numpy as np
data = np.genfromtxt(filename)
print(data)

[[1.95842916e+09 5.93768900e+06 6.74631929e+04 ... 1.00000000e+00
  1.00000000e+00 1.00000000e+00]
 [1.95842916e+09 5.93769000e+06 6.74631931e+04 ... 1.00000000e+00
  1.00000000e+00 1.00000000e+00]
 [1.95842916e+09 5.93769100e+06 6.74631934e+04 ... 1.00000000e+00
  1.00000000e+00 1.00000000e+00]
 ...
 [1.95842916e+09 6.49713000e+06 6.76030543e+04 ... 1.00000000e+00
  1.00000000e+00 1.00000000e+00]
 [1.95842916e+09 6.49713100e+06 6.76030545e+04 ... 1.00000000e+00
  1.00000000e+00 1.00000000e+00]
 [1.95842916e+09 6.49713200e+06 6.76030548e+04 ... 1.00000000e+00
  1.00000000e+00 1.00000000e+00]]
```

As we can observe from the output of the above cell, the data values are accessible from the downloaded product. Hence, validating the downloaded file.

## Accessing the ABoVE LVIS L2 Geolocated Surface Elevation Product V001

### 2.11.16 About the Dataset

This `dataset` contains surface elevation data over Alaska and Western Canada measured by the NASA Land, Vegetation, and Ice Sensor (LVIS), an airborne lidar scanning laser altimeter. The data were collected as part of NASA's Terrestrial Ecology Program campaign, the Arctic-Boreal Vulnerability Experiment (ABoVE). The short name for this collection is ABLVIS2.

### 2.11.17 Searching the Collection

```
[26]: ablvis2_collections = maap.searchCollection(
      short_name='ABLVIS2',
      version='1',
      cmr_host='cmr.earthdata.nasa.gov'
    )
ablvis2_collections
```

```
[26]: [{'concept-id': 'C1513105984-NSIDC_ECS',
      'revision-id': '43',
      'format': 'application/echo10+xml',
      'Collection': {'ShortName': 'ABLVIS2',
      'VersionId': '1',
      'InsertTime': '2023-08-22T16:58:08.004Z',
      'LastUpdate': '2023-08-22T16:58:08.004Z',
      'LongName': 'Not provided',
      'DataSetId': 'ABoVE LVIS L2 Geolocated Surface Elevation Product V001',
      'Description': "This data set contains surface elevation data over Alaska and Western_
↳Canada measured by the NASA Land, Vegetation, and Ice Sensor (LVIS), an airborne lidar_
↳scanning laser altimeter. The data were collected as part of NASA's Terrestrial_
↳Ecology Program campaign, the Arctic-Boreal Vulnerability Experiment (ABoVE).",
      'DOI': {'DOI': '10.5067/IA5WAX7K3YGY'},
      'StandardProduct': 'false',
      'RevisionDate': '2023-05-31T00:00:00.000Z',
      'SuggestedUsage': 'Scientific Research',
      'ProcessingCenter': 'NASA/GSFC/SED/ESD/LRSL',
      'ProcessingLevelId': 'Level 2',
      'ProcessingLevelDescription': 'Derived geophysical variables',
      'ArchiveCenter': 'NASA NSIDC DAAC',
      'CollectionState': 'PLANNED',
      'RestrictionComment': ' These data are freely, openly, and fully accessible, provided_
↳that you are logged into your NASA Earthdata profile (https://urs.earthdata.nasa.gov/).
↳',
      'UseConstraints': {'LicenseText': ' These data are freely, openly, and fully_
↳available to use without restrictions, provided that you cite the data according to_
↳the recommended citation at https://nsidc.org/about/use_copyright.html. For more_
↳information on the NASA EOSDIS Data Use Policy, see https://earthdata.nasa.gov/earth-
↳observation-data/data-use-policy.'},
      'DataFormat': 'ASCII',
```

(continues on next page)

(continued from previous page)

```

'SpatialKeywords': {'Keyword': ['CANADA', 'ALASKA']},
'Temporal': {'EndsAtPresentFlag': 'false',
'RangeDateTime': {'BeginningDateTime': '2017-06-29T00:00:00.000Z',
'EndingDateTime': '2017-07-17T23:59:59.999Z'}},
'Contacts': {'Contact': [{ 'Role': 'ARCHIVER',
'OrganizationName': 'NASA NSIDC DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data_
↳Center CIRES, 449 UCB University of Colorado',
'City': 'Boulder',
'StateProvince': 'CO',
'PostalCode': '80309-0449',
'Country': 'USA'}},
'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{ 'Role': 'DISTRIBUTOR',
'OrganizationName': 'NASA NSIDC DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data_
↳Center CIRES, 449 UCB University of Colorado',
'City': 'Boulder',
'StateProvince': 'CO',
'PostalCode': '80309-0449',
'Country': 'USA'}},
'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{ 'Role': 'PROCESSOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
{ 'Role': 'ORIGINATOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
{ 'Role': 'TECHNICAL CONTACT',
'ContactPersons': {'ContactPerson': [{ 'FirstName': 'J.',
'MiddleName': 'Bryan',
'LastName': 'Blair',
'JobPosition': 'TECHNICAL CONTACT'},
{ 'FirstName': 'Michelle',
'LastName': 'Hofton',
'JobPosition': 'TECHNICAL CONTACT'},
{ 'FirstName': 'NSIDC',
'MiddleName': 'User',
'LastName': 'Services',
'JobPosition': 'TECHNICAL CONTACT'},
{ 'FirstName': 'J.',
'MiddleName': 'Bryan',
'LastName': 'Blair',
'JobPosition': 'TECHNICAL CONTACT'},
{ 'FirstName': 'Michelle',
'LastName': 'Hofton',
'JobPosition': 'TECHNICAL CONTACT'}]}]}},
'ScienceKeywords': {'ScienceKeyword': {'CategoryKeyword': 'EARTH SCIENCE',
'TopicKeyword': 'LAND SURFACE',
'TermKeyword': 'TOPOGRAPHY',
'VariableLevelKeyword': {'Value': 'TERRAIN ELEVATION'}}},
'Platforms': {'Platform': [{ 'ShortName': 'AIRCRAFT',

```

(continues on next page)

(continued from previous page)

```

'LongName': 'Not provided',
'Type': 'Aircraft',
'Instruments': {'Instrument': [{'ShortName': 'ALTIMETERS',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'ALTIMETERS'}}}],
{'ShortName': 'LASERS',
  'LongName': 'Light Amplification by Stimulated Emission of Radiation',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'LASERS',
    'LongName': 'Light Amplification by Stimulated Emission of Radiation'}}]}]},
{'ShortName': 'B-200',
'LongName': 'Beechcraft King Air B-200',
'Type': 'Propeller',
'Instruments': {'Instrument': {'ShortName': 'LVIS',
  'LongName': 'Land, Vegetation, and Ice Sensor',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}]}]},
{'ShortName': 'C-130',
'LongName': 'Lockheed C-130 Hercules',
'Type': 'Propeller',
'Instruments': {'Instrument': {'ShortName': 'LVIS',
  'LongName': 'Land, Vegetation, and Ice Sensor',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}]}]},
{'ShortName': 'DC-8',
'LongName': 'Douglas DC-8',
'Type': 'Aircraft',
'Characteristics': {'Characteristic': {'Name': 'AircraftID',
  'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft',
  'DataType': 'STRING',
  'Unit': 'Not Applicable',
  'Value': 'N817NA'}},
'Instruments': {'Instrument': {'ShortName': 'LVIS',
  'LongName': 'Land, Vegetation, and Ice Sensor',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}]}]},
{'ShortName': 'G-V',
'LongName': 'Gulfstream V',
'Type': 'Jet',
'Instruments': {'Instrument': {'ShortName': 'LVIS',
  'LongName': 'Land, Vegetation, and Ice Sensor',
  'Technique': 'instrument',
  'NumberOfSensors': '1',

```

(continues on next page)

(continued from previous page)

```

    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
  {'ShortName': 'HU-25C',
    'LongName': 'Dassault HU-25C Guardian',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',
            'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
  {'ShortName': 'P-3B',
    'LongName': 'Lockheed P-3B Orion',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',
            'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
  {'ShortName': 'RQ-4',
    'LongName': 'Northrop Grumman RQ-4 Global Hawk',
    'Type': 'Uncrewed Aerial Vehicles',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor',
        'Technique': 'instrument',
        'NumberOfSensors': '1',
        'Sensors': {'Sensor': {'ShortName': 'LVIS',
            'LongName': 'Land, Vegetation, and Ice Sensor'}}}}}],
  'AdditionalAttributes': {'AdditionalAttribute': [{'Name': 'AircraftID',
    'DataType': 'STRING',
    'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft'},
    {'Name': 'SIPSMetGenVersion',
    'DataType': 'STRING',
    'Description': 'The version of the SIPSMetGen software used to produce the
↪ metadata file for this granule'},
    {'Name': 'ThemeID',
    'DataType': 'STRING',
    'Description': 'The identifier of the theme under which data are logically grouped
↪ '},
    {'Name': 'identifier_product_doi',
    'DataType': 'STRING',
    'Description': 'Digital object identifier that uniquely identifies this data
↪ product'},
    {'Name': 'identifier_product_doi_authority',
    'DataType': 'STRING',
    'Description': 'URL of the digital object identifier resolving authority'}]},
  'Campaigns': {'Campaign': {'ShortName': 'ABOVE',
    'LongName': 'Arctic-Boreal Vulnerability Experiment (ABOVE) NASA field campaign',
    'StartDate': '2017-06-29T00:00:00.000Z',
    'EndDate': '2017-07-17T00:00:00.000Z'}}},

```

(continues on next page)

(continued from previous page)

```

'SpatialInfo': {'SpatialCoverageType': 'HORIZONTAL'},
'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://n5eil01u.ecs.nsidc.org/
↪ICEBRIDGE/ABLVIS2.001/',
  'URLDescription': 'Direct download via HTTPS protocol.'},
  {'URL': 'https://search.earthdata.nasa.gov/search?q=ABLVIS2+V001',
  'URLDescription': "NASA's newest search and order tool for subsetting,↪
↪reprojecting, and reformatting data."},
  {'URL': 'https://nsidc.org/icebridge/portal/map',
  'URLDescription': 'Tool to visualize, search, and download IceBridge data.'},
  {'URL': 'https://nsidc.org/data/data-access-tool/ABLVIS2/versions/1/',
  'URLDescription': 'Search and filter data files using a map-based interface'}}],
'OnlineResources': {'OnlineResource': [{'URL': 'https://doi.org/10.5067/IA5WAX7K3YGY',
  'Description': 'Provides access to data, documentation, tools, citation↪
↪information, support, and other resources.',
  'Type': 'CollectionURL : DATA SET LANDING PAGE'},
  {'URL': 'https://doi.org/10.5067/IA5WAX7K3YGY',
  'Description': "Includes a user's guide, supplemental documents like ATBDs and↪
↪academic papers, How Tos, FAQs, etc.",
  'Type': 'VIEW RELATED INFORMATION : GENERAL DOCUMENTATION'}}]},
'Spatial': {'SpatialCoverageType': 'HORIZONTAL',
'HorizontalSpatialDomain': {'Geometry': {'CoordinateSystem': 'CARTESIAN',
  'BoundingRectangle': {'WestBoundingCoordinate': '-158.0',
  'NorthBoundingCoordinate': '72.0',
  'EastBoundingCoordinate': '-104.0',
  'SouthBoundingCoordinate': '48.0'}}}},
'GranuleSpatialRepresentation': 'GEODETTIC'}}]}

```

### 2.11.18 Searching and Downloading a Granule

We follow the same steps as above.

```
[27]: COLLECTION_ID = ablvis2_collections[0]['concept-id']
```

```

results = maap.searchGranule(
    concept_id=COLLECTION_ID,
    cmr_host="cmr.earthdata.nasa.gov"
)
pprint(f'Got {len(results)} results')

#Validating download
filename = results[0].getData(dataDir)
print(filename)

```

```

'Got 20 results'
./data/LVIS2_ABoVE2017_0629_R1803_056233.TXT

```

### 2.11.19 Validating the Dataset

Since the output for this data product is also downloaded as a text file, we will follow the same steps as described above for the LVISF2 data product.

```
[28]: #Testing the downloaded TXT file
import numpy as np
data = np.genfromtxt(filename)
print(data)

[[1.95793304e+09 3.99310900e+06 5.62334890e+04 ... 1.00000000e+00
 1.00000000e+00 1.00000000e+00]
 [1.95793304e+09 3.99311000e+06 5.62334890e+04 ... 1.00000000e+00
 1.00000000e+00 1.00000000e+00]
 [1.95793304e+09 3.99311100e+06 5.62334890e+04 ... 1.00000000e+00
 1.00000000e+00 1.00000000e+00]
 ...
 [1.95793306e+09 5.43227700e+06 5.65932850e+04 ... 1.00000000e+00
 1.00000000e+00 1.00000000e+00]
 [1.95793306e+09 5.43227900e+06 5.65932850e+04 ... 1.00000000e+00
 1.00000000e+00 1.00000000e+00]
 [1.95793306e+09 5.43228200e+06 5.65932860e+04 ... 1.00000000e+00
 1.00000000e+00 1.00000000e+00]]
```

As observed from the output of the above cell, the data values are accessible from the downloaded product. Hence, validating the downloaded file.

## Accessing the AfriSAR LVIS L1B Geolocated Return Energy Waveforms V001

### 2.11.20 About the Dataset

The AfriSAR LVIS L1B Geolocated Return Energy Waveforms V001 dataset contains return energy waveform data over Gabon, Africa. The measurements were taken by the NASA Land, Vegetation, and Ice Sensor (LVIS), an airborne lidar scanning laser altimeter. The data were collected as part of a NASA campaign, in collaboration with the European Space Agency (ESA) mission AfriSAR. This collection has AFLVIS1B as its short name.

### 2.11.21 Searching the Collection

```
[29]: aflvis1b_collections = maap.searchCollection(
    short_name='AFLVIS1B',
    version='1',
    cmr_host='cmr.earthdata.nasa.gov'
)
aflvis1b_collections
```

```
[29]: [{'concept-id': 'C1549378019-NSIDC_ECS',
  'revision-id': '43',
  'format': 'application/echo10+xml',
  'Collection': {'ShortName': 'AFLVIS1B',
  'VersionId': '1',
  'InsertTime': '2023-08-22T16:12:12.094Z',
  'LastUpdate': '2023-08-22T16:12:12.094Z',
```

(continues on next page)

(continued from previous page)

```

'LongName': 'Not provided',
'DataSetId': 'AfriSAR LVIS L1B Geolocated Return Energy Waveforms V001',
'Description': 'This data set contains return energy waveform data over Gabon, Africa.
↳ The measurements were taken by the NASA Land, Vegetation, and Ice Sensor (LVIS), an
↳ airborne lidar scanning laser altimeter. The data were collected as part of a NASA
↳ campaign, in collaboration with the European Space Agency (ESA) mission AfriSAR.',
'DOI': {'DOI': '10.5067/ED5IYGVTB50Z'},
'StandardProduct': 'false',
'RevisionDate': '2023-05-31T00:00:00.000Z',
'SuggestedUsage': 'Scientific Research',
'ProcessingCenter': 'NASA/GSFC/SED/ESD/LRSL',
'ProcessingLevelId': 'Level 1B',
'ProcessingLevelDescription': 'Sensor units',
'ArchiveCenter': 'NASA NSIDC DAAC',
'CollectionState': 'PLANNED',
'RestrictionComment': ' These data are freely, openly, and fully accessible, provided
↳ that you are logged into your NASA Earthdata profile (https://urs.earthdata.nasa.gov/).
↳ ',
'UseConstraints': {'LicenseText': ' These data are freely, openly, and fully
↳ available to use without restrictions, provided that you cite the data according to
↳ the recommended citation at https://nsidc.org/about/use_copyright.html. For more
↳ information on the NASA EOSDIS Data Use Policy, see https://earthdata.nasa.gov/earth-
↳ observation-data/data-use-policy.'},
'DataFormat': 'HDF5',
'SpatialKeywords': {'Keyword': 'GABON'},
'Temporal': {'EndsAtPresentFlag': 'false',
'RangeDateTime': {'BeginningDateTime': '2016-02-20T00:00:00.000Z',
'EndingDateTime': '2016-03-08T23:59:59.999Z'}},
'Contacts': {'Contact': [{'Role': 'ARCHIVER',
'OrganizationName': 'NASA NSIDC DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data
↳ Center CIRES, 449 UCB University of Colorado',
'City': 'Boulder',
'StateProvince': 'CO',
'PostalCode': '80309-0449',
'Country': 'USA'}}},
'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{'Role': 'DISTRIBUTOR',
'OrganizationName': 'NASA NSIDC DAAC',
'OrganizationAddresses': {'Address': {'StreetAddress': 'National Snow and Ice Data
↳ Center CIRES, 449 UCB University of Colorado',
'City': 'Boulder',
'StateProvince': 'CO',
'PostalCode': '80309-0449',
'Country': 'USA'}}},
'OrganizationPhones': {'Phone': {'Number': '1 303 492 6199',
'Type': 'Telephone'}},
'OrganizationEmails': {'Email': 'nsidc@nsidc.org'}},
{'Role': 'PROCESSOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},
{'Role': 'ORIGINATOR', 'OrganizationName': 'NASA/GSFC/SED/ESD/LRSL'},

```

(continues on next page)

(continued from previous page)

```

{'Role': 'TECHNICAL CONTACT',
 'ContactPersons': {'ContactPerson': [{'FirstName': 'J.',
   'MiddleName': 'Bryan',
   'LastName': 'Blair',
   'JobPosition': 'TECHNICAL CONTACT'},
  {'FirstName': 'Michelle',
   'LastName': 'Hofton',
   'JobPosition': 'TECHNICAL CONTACT'},
  {'FirstName': 'NSIDC',
   'MiddleName': 'User',
   'LastName': 'Services',
   'JobPosition': 'TECHNICAL CONTACT'},
  {'FirstName': 'J.',
   'MiddleName': 'Bryan',
   'LastName': 'Blair',
   'JobPosition': 'TECHNICAL CONTACT'},
  {'FirstName': 'Michelle',
   'LastName': 'Hofton',
   'JobPosition': 'TECHNICAL CONTACT'}}]}],
'ScienceKeywords': {'ScienceKeyword': {'CategoryKeyword': 'EARTH SCIENCE',
  'TopicKeyword': 'SPECTRAL/ENGINEERING',
  'TermKeyword': 'INFRARED WAVELENGTHS',
  'VariableLevelKeyword': {'Value': 'SENSOR COUNTS'}}},
'Platforms': {'Platform': [{'ShortName': 'AIRCRAFT',
  'LongName': 'Not provided',
  'Type': 'Aircraft',
  'Instruments': {'Instrument': [{'ShortName': 'ALTIMETERS',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'ALTIMETERS'}}}],
  'ShortName': 'LASERS',
  'LongName': 'Light Amplification by Stimulated Emission of Radiation',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'LASERS',
    'LongName': 'Light Amplification by Stimulated Emission of Radiation'}}]}]},
{'ShortName': 'B-200',
 'LongName': 'Beechcraft King Air B-200',
 'Type': 'Propeller',
 'Instruments': {'Instrument': {'ShortName': 'LVIS',
  'LongName': 'Land, Vegetation, and Ice Sensor',
  'Technique': 'instrument',
  'NumberOfSensors': '1',
  'Sensors': {'Sensor': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor'}}]}},
{'ShortName': 'C-130',
 'LongName': 'Lockheed C-130 Hercules',
 'Type': 'Propeller',
 'Instruments': {'Instrument': {'ShortName': 'LVIS',
  'LongName': 'Land, Vegetation, and Ice Sensor',
  'Technique': 'instrument',
  'NumberOfSensors': '1',

```

(continues on next page)

(continued from previous page)

```

    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'DC-8',
    'LongName': 'Douglas DC-8',
    'Type': 'Aircraft',
    'Characteristics': {'Characteristic': {'Name': 'AircraftID',
    'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft',
    'DataType': 'STRING',
    'Unit': 'Not Applicable',
    'Value': 'N817NA'}}},
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'G-V',
    'LongName': 'Gulfstream V',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'HU-25C',
    'LongName': 'Dassault HU-25C Guardian',
    'Type': 'Jet',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'P-3B',
    'LongName': 'Lockheed P-3B Orion',
    'Type': 'Propeller',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',
        'LongName': 'Land, Vegetation, and Ice Sensor'}}}},
    {'ShortName': 'RQ-4',
    'LongName': 'Northrop Grumman RQ-4 Global Hawk',
    'Type': 'Uncrewed Aerial Vehicles',
    'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'LongName': 'Land, Vegetation, and Ice Sensor',
    'Technique': 'instrument',
    'NumberOfSensors': '1',
    'Sensors': {'Sensor': {'ShortName': 'LVIS',

```

(continues on next page)

(continued from previous page)

```

      'LongName': 'Land, Vegetation, and Ice Sensor'}}}}}}],
    'AdditionalAttributes': {'AdditionalAttribute': [{'Name': 'AircraftID',
      'DataType': 'STRING',
      'Description': 'The identifier of the airplane used by the FAA to uniquely
↪ identify each aircraft'},
      {'Name': 'SIPSMetGenVersion',
      'DataType': 'STRING',
      'Description': 'The version of the SIPSMetGen software used to produce the
↪ metadata file for this granule'},
      {'Name': 'ThemeID',
      'DataType': 'STRING',
      'Description': 'The identifier of the theme under which data are logically grouped
↪ '},
      {'Name': 'identifier_product_doi',
      'DataType': 'STRING',
      'Description': 'Digital object identifier that uniquely identifies this data
↪ product'},
      {'Name': 'identifier_product_doi_authority',
      'DataType': 'STRING',
      'Description': 'URL of the digital object identifier resolving authority'}}],
    'Campaigns': {'Campaign': {'ShortName': 'AfriSAR',
      'LongName': 'NASA campaign in collaboration with European Space Agency (ESA) in
↪ Gabon, Africa ',
      'StartDate': '2016-02-02T00:00:00.000Z',
      'EndDate': '2016-03-08T00:00:00.000Z'}},
    'SpatialInfo': {'SpatialCoverageType': 'HORIZONTAL'},
    'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://n5eil01u.ecs.nsidc.org/
↪ ICEBRIDGE/AFLVIS1B.001',
      'URLDescription': 'Direct download via HTTPS protocol.'},
      {'URL': 'https://search.earthdata.nasa.gov/search?q=AFLVIS1B+V001',
      'URLDescription': "NASA's newest search and order tool for subsetting,
↪ reprojecting, and reformatting data."},
      {'URL': 'https://nsidc.org/data/data-access-tool/AFLVIS1B/versions/1/',
      'URLDescription': 'Search and filter data files using a map-based interface'}}],
    'OnlineResources': {'OnlineResource': [{'URL': 'https://doi.org/10.5067/ED5IYGVTB50Z',
      'Description': 'Provides access to data, documentation, tools, citation
↪ information, support, and other resources.',
      'Type': 'CollectionURL : DATA SET LANDING PAGE'},
      {'URL': 'https://doi.org/10.5067/ED5IYGVTB50Z',
      'Description': "Includes a user's guide, supplemental documents like ATBDs and
↪ academic papers, How Tos, FAQs, etc.",
      'Type': 'VIEW RELATED INFORMATION : GENERAL DOCUMENTATION'}}],
    'Spatial': {'SpatialCoverageType': 'HORIZONTAL',
      'HorizontalSpatialDomain': {'Geometry': {'CoordinateSystem': 'CARTESIAN',
      'BoundingRectangle': {'WestBoundingCoordinate': '8.0',
      'NorthBoundingCoordinate': '1.0',
      'EastBoundingCoordinate': '12.0',
      'SouthBoundingCoordinate': '-2.0'}}}},
    'GranuleSpatialRepresentation': 'GEODETIC'}}}]

```

## 2.11.22 Searching and Downloading a Granule

We will be following the same steps as described above for the other data products.

```
[31]: COLLECTION_ID = aflvis1b_collections[0]['concept-id']
```

```
results = maap.searchGranule(
    concept_id=COLLECTION_ID,
    cmr_host="cmr.earthdata.nasa.gov"
)
pprint(f'Got {len(results)} results')
```

```
#Validating download
filename = results[0].getData(dataDir)
print(filename)
```

```
'Got 20 results'
./data/LVIS1B_Gabon2016_0220_R1808_038024.h5
```

## 2.11.23 Validating the Product

We observe that the downloaded product is stored as a .h5 file similar to the ABLVIS1B and LVIS1B data products discussed above. So, we will be using the h5py package to validate the downloaded product.

```
[32]: #Testing the HDF5 files
```

```
import h5py
with h5py.File(filename, "r") as f:
    print("Keys: %s" % f.keys())
    # get first object name/key; may or may NOT be a group
    a_group_key = list(f.keys())[0]

    # get the object type for a_group_key: usually group or dataset
    print(type(f[a_group_key]))

    # If a_group_key is a group name,
    # this gets the object names in the group and returns as a list
    data = list(f[a_group_key])

    # If a_group_key is a dataset name,
    # this gets the dataset values and returns as a list
    data = list(f[a_group_key])
    # preferred methods to get dataset values:
    ds_obj = f[a_group_key] # returns as a h5py dataset object
    ds_arr = f[a_group_key][()] # returns as a numpy array

    print(ds_arr)
```

```
Keys: <KeysViewHDF5 ['AZIMUTH', 'INCIDENTANGLE', 'LAT0', 'LAT1023', 'LFID', 'LON0',
↳ 'LON1023', 'RANGE', 'RXWAVE', 'SHOTNUMBER', 'SIGMEAN', 'TIME', 'TXWAVE', 'Z0', 'Z1023',
↳ 'ancillary_data']>
<class 'h5py._hl.dataset.Dataset'>
[170.88405 171.3952 179.33963 ... 178.35054 178.84067 179.31787]
```

As observed from the output of the above cell, the data values are retrieved from the downloaded product. Hence, validating the downloaded file.

## 2.11.24 References

1. Blair, J. B. and M. Hofton. (2020). LVIS Facility L1B Geolocated Return Energy Waveforms, Version 1 [Data Set]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center. <https://doi.org/10.5067/XQJ8PN8FTIDG>. Date Accessed 08-17-2023.
2. Blair, J. B. and M. Hofton. (2018). ABoVE LVIS L1B Geolocated Return Energy Waveforms, Version 1 [Data Set]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center. <https://doi.org/10.5067/UMRAWS57QAFU>. Date Accessed 08-17-2023.
3. Blair, J. B. and M. Hofton. (2020). LVIS Facility L2 Geolocated Surface Elevation and Canopy Height Product, Version 1 [Data Set]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center. <https://doi.org/10.5067/VP7J20HJQISD>. Date Accessed 08-17-2023.
4. Blair, J. B. and M. Hofton. (2018). ABoVE LVIS L2 Geolocated Surface Elevation Product, Version 1 [Data Set]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center. <https://doi.org/10.5067/IA5WAX7K3YGY>. Date Accessed 08-17-2023.
5. Blair, J. B. and M. Hofton. (2018). AfriSAR LVIS L1B Geolocated Return Energy Waveforms, Version 1 [Data Set]. Boulder, Colorado USA. NASA National Snow and Ice Data Center Distributed Active Archive Center. <https://doi.org/10.5067/ED5IYGVTB50Z>. Date Accessed 08-17-2023.

## 2.12 ESA CCI v4 Access and Visualize

Authors: Emile Tenezakis (DevSeed), Rajat Shinde (UAH)

Date: October 2, 2023

Description: In this tutorial, we explore accessing and visualizing ESA CCI Version 4 data from the MAAP STAC catalog. We make use of the `stackstac` package that allows us to turn a stack collection imported from the catalog with the `pystac_client` <<https://pystac-client.readthedocs.io/en/stable/>> to an xarray dataset, and we plot the time series of the mean aboveground biomass for a selected tile of the dataset across the available temporal range.

### 2.12.1 Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as `maap-py`. Running the tutorial outside of the MAAP ADE may lead to errors.

## 2.12.2 About The Dataset

This dataset comprises estimates of forest Above-Ground Biomass (AGB) for the years 2017, 2018, 2019 and 2020, version 4. They are derived from a combination of Earth Observation (EO) data, depending on the year, from the Copernicus Sentinel-1 mission, Envisat's ASAR instrument and JAXA's Advanced Land Observing Satellite (ALOS-1 and ALOS-2), along with additional information from Earth observation sources. The data has been produced as part of the European Space Agency's (ESA's) Climate Change Initiative (CCI) programme by the Biomass CCI team.

## 2.12.3 Additional Resources

- [Cloud Native Geoguide](#)
- [Examples of Working with COGs](#)
- [ESA's Climate Change Initiative Biomass project](#)
- [xarray Documentation](#)

## 2.12.4 Importing and Installing Packages

First off, we will install and import the required Python packages if they are not already installed in the workspace.

```
[1]: # !mamba install -y -c conda-forge stackstac
     # !pip install pystac_client
```

```
[2]: from stackstac import stack, mosaic
     import pystac_client
```

## 2.12.5 Accessing and Filtering the Items

After installing the require packages, we create a client to access the STAC test catalog.

```
[3]: URL = "https://stac.maap-project.org"
     catalog = pystac_client.Client.open(URL)
```

## 2.12.6 Creating an AOI

Now, we define a bounding box of interest to find the tile that covers a small region around Manaus, Brazil (Amazon rainforest).

```
[4]: # BBox for filtering the items in the collection
     bbox = [-55, -6, -54.8, -5.8]
```

We proceed to an item search in the catalog using the `pystac-client`, filtering items covering our area of interest.

```
[5]: stac_collection = catalog.search(
     collections=["ESACCI_Biomass_L4_AGB_V4_100m"],
     bbox=bbox
     )
```

Let's take a quick look at the results of the search. We can access the link of the location where the data is stored using `href` attribute as shown below.

```
[6]: stac_collection.get_all_items()[0].assets['estimates'].href
/opt/conda/lib/python3.10/site-packages/pystac_client/item_search.py:850: FutureWarning:
↳get_all_items() is deprecated, use item_collection() instead.
warnings.warn(
[6]: 's3://nasa-maap-data-store/file-staging/nasa-map/ESACCI_Biomass_L4_AGB_V4_100m_2020/
↳N00W060_ESACCI-BIOMASS-L4-AGB-MERGED-100m-2020-fv4.0.tif'
```

We turn the resulting set of items (we expect one item here in the result, given the size of our bounding box) into an xarray DataArray using stackstac.

```
[7]: #Creating a stack of the filtered items
arr = stack(stac_collection.get_all_items())
/opt/conda/lib/python3.10/site-packages/stackstac/prepare.py:408: UserWarning: The
↳argument 'infer_datetime_format' is deprecated and will be removed in a future version.
↳ A strict version of it is now the default, see https://pandas.pydata.org/pdeps/0004-
↳consistent-to-datetime-parsing.html. You can safely remove this argument.
times = pd.to_datetime(
```

We can see that our array has the following dimensions : time (we have four data points, one for each year - 2017, 2018, 2019 and 2020), latitude, longitude and band (we have two bands : estimates with the AGB estimate values, and std\_dev storing the AGB standard deviation values).

```
[8]: arr
[8]: <xarray.DataArray 'stackstac-5517ee4c53a7b2c13f76bf727c00d1fc' (time: 4,
band: 2,
y: 11250,
x: 11251)>
dask.array<fetch_raster_window, shape=(4, 2, 11250, 11251), dtype=float64, chunksize=(1,
↳1, 1024, 1024), chunktype=numpy.ndarray>
Coordinates: (12/13)
 * time          (time) datetime64[ns] 2017-01-01 2018-01-01 ... 2020-01-01
 * id            (time) <U52 'N00W060_ESACCI-BIOMASS-L4-AGB-MERGED-100m-20...
 * band          (band) <U18 'estimates' 'standard_deviation'
 * x             (x) float64 -60.0 -60.0 -60.0 -60.0 ... -50.0 -50.0 -50.0
 * y             (y) float64 0.0 -0.0008889 -0.001778 ... -9.998 -9.999
 * proj:epsg     int64 4326
 * ...          ...
 * proj:transform object {0.0, 1.0, -60.0, -0.0008888888888888, 0.000888888888...
 * proj:shape    object {11250}
 * proj:geometry object {'type': 'Polygon', 'coordinates': [[[-60.0, -9.99...
 * title         (band) <U49 'Cloud Optimized GeoTIFF of AGB estimates' 'C...
 * description   (band) <U49 'Cloud Optimized GeoTIFF of AGB estimates' 'C...
 * epsg          int64 4326
Attributes:
 * spec:         RasterSpec(epsg=4326, bounds=(-60.0008888888888888, -9.9999999...
 * crs:          epsg:4326
 * transform:    | 0.00, 0.00, -60.00|\n| 0.00, -0.00, 0.00|\n| 0.00, 0.00, 1.00|
 * resolution:  0.0008888888888888
```

Now, we will perform a spatial sub-setting operation to select a subset of the created stack based on the user input for running our experiments.

```
[9]: min_x = -55
max_y = -5.8
max_x = -54.8
min_y = -6.0

arr_sub = arr.sel(x=slice(min_x, max_x), y=slice(max_y, min_y))
arr_sub

[9]: <xarray.DataArray 'stackstac-5517ee4c53a7b2c13f76bf727c00d1fc' (time: 4,
                                                                    band: 2,
                                                                    y: 225, x: 225)>
dask.array<getitem, shape=(4, 2, 225, 225), dtype=float64, chunksize=(1, 1, 225, 225),
↳ chunktype=numpy.ndarray>
Coordinates: (12/13)
 * time          (time) datetime64[ns] 2017-01-01 2018-01-01 ... 2020-01-01
   id            (time) <U52 'N00W060_ESACCI-BIOMASS-L4-AGB-MERGED-100m-20...
 * band          (band) <U18 'estimates' 'standard_deviation'
 * x             (x) float64 -55.0 -55.0 -55.0 -55.0 ... -54.8 -54.8 -54.8
 * y             (y) float64 -5.801 -5.802 -5.803 ... -5.998 -5.999 -6.0
   proj:epsg     int64 4326
   ...          ...
   proj:transform object {0.0, 1.0, -60.0, -0.0008888888888888, 0.00088888888...
   proj:shape    object {11250}
   proj:geometry object {'type': 'Polygon', 'coordinates': [[[-60.0, -9.99...
   title         (band) <U49 'Cloud Optimized GeoTIFF of AGB estimates' 'C...
   description   (band) <U49 'Cloud Optimized GeoTIFF of AGB estimates' 'C...
   epsg          int64 4326
Attributes:
   spec:          RasterSpec(epsg=4326, bounds=(-60.000888888888888, -9.999999...
   crs:           epsg:4326
   transform:     | 0.00, 0.00, -60.00|\n| 0.00, -0.00, 0.00|\n| 0.00, 0.00, 1.00|
   resolution:   0.0008888888888888
```

## 2.12.7 Accessing the Subset for further Processing

As it is evident from the above output that the size of the subset xarray has reduced significantly and it can be used further for our analysis. In this tutorial, we are going to perform following two operations:

1. Masking some values based on a condition
2. Plotting Mean time-series for the AGB estimates

### Masking Values Based on a Condition

Below, we will explore how to mask few values based on a condition and plot the time series for the filtered array.

```
[10]: arr_est = arr_sub.sel(band='estimates')
```

Now, we are going to filter the values which are less than 10 (and keep values greater than 10) using the `DataArray.where` function. The `.where(<cond>, <True directive>, <False directive>)` function checks a condition and performs specific directives if the condition results in True or False. In the resulting xarray, all the values less than 10 are going to be nan (the default value used if the filtering condition is True). We can also replace nan by any other value by mentioning it in the `<True directive>`.

```
[11]: arr_masked_lt = arr_est.where(arr_est >= 10)
arr_masked_lt.values

[11]: array([[222., 132., 193., ..., 360., 246., 271.],
          [153., 113., 152., ..., 331., 180., 261.],
          [189., 112., 173., ..., 381., 269., 260.],
          ...,
          [231., 193., 310., ..., 145., 392., 392.],
          [333., 255., 297., ..., 133., 392., 348.],
          [370., 189., 266., ..., 251., 293., 338.]],

          [[219., 100., 138., ..., 363., 271., 198.],
          [188., 114., 101., ..., 345., 198., 254.],
          [142., 144., 179., ..., 325., 306., 372.],
          ...,
          [353., 302., 379., ..., 162., 385., 385.],
          [332., 348., 321., ..., 151., 385., 314.],
          [375., 243., 283., ..., 201., 336., 342.]],

          [[271., 255., 219., ..., 363., 278., 286.],
          [253., 321., 116., ..., 226., 333., 233.],
          [222., 277., 176., ..., 169., 355., 190.],
          ...,
          [304., 336., 275., ..., 318., 308., 234.],
          [340., 234., 348., ..., 315., 356., 330.],
          [243., 323., 264., ..., 288., 307., 318.]],

          [[157., 217., 171., ..., 206., 161., 253.],
          [190., 229., 226., ..., 214., 210., 314.],
          [269., 212., 152., ..., 268., 402., 324.],
          ...,
          [247., 292., 246., ..., 373., 321., 159.],
          [329., 200., 318., ..., 278., 284., 255.],
          [237., 361., 238., ..., 245., 292., 316.]])
```


Similarly, we could also show filtering values greater than 10 (and keeping values less than 10) based on above approach and updating the condition to `arr_masked_lt = arr_est.where(arr_est <= 10)`.

## Plotting Mean Time-Series for the AGB Estimates

Below we plot the mean time-series of the masked array.

```
[12]: arr_masked_lt.mean(['x', 'y']).plot()

[12]: [<matplotlib.lines.Line2D at 0x7fd668b54e80>]
```



## 2.13 Open Source Science

### 2.13.1 Open-Source Science and MAAP

Authors: Sheyenne Kirkland (UAH), Brian Freitag (MSFC), Alex Mandel (DevSeed)

Date: December 12, 2023

Description: A general overview of open-source science and how it applies to MAAP.

#### What is Open-Source Science (OSS)?

NASA’s Transform to Open Science (TOPS) mission defines open science as “the principle and practice of making research products and processes available to all, while respecting diverse cultures, maintaining security and privacy, and fostering collaborations, reproducibility, and equity” (TOPS [What is open science?](#)).

While other agencies and teams will have varying definitions, open-science generally revolves around making science more inclusive, accessible, and transparent.

## NASA OSS Policies and MAAP

NASA has an Open-Source Science Initiative (OSSI) and provides guidance on how NASA-funded projects and activities should share publications, data, and software. The primary documentation referred to will be the [Open-Source Science Guidance](#) by the NASA Science Mission Directorate (SMD), and the [SMD Policy Document SPD-41a](#).

### How does this apply to MAAP?

MAAP already aims to make biomass-relevant content more discoverable and easily accessible, and has software and tools available to aid in data discoverability. Through the OSSI guidance, additional steps are being implemented to ensure that MAAP continues to promote and enhance open-science such as:

- Minting DOIs (Digital Object Identifiers) for software and Github repositories. DOIs allow your content and software to be uniquely identified and accessed reliably ([doi.org](https://doi.org)).
  - MAAP documents and software are available on Github and are also being added to Zenodo repositories.
- Licensing our software. Licenses help make our content available to users.
- Continually enhancing and adding to our documentation.

MAAP users are also encouraged to engage in open-source science. Additional documentation is provided on [DOI minting and licensing](#).

**In addition, NASA has recently released their [Open Science 101 curriculum](#). The course helps provide a more thorough understanding of open science, enabling participants to actively participate in open science. We recommend users complete the course and begin to align their work with the teachings of the course.**

### 2.13.2 Open Sourcing Code

Authors: Sheyenne Kirkland (UAH), Brian Freitag (MSFC), Alex Mandel (DevSeed)

Date: December 12, 2023

Description: A document to provide guidelines for MAAP users on sharing code based on NASA's Open-Source Science Initiative (OSSI). General references are provided on repositories, how to create a DOI (Digital Object Identifier) and choosing a license. For more general information on MAAP and open-source science, please see [the \*General OSS document\*](#).

**In addition, NASA has recently released their [Open Science 101 curriculum](#). The course helps provide a more thorough understanding of open science, enabling participants to actively participate in open science. We recommend users complete the course and begin to align their work with the teachings of the course.**

#### Additional Resources

- [NASA's Transform to Open Science \(TOPS\)](#)

## Sharing Software

Per the Science Mission Directorate (SMD) Policy Document [SPD-41a](#) under III.D, software that has been developed under NASA funding should be:

- “... made available in a publicly accessible repository that is widely recognized by the community.”
- “... citable using a persistent identifier” (i.e. a DOI)
- “... released under a permissive license that has broad acceptance in the community.”

Disclaimer: There can be some exceptions (like restricted software). It is best to familiarize yourself with policy documentation (the [SPD-41a](#)) and reach out to the appropriate contact for advice if an exception could apply to your software. There are also some additional policies that can apply if NASA-funded. This documentation is to help provide some guidance and encourage MAAP users to engage and comply with open-source science and policies.

## Repositories for Archiving and Minting DOIs

Domain-specific repositories are encouraged when possible, and if not possible, an external repository can be used instead. A DOI helps make your code more discoverable and accessible, and can be assigned by the repository.

There are some public repositories for software that are already used within the scientific community, mentioned in the [Open-Source Science Guidance](#):

- [Zenodo](#)
  - Note that Zenodo has integration with [Github](#) (another acceptable repository for MAAP users), making it easier to create an archived copy.
- [Astrophysics Source Code Library](#)
- [Software Heritage](#)

Some other well-known repositories:

- [Dataverse](#)
- [Figshare](#)
- [Dryad](#)
- [OSF](#)
- [Gitlab](#)

There are other external repositories out there that could also be acceptable. A list is provided by the USGS on criteria to consider when choosing an external repository, which can be found [here](#).

### \*Notes for MAAP users:

- Users can create repositories within the [MAAP Gitlab](#).
  - Users *cannot* create their own repository under the [MAAP Github](#), but can create a new Organization for their research project. However, MAAP users are welcome to [contribute](#) to already-existing MAAP repositories.
- \*\*If you are a MAAP user developing code, we recommend submitting your repository to the [MAAP Community on Zenodo](#).\*

### If you are NASA-Funded:

If NASA-funded, you should follow guidance for how and where to share your code as there may be a specific repository you should submit to. However, if no repository is specified, it is encouraged to choose a [NASA Science Data Archive](#) if applicable.

### Choosing a License

Open source licenses allow software to be freely used, modified, and shared ([Open Science Initiative](#)). There are three permissive and widely accepted licenses that are recommended within the SPD-41a:

1. Apache 2.0 license
  - “A permissive license whose main conditions require preservation of copyright and license notices.” Also requires that changes made to the licensed material must be documented. (source: [choosealicense.com](#))
2. BSD 3-Clause license
  - A short permissive license similar to the MIT license, but also prevents someone from claiming false endorsement (stated in clause 3 of the BSD 3-Clause license).
3. MIT license
  - “A short and simple permissive license with conditions only requiring preservation of copyright and license notices.” (source: [choosealicense.com](#))

[choosealicense.com](#) and [opensource.org](#) provide a list of licenses. [choosealicense.com](#) also provides some additional information about each one.

### 2.13.3 Submitting to the MAAP Zenodo Community

Authors: Sheyenne Kirkland (UAH), Brian Freitag (NASA MSFC), Alex Mandel (DevSeed)

Date: January 23, 2024

Description: In this notebook, we describe what content can be submitted to the [MAAP Zenodo Community](#) and how to submit that content.

#### MAAP Zenodo Community

In an effort to comply with and promote open science, we have created the [MAAP Zenodo Community](#). [Zenodo](#) is a general repository where users can upload data, software, publications, and additional materials that may be associated with your work.

If your content does not already have a Digital Object Identifier (DOI), then one will be created once your content is uploaded to Zenodo. A DOI helps make your content more discoverable and easily citable.

## Who Should Submit?

MAAP users creating content using MAAP or MAAP data. There is a variety of currently acceptable content listed below.

## What Can Be Submitted?

- Repositories with code
- Software
- Presentations, posters and publications
- Models
- Computational notebooks


**Important: ONLY content developed on MAAP or using MAAP data will be accepted.**

## How to Submit Content to the MAAP Community

There are different ways to submit your MAAP content to Zenodo.

### 1. Directly on the MAAP Zenodo Community


To fill out and submit content directly on the MAAP Community, you'll go to the [MAAP Zenodo Community](#) page and click "New upload" at the top.




From there, you'll be taken to the form where you can upload your content, fill in the metadata, and submit.

## 2. Upload to your Zenodo Account

Users can also directly upload content to their Zenodo account, and then submit to the MAAP Community (and others - you can submit to more than one with this method!). Just go to the “+” dropdown menu at the top next to your account and select “New upload”.



Similar to the option above, you’ll be taken to a form to upload your content, fill in the metadata, and submit. Once submitted, you’ll be taken to the main page of your newly uploaded content. On the right-side menu, scroll down to “Communities”, hit the dropdown, and select “Submit to community”.




Users can then search for their desired community (for MAAP, just search “MAAP”), select the community, follow the instructions and submit.


### 3. Zenodo-Github Integration

Github is integrated with Zenodo, so users can directly upload Github repositories. This is especially recommended for algorithms, as all future versions (releases in Github) will automatically receive DOIs in Zenodo.

To do this, go to the Github Zenodo page by selecting the drop-down menu to the right of your Zenodo account and clicking “Github”. In the upper right corner, click “Sync now” and you’ll see your repositories pop up at the bottom of the screen. Toggle the button to “On” for the repository you want to upload.



Once you refresh the page, your repository should appear under “Enabled Repositories”. Select your repo, and follow the instructions to make your first release. Once publishing your release, go back to Zenodo, refresh, and you will see a DOI with your repository.



Navigate to your repository in Zenodo by selecting “My dashboard” at the top of the page and then clicking your newly uploaded repository. Similar to above, select “Submit to community” under “Communities”, select your desired community, and follow instructions.

## Filling out Metadata and Best Practices

There are 9 available sections that users can fill out: Files, Basic information, Recommended information, Funding, Alternate identifiers, Related works, References, Publishing information, and Conference.

### Files

- The first step is uploading your file(s).

### Basic information

- All fields under this section should be completed.
- If your content does not have a DOI, select “No” under “Digital Object Identifier”. A DOI will be created once uploaded and accepted.
  - NOTE: if you use option 2 above and upload your content to your Zenodo account, select “Get a DOI now!” after “No” is selected, and a DOI will automatically be assigned.
- The publication date should be the day you submit your content for review, unless it was already published elsewhere.
- All co-authors should be listed under “Creators”. If listed under creators, they will be included in the citation. Specific roles can be left blank, but we do recommend adding affiliations.
- A plain language summary should be provided under “Description”. If applicable, an abstract can also be provided here.
- Your content should have a license; to comply with open science, the license should be permissive. The default license is “Creative Commons Attribution 4.0 International”. For a list of other acceptable licenses, refer to our page on *Open Sourcing Code*.

### Recommended Information

- Remember: co-authors should be listed in the previous section under “Creators” and not “Contributors”.
- Keywords will help make your content searchable, and are up to the user to provide. Some recommended, general keywords for MAAP users can be: Software Data Science Data Visualization Earth Science Open Science Data Exploration Biomass AGU 2023 (adjust conference/year as necessary)
  - Specific datasets can also be listed as a keyword, like GEDI or ICESat for example.
  - Parameters also make good keywords, like Land cover or Canopy height.
- Provide the language(s) your content is provided in.
- “Dates” is where you can add other dates besides the publishing date. For example, a presentation that was given previously at a conference can be provided with a type of “Available” and a description of “Conference presentation”.
- The publisher should be “NASA MAAP” or “ESA MAAP” for MAAP users.

### Funding

- Funding for your project can be added here, if applicable.

### Alternate Identifiers

- An alternate identifier can be added here, if applicable.

### Related Works

- We recommend providing related software in this section. For example, a presentation on MAAP’s GEDI Subsetter would include the DOI for the GEDI Subsetter software ([10.5281/zenodo.10019412](https://doi.org/10.5281/zenodo.10019412)) under this section.

### References

- References can be added here, if applicable.

**Publishing Information**

- Publishing information (if your content is also in a journal, print, or thesis) can be added here, if applicable.

**Conference**

- This section is recommended to be completed if your content was presented at a conference.

**Submission**

Once your content is submitted to the MAAP Community, the necessary contacts will be notified, and you will receive an email once your content is accepted or denied. Note that once accepted, you can still go back and make edits to the metadata.

## TECHNICAL TUTORIALS

### 3.1 Data Processing System (DPS) Tutorial A to Z

Authors: Sujen Shah and Rob Tapella

Review and Editing: Chuck Daniels and Rajat Shinde

Date: April, 2024

Description: This DPS tutorial is intended to demonstrate the steps needed to create, register, run, monitor and view outputs of algorithm jobs run at scale. It includes a template repository with various files needed to set up and run a job.

#### 3.1.1 Importing and Installing Packages

Additional package installation will be included inline, and environment-configuration to support a custom conda environment in DPS is a part of the tutorial below.

#### 3.1.2 Before Starting

- This tutorial assumes that you have at least run through the *Getting Started Guide* and have set up your MAAP account.
- This tutorial is made for the Application Development Environment (ADE) “Basic Stable” workspace v3.1.4 or later (February 2024 or later).
- This also assumes that you are familiar with using *Github with MAAP*.

#### 3.1.3 An Overview of How DPS Works

The MAAP DPS (Data Processing System) lets you run an Algorithm at scale, in the cloud. It is different from running a Jupyter notebook in that it is non-interactive. Therefore, when migrating a notebook to the DPS it needs to be altered to take all of the input parameters at once as a command-line program. Even if you start with a command-line script, there are best practices to follow when preparing it for the DPS. Once that is done, the Algorithm can be Registered in a way that allows you to execute analysis jobs using a web-based form, where each field is defined during the Registration process.

The DPS will then be able to take a set of inputs and process them at scale. You do not need to worry about scheduling or scaling your jobs. You can also run your DPS Algorithm using the `maap.py` Python library in a loop to execute a batch of jobs (e.g., 1000 input files and one job per input-file). The DPS will manage the compute resources to handle your request, and you can easily find all of your outputs as each individual job completes.

### 3.1.4 Overview of this Tutorial

- Run and Monitor an example Algorithm using the Jobs UI to help anticipate what we will accomplish
- Clone the demo Algorithm
- Edit and test your Algorithm code to make sure that it is working in its original form
- Prepare the Algorithm for DPS by setting up the runtime arguments and pre-run environment set-up
- Register the Algorithm with the Algorithm UI
- Run and Monitor the Algorithm using the Jobs UI
- View the outputs and errors from your run

### 3.1.5 Run and Monitor an example Algorithm

If you are not familiar with running jobs in the DPS, please try running through the *Jobs UI guide* and the *Getting Started Guide*.

This can be helpful because the process of Registering an Algorithm for DPS helps to build the user-interface to Run a Job. By familiarizing yourself with the process of running a Job, the Registration process may become more intuitive.

### 3.1.6 Clone the Demo Algorithm

We will use an example Python-based algorithm for this tutorial. First we need to get the demo code into a Jupyter workspace.

1. For this tutorial, please use a Basic Stable workspace (v3.1.4 or later).
2. Clone the Github repository at [https://github.com/MAAP-Project/dps\\_tutorial](https://github.com/MAAP-Project/dps_tutorial) . For the sake of this tutorial, we will assume that the clone is placed into a folder called algorithms in our home folder (i.e., ~/algorithms).

```
mkdir ~/algorithms
cd ~/algorithms
git clone https://github.com/MAAP-Project/dps_tutorial.git
```

An algorithm needs to be in a public code-repository in order to register it with the DPS. For this tutorial we will use the `gdal_wrapper` algorithm folder inside the `dps_tutorial` repository code. Now that you have the demonstration code, take a look at the files that are there and then we will be ready to perform a few test-runs before Registering it.

Anatomy of the `gdal_wrapper` algorithm folder in the `dps_tutorial` repo:

- `README.md` to describe the algorithm in Github
- `build-env.sh`: a shell script that is executed before the algorithm is run; it is used to set up any custom programming libraries used in the algorithm (i.e., a custom conda environment)
- `environment.yml`: a configuration file used by conda to add any custom libraries; this is used by `build-env.sh`
- `gdal_wrapper.py`: a python script that contains the logic of the algorithm
- `run_gdal.sh`: a shell script that DPS will execute when a run is requested. It calls any relevant python files with the required inputs

## dps\_tutorial / gdal\_wrapper /



**sujen1412** Add gdal example

Name



..

 README.md

 build-env.sh

 environment.yml

 gdal\_wrapper.py

 run\_gdal.sh

### 3.1.7 Edit and Test your Code

Once you have an algorithm such as the `gdal_wrapper` test it to make sure that it is running properly. If it runs properly in a Jupyter Terminal window, you are one step closer to registering and running your algorithm in the DPS.

Typically a Jupyter Notebook is run interactively. A DPS algorithm will take all inputs up-front, do the processing, and produce output files. The `gdal_wrapper` script is already set up like a DPS algorithm. Some aspects to note:

- **Python argparse:** Using a library like `argparse` to accept input parameters helps to make the code more readable and easier to debug when working locally. It provides easy to write user-friendly command-line interface.
- **Logging:** It is a good practice to write out a log file during the execution of your code making it easier to debug. When running on the DPS, any logs written to the output directory or written to `stdout` or `stderr` will automatically be preserved.

#### Testing the Python script locally within the workspace

Before registering your algorithm you can test it locally to catch common errors related to input parsing and storing output. To test your algorithm locally before registration follow the below steps:

- Deactivate the current python virtual environment and activate the pre-installed conda environment (for the Basic Stable workspace, it is vanilla)

```
conda deactivate
conda activate vanilla
```

- Make sure that your runtime conda environment is set up. To do this, run `build-env.sh` in the `gdal_wrapper` folder.

```
cd ~/algorithms
cd dps_tutorial/gdal_wrapper
./build-env.sh
```

- Make a new temporary directory outside your current repository. This is where you will do a test-run of your algorithm with some inputs and outputs.

```
mkdir ~/algorithms/dps_test_run
cd ~/algorithms/dps_test_run
```

- Create a directory called `input` and place any input files required by your algorithm. Here you will need to download any input files up-front, and then run your script. Also make an `output` folder. When you have registered your algorithm and run it in DPS, the input file can be passed in as a runtime parameter and DPS will automatically download it as part of the run.

```
mkdir input
mkdir output
```

```
# ls -F
input/  output/
```

- You will need a test GeoTIF file as input. If you do not have one, go to the folder where you'd like to download the example file (assuming you're in the `dps_test_run` folder as above, `cd input`) and use the following `aws` command (NOTE: if this step fails, it is likely that you are either in a Basic Stable workspace version prior to v3.1.4, or you do not have the vanilla conda environment activated):

```
cd input
```

```
aws s3 cp s3://nasa-maap-data-store/file-staging/nasa-map/ESACCI_Biomass_L4_AGB_V4_100m_
↳2020/S40E160_ESACCI-BIOMASS-L4-AGB-MERGED-100m-2020-fv4.0.tif .
```

- Once the input directory is set up, `cd ..` back to the `dps_test_run` directory and call your run script. This is the script you would like the DPS to run when your code is executing on the cloud. Note: This assumes you have already built the environment with required custom packages as mentioned in the `build-env.sh` of your algorithm. We did this above.

```
cd ~/algorithms/dps_test_run
```

```
python ../dps_tutorial/gdal_wrapper/gdal_wrapper.py --input_file input/S40E160_ESACCI-
↳BIOMASS-L4-AGB-MERGED-100m-2020-fv4.0.tif --output_file output/TestFile-30.tif --
↳outsize 30
```

- Successful output of the script should look like this:

```
Installed GDAL Version: 3.6.1
b'Input file size is 2400, 3600\n0...10...20...30...40...50...60...70...80...90...100 -
↳done.\n'
```

And if you look in your output folder, you will see your output file:

```
# ls output/
TestFile-30.tif
```

- If all desired outputs are created, you are one step closer to successfully running your algorithm on the DPS. Your core application can be run at a command-line in a non-interactive mode.
- The next step is to prepare the Algorithm to be run in DPS.

### 3.1.8 Prepare the Algorithm for DPS

Once your scripts are working locally, make sure that they will also work in DPS.

The `gdal_wrapper` files are already prepared for DPS. When running from DPS we will have the `run_gdal.sh` shell script do the execution, so we should test it first:

```
cd ~/algorithms/dps_test_run
```

```
../dps_tutorial/gdal_wrapper/run_gdal.sh output_from_shell.tif 25
```

This should write a similar message to `STDOUT` that you saw when executing `gdal_wrapper.py` above. You should see an output file that is slightly smaller than the original test run because we chose a smaller value for the `outsize` parameter.

The shell script is wrapping the Python script that we ran above. Note that there are different parameters—in the shell script we read all the input files from `input/` and write outputs into the `output/` folder. If you read the shell script you will see how this is happening.

```
# ../dps_tutorial/gdal_wrapper/run_gdal.sh output_from_shell.tif 25
Installed GDAL Version: 3.7.0
```

(continues on next page)

(continued from previous page)

```

b'Input file size is 11250, 11250\n0...10...20...30...40...50...60...70...80...90...100 -
↪ done.\n'

# ls -alF *
input:
total 7696
drwxr-xr-x 2 root root    6144 Feb 28 15:52 ./
drwxr-xr-x 4 root root    6144 Feb 28 15:52 ../
-rw-r--r-- 1 root root 7869236 Jun  7 2023 S40E160_ESACCI-BIOMASS-L4-AGB-MERGED-100m-
↪2020-fv4.0.tif

output:
total 20488
drwxr-xr-x 2 root root    6144 Feb 28 15:54 ./
drwxr-xr-x 4 root root    6144 Feb 28 15:52 ../
-rw-r--r-- 1 root root 22804732 Feb 28 15:53 TestFile-30.tif
-rw-r--r-- 1 root root 15834792 Feb 28 15:54 output_from_shell.tif

```

Some important things to note:

File: `build-env.sh`

- this script is used for installing custom packages using pip or conda
- can take conda environment definition from `environment.yaml`
- current practice is to update the default environment for the Container that you're using

File: `run_gdal.sh`

- `run_gdal.sh` is a bash script to call the `gdal_wrapper.py` algorithm: make sure for DPS you have inputs and outputs in the right places. If you look at `run_gdal.sh` you will see that it is reading all the files from the `input/` folder and writing to the `output/` folder.
- sets the correct python environment for your code to run
- the best way to execute your algorithm with a custom environment is to use `conda run`, as shown in this script (`conda run --live-stream --name dps_tutorial python ${basedir}/gdal_wrapper.py --input_file ${INPUT_FILENAME} --output_file output/${OUTPUT_FILENAME} --outsize ${REDUCTION_SIZE}`)

Run your scripts as if DPS is executing them:

- activate the default conda environment, in this case `conda activate vanilla`
- run `build-env.sh` to create or update your custom environment
- run `run_gdal.sh` to execute your algorithm using the custom environment

Future topics:

- What happens with input and output in DPS
- How does file management happen?
- Relative paths vs. absolute for input/output
- Mimic what's happening on DPS (basedir)
- This wrapper `run_gdal.sh` script needs to manage the input files the way that your python script requires them (e.g. pass single file at a time vs. multiple files at once, etc.)

### 3.1.9 Register the Algorithm with DPS using the Algorithm UI

0. When you are registering your own algorithm, make sure that all your changes are committed and pushed into Github. The registration process will pull the code from Github as part of registration. In this case, we will simply use the existing demonstration repo.
1. Open up *Launcher: Register Algorithm* (the same as the Register Algorithm option from the Command Palette)
2. Fill in the fields as described below.

#### Repository Information

Repository URL	<input type="text" value="https://github.com/MAAP-Project/dps_tutorial.git"/> ✓
Repository Branch	<input type="text" value="main"/>
Run Command	<input type="text" value="dps_tutorial/gdal_wrapper/run_gdal.sh"/>
Build Command	<input type="text" value="dps_tutorial/gdal_wrapper/build-env.sh"/>

- The Repository URL is the .git URL. In the demo repository, it is

```
https://github.com/MAAP-Project/dps_tutorial.git
```

- Repository Branch is used as a version when this algorithm is registered. For your test it is likely `main`
- The Run and Build Commands must be the full path of the scripts that will be used by the DPS to build and execute the algorithm. Typically these will be the `repository_name/script_name.sh`. In this case we have a run command:

```
dps_tutorial/gdal_wrapper/run_gdal.sh
```

and a build command:

```
dps_tutorial/gdal_wrapper/build-env.sh
```

Terminal 1 Terminal 2 Launcher Register Algorithm Launcher

## Register Algorithm

To register an algorithm to the MAAP, your code must be committed to a public code repository.

Need more tips and tricks? Documentation may be found [here](#).

### Repository Information

Repository URL	<input style="width: 80%;" type="text" value="https://github.com/MAAP-Project/dps_tutorial.git"/>	✓
Repository Branch	<input style="width: 100%;" type="text" value="main"/>	
Run Command	<input style="width: 100%;" type="text" value="dps_tutorial/gdal_wrapper/run_gdal.sh"/>	
Build Command	<input style="width: 100%;" type="text" value="dps_tutorial/gdal_wrapper/build-env.sh"/>	

### General Information

Algorithm Name	<input style="width: 80%;" type="text" value="dps_test_algorithm_rt"/>	
Algorithm Description	<input style="width: 100%;" type="text" value="This is a test of the algorithm registration and execution process"/>	
Disk Space (GB)	<input style="width: 100%;" type="text" value="1"/>	
Resource Allocation	<input style="width: 100%;" type="text" value="maap-dps-worker-8gb"/>	
Container URL	<input style="width: 100%;" type="text" value="mas.maap-project.org/root/maap-workspaces/base_images/vanilla:main"/>	

- The Algorithm Name will be the unique identifier for the algorithm in the MAAP system. It can be whatever you want.
- Algorithm Description is additional free-form text to describe what this algorithm does.
- Disk Space is the minimum amount of space you expect—including all inputs, scratch, and outputs—it gives the DPS an approximation to help optimize the run.
- Resource Allocation is a dropdown-selection with some options for memory and CPU of the cloud compute you expect to need.
- The Container URL is a URL of the Stack (workspace image environment) you are using as a base for the algorithm. The user-interface will pre-fill this with the Container of your current workspace; if this is the correct base workspace for the Algorithm (i.e., you successfully ran the Algorithm in a Terminal without requiring a custom base-Container), then you can leave it as is. In this example we use: `mas.maap-project.org/root/maap-workspaces/base_images/vanilla:main` See *the Getting Started guide* for more information on Containers.
- There are File Inputs and Positional Inputs (command-line parameters to adjust how the algorithm runs). In our example we have a File Input called `input_file` and two Positional Inputs: an output file called `output_file` and a parameter called `outsize` describing how much file-size reduction we want to get. For each input you can add a Description, a Default Value, and mark whether it's required or optional.

## General Information

Algorithm Name	<input type="text" value="dps_test_algorithm_rt"/>
Algorithm Description	<input type="text" value="This is a test of the algorithm registration and execution process"/>
Disk Space (GB)	<input type="text" value="1"/>
Resource Allocation	<input type="text" value="maap-dps-worker-8gb"/>
Container URL	<input type="text" value="mas.maap-project.org/root/maap-workspaces/base_images/vanilla:main"/>

## Inputs

### File Inputs ?


<span>+</span> Name	Description
<input type="text" value="input_file"/>	The name of the input GeoTIF

### Positional Inputs ?

<span>+</span> Name	Description
<input type="text" value="output_file"/>	The name of the output GeoTIF
<input type="text" value="outsize"/>	The size of the output file as a percentage

[Register Algorithm](#)

4. Press Register and there will a popup dialog with a link to view progress of the registration (you should copy the link and paste it into a new page, or open it in a new browser tab). If you close this modal, you can look for your Algorithm build at <https://repo.maap-project.org/root/register-job-hysds-v4/-/jobs/>



In order to continue, your Algorithm must be successfully registered. The link from the modal dialog will have a screen with a progress log in it. If it is successful and complete, the bottom of the log will look something like this:

```

375 782968b339ae: Pushed
376 9a7be774b0de: Pushed
377 23cb32ba37dc: Pushed
378 a71b36c8f9d5: Pushed
379 fcb6e8950231: Pushed
380 4d3ff2a9da5d: Pushed
381 5d1ec0f9c328: Pushed
382 da5ec04ec541: Pushed
383 0aa5ac5fe4ac: Pushed
384 44e83aebf672: Mounted from container-s1-rtc
385 92d9617bd3c6: Layer already exists
386 32a72a3896c6: Layer already exists
387 8a70d251b653: Layer already exists
388 8882bdd21674: Pushed
389 cdaf2703880b: Pushed
390 d65537a84941: Pushed
391 9f6e5e02ce10: Pushed
392 main: digest: sha256:e645ed6c454260907bb7f94ed887ece379d74656170febb09a562ff6755d85cb size: 5764
393 MAAP custom, not saving docker image as we use docker registry
394 [CI] Build for: job-gdal_tutorial_rt:main and file gdal_tutorial_rt
395 Running Job-Met on: container-dps_tutorial_rt:main docker/job-spec.json.gdal_tutorial_rt main job-gdal_tutorial_rt:main
396 /opt/conda/lib/python3.9/site-packages/urllib3/connectionpool.py:1045: InsecureRequestWarning: Unverified HTTPS request is being made to host '10.46.9.231'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings
397 warnings.warn(
398 /opt/conda/lib/python3.9/site-packages/urllib3/connectionpool.py:1045: InsecureRequestWarning: Unverified HTTPS request is being made to host '10.46.9.231'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings
399 warnings.warn(
400 [CI] Build for: hysds-io-gdal_tutorial_rt:main and file gdal_tutorial_rt
401 Running IO-Met on: container-dps_tutorial_rt:main docker/hysds-io.json.gdal_tutorial_rt main hysds-io-gdal_tutorial_rt:main
402 /opt/conda/lib/python3.9/site-packages/urllib3/connectionpool.py:1045: InsecureRequestWarning: Unverified HTTPS request is being made to host '10.46.9.231'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings
403 warnings.warn(
404 WARNING: hysds_io not found: hysds-io-gdal_tutorial_rt:main, cannot merge allowed_accounts
405 Cleaning up project directory and file based variables
406 Job succeeded
    
```

If the registration process failed, the log will look like the below screenshot. In this case you will need to either ask for help, or scroll back up through the log to see what went wrong.

```

72 Live Restore Enabled: false
73 $ docker inspect -f '{{.State.Running}}' registry
74 true
75 $ docker login -u $CI_DEPLOY_USER -p $CI_DEPLOY_PASSWORD $CI_REGISTRY
76 WARNING! Using --password via the CLI is insecure. Use --password-stdin.
77 WARNING! Your password will be stored unencrypted in /home/gitlab-runner/snap/docker/2915/.docker/config.json.
78 Configure a credential helper to remove this warning. See
79 https://docs.docker.com/engine/reference/commandline/login/#credentials-store
80 Login Succeeded
81 $ VERDI_IMAGE=mas.maap-project.org/root/register-job-hysds-v4/maap-hysds-verdi:v4.1.0-beta.3
82 $ DOCKER_GID=$(getent group docker | cut -d ':' -f3)
83 $ docker run --pull=always -u ${UID}:${DOCKER_GID} -v /var/run/docker.sock:/var/run/docker.sock:ro -v ${PWD}:${PWD} -w ${PWD} ${VERDI_IMAGE} ${PWD}/build.sh
84 v4.1.0-beta.3: Pulling from root/register-job-hysds-v4/maap-hysds-verdi
85 Digest: sha256:a0affd3a78bbb6d8d2f8c5fc43d09ac6e1e589eb7adbf5574308afd26e34d13a
86 Status: Image is up to date for mas.maap-project.org/root/register-job-hysds-v4/maap-hysds-verdi:v4.1.0-beta.3
87 Cleaning up project directory and file based variables
88 ERROR: Job failed: exit status 1
    
```

### 3.1.10 Running and Monitoring the Algorithm with the Jobs UI

Once your Algorithm has been fully registered, you can try running a Job.

1. Open the Launcher and select the *Submit Jobs* icon
2. Run the job.
  - Choose the Algorithm you just registered using the dropdown menu.
  - The Job Tag can be empty or any list of short terms that you would like to associate with your job. This will help you sort and filter the job list later. It is a comma-separated list of tags.
  - The Resource is likely to be the same as the one you chose when registering the Algorithm. For the tutorial it can be the smallest one (8 GB).
  - The input file can be any GeoTIF file that is accessible by the system. For example, you can browse the [MAAP STAC](#) and find a GeoTIF. For example

```
s3://nasa-maap-data-store/file-staging/nasa-map/ESACCI_Biomass_L4_AGB_V4_100m_2020/  
↪S40E160_ESACCI-BIOMASS-L4-AGB-MERGED-100m-2020-fv4.0.tif
```

- The output file can have any name. It should end with .tif because it will be a GeoTIF also.

Terminal 1 × Terminal 2 × Launcher × Register Algorithm × Launcher

### 1. General Information

Algorithm

Job Tag

Resource

### 2. Algorithm Inputs

input\_file

output\_file

outsize

### 3. Publish to Content Metadata Repository (CMR)?

*i* CMR publication not available for selected algorithm.

[Submit Job](#) [Clear](#) [Copy as Jupyter Notebook Code](#)

- Outsize is a number from 1 to 100.

3. Submit the job and go back to the View tab

- When you submit you should see a notification in the bottom right, and a note just under the Submit button, saying that it was successful

[Submit Job](#) [Clear](#) [Copy as Jupyter Notebook Code](#)

Thu, 29 Feb 2024 01:00:36 GMT Job submitted successfully. JobID is d6302286-e4fd-40d2-a5fd-a7ab18c3dd94

- at that point, open the Launcher -> View Jobs icon

4. You can observe the progress of your job while it runs, and the status (complete or fail) when it completes using the View Jobs tab

## My Jobs

+ Submit New Job

Last updated: Thu, 29 Feb 2024 01:00:45 GMT

Tag	Job Type	Status	Queued Time	Start Time	End Time
<input data-bbox="261 321 402 342" type="text" value="Search 30 record(s)..."/>	<input data-bbox="451 321 592 342" type="text" value="Search 30 record(s)..."/>	<input checked="" type="checkbox"/> job-queued <input checked="" type="checkbox"/> job-completed <input checked="" type="checkbox"/> job-failed	<input type="text" value="mm/dd/yyyy"/> to <input type="text" value="mm/dd/yyyy"/>	<input type="text" value="mm/dd/yyyy"/> to <input type="text" value="mm/dd/yyyy"/>	<input type="text" value="mm/dd/yyyy"/> to <input type="text" value="mm/dd/yyyy"/>
dps_tutorial	job-dps_test_algorithm_rt:main	job-queued	2024-02-29T01:00:36.239058Z		

### Job Details

General Inputs Outputs Errors Metrics

Tag	dps_tutorial
Payload ID	d6302286-e4fd-40d2-a5fd-a7ab18c3dd94
Job ID	job-dps_test_algorithm_rt_main-20240229T010036.239045Z
Status	job-queued
Queued Time	2024-02-29T01:00:36.239058Z
Start Time	-
End Time	-
Duration	-
Resource	maap-dns-worker-Rnh

- By selecting a row from the table (top panel) it will show Job Details (in the bottom panel)
  - The status should go from queued to running, to completed or failed
  - Check the Inputs and Outputs sections of the Job Details
5. From the Outputs section, you can copy the path of your output file starting with `dps_outputs` and find it by going to your `~/my-private-bucket` folder and then following the remainder of the path.

## My Jobs

+ Submit New Job

Last updated: Thu, 29 Feb 2024 01:04:43 GMT

Tag	Job Type	Status	Queued Time	Start Time	End Time
<input data-bbox="261 1203 402 1224" type="text" value="Search 30 record(s)..."/>	<input data-bbox="451 1203 592 1224" type="text" value="Search 30 record(s)..."/>	<input checked="" type="checkbox"/> job-completed <input checked="" type="checkbox"/> job-failed	<input type="text" value="mm/dd/yyyy"/> to <input type="text" value="mm/dd/yyyy"/>	<input type="text" value="mm/dd/yyyy"/> to <input type="text" value="mm/dd/yyyy"/>	<input type="text" value="mm/dd/yyyy"/> to <input type="text" value="mm/dd/yyyy"/>
dps_tutorial	job-dps_test_algorithm_rt:main	job-completed	2024-02-29T01:00:36.239058Z	2024-02-29T01:00:36.271193Z	2024-02-29T01:04:20.618507Z

### Job Details

General Inputs Outputs Errors Metrics

Products	<a href="http://maap-ops-workspace.s3-website-us-west-2.amazonaws.com/rtapella/dps_output/dps_test_algorithm_rt/main/dps_tutorial/2024/02/28/17/04/19/731106">http://maap-ops-workspace.s3-website-us-west-2.amazonaws.com/rtapella/dps_output/dps_test_algorithm_rt/main/dps_tutorial/2024/02/28/17/04/19/731106</a> <a href="s3://s3.us-west-2.amazonaws.com:80/maap-ops-workspace/rtapella/dps_output/dps_test_algorithm_rt/main/dps_tutorial/2024/02/28/17/04/19/731106">s3://s3.us-west-2.amazonaws.com:80/maap-ops-workspace/rtapella/dps_output/dps_test_algorithm_rt/main/dps_tutorial/2024/02/28/17/04/19/731106</a>
----------	--

In that folder you will see some JSON files with metadata about the job and the data, as well as the output file (your .tif

```
(vanilla) root@workspacefurfp4vaeml6mkvo:~/algorithms/dps_test_run# cd ~/my-private-bucket/dps_output/dps_test_algorithm_rt/main/dps_tutorial/2024/02/28/17/04/19/731106
(vanilla) root@workspacefurfp4vaeml6mkvo:~/my-private-bucket/dps_output/dps_test_algorithm_rt/main/dps_tutorial/2024/02/28/17/04/19/731106# ls -alF
total 15471
drwxr-x--- 1 root root    0 Dec 31 1969 ./
drwxr-x--- 1 root root    0 Dec 31 1969 ../
-rw-r----- 1 root root 1099 Feb 28 17:04 _stderr.txt
-rw-r----- 1 root root  129 Feb 28 17:04 _stdout.txt
-rw-r----- 1 root root 15834792 Feb 28 17:04 biomass_test_out.tif
-rw-r----- 1 root root  2526 Feb 28 17:04 output-2024-02-28T17:04:19.731106.context.json
-rw-r----- 1 root root    19 Feb 28 17:04 output-2024-02-28T17:04:19.731106.dataset.json
-rw-r----- 1 root root   119 Feb 28 17:04 output-2024-02-28T17:04:19.731106.met.json
```

file).

You can download the output files by browsing to them in the Jupyter file panel and selecting Download from the contextual menu (right-click).

### 3.1.11 Running and Monitoring using the HySDS Jobs UI (Figaro)

This will be described in a future update. HySDS is the data-processing system used to run the jobs. It has a full web application that is used by NASA missions to monitor jobs and data-outputs. If you would like to beta-test this UI with MAAP, please contact Sujen or George.

### 3.1.12 Registering and Running the Algorithm using maap.py

This will be described in a future update. Often larger batch-jobs are run from Python Notebooks rather than the GUI.

### 3.1.13 Getting the Outputs of the Job

The DPS treats a folder named `output` specially. Any files stored in this folder will be preserved and uploaded to S3 after the algorithm run is complete. The location of this output will depend on factors like algorithm name, time of run, tags, etc. This output folder can be viewed within your workspace under the `my-private-bucket/dps_output` directory.

The output directory is created relative to your script specified in `run_command` at the time of registration. So to access the directory, simply do something like this in your run script.

```
mkdir -p output
```

By default, anything written to the `stderr` and `stdout` pipes will be stored in files call `_stderr` and `_stdout` and placed in your output directory.

DPS does not automatically store any logfiles written by your algorithm, if you would like them to be preserved make sure to write them in the output directory.

### 3.1.14 Frequently Asked Questions (FAQ)

#### What happens with input and output in DPS?

Since the jobs on DPS are run on a machine on the cloud, your local workspace directories are not available. It is important to pass any files required as inputs for your algorithm using the `File` parameter type. Any outputs that need to be saved should be placed in a directory called `output`.

When a parameter is registered as a file input, DPS downloads the corresponding value provided by the user as a file and places it in a directory called `input`. It is important to note that if the value provided a parameter marked as file during registration is not a valid url, DPS will report an error.

Note: Both `input` and `output` directories are relative to your run script.

#### How does file management happen?

File management i.e. files required for input and files stored as outputs on S3 are taken care of by the DPS. To locate the files created as an output from your job, look into the `/projects/my-private-bucket/dps_output` dir on your workspace and navigate to the algorithm type and time of run.

You can also construct the output path of your files by looking at the job info on the Jobs UI or by running `maap.getJobResult('job_id')`

## What is the basedir variable in the run script example?

As we now know that your job on the DPS runs on a cloud machine, it is not possible to know the absolute path of your script before execution. Using

```
[ ]: #basedir=$(dirname "$(readlink -f "$0")")
```

allows you to get the absolute path of the directory in which your run script is present allowing you to set any other executable paths as required by your algorithm.

## 3.2 Search

MAAP users are advised to use two catalogs:

1. Use NASA's Operational CMR to discover NASA-produced and curated data: <https://cmr.earthdata.nasa.gov/search/site/docs/search/api.html>.
2. Use MAAP STAC for data not found in NASA CMR, and data produced by MAAP users: <https://stac.maap-project.org/api.html>.

**Warning:** The <https://cmr.maap-project.org> catalog was deprecated on **May 1, 2023**. Users should request collections they need from this catalog to be made discoverable in the MAAP STAC or NASA's Operational CMR if they're not already there.

More information on each catalog and migrating from MAAP's CMR here: [MAAP's Dual Catalog](#).

### 3.2.1 MAAP's Dual Catalog

MAAP users are advised to use two catalogs:

1. Use NASA's Operational CMR to discover NASA-produced and curated data: <https://cmr.earthdata.nasa.gov/search/site/docs/search/api.html>.
2. Use MAAP STAC for data not found in NASA CMR, and data produced by MAAP users: <https://stac.maap-project.org/api.html>.

**Warning:** The <https://cmr.maap-project.org> catalog was deprecated on **May 1, 2023**. Users should request collections they need from this catalog to be made discoverable in the MAAP STAC or NASA's Operational CMR if they're not already there.

More information on each catalog and migrating from MAAP's CMR is detailed in the bottom of this page.

## MAAP STAC

MAAP STAC (<https://stac.maap-project.org>) is dedicated to datasets not accessible via NASA's CMR, such as GEDI Cal/Val datasets, ESA datasets, and user-shared data products.

### STAC discovery

Users can discover data in MAAP STAC using `pystac-client` or <https://stac-browser.maap-project.org>.

API documentation is available here: <https://stac.maap-project.org/api.html> (will return MAAP STAC results).

The general STAC API spec is here: <https://api.stacspec.org/v1.0.0-rc.1/core/>.

An example of using `pystac-client` is included above and in *Searching STAC Documentation*.

### Data Access via STAC

Data assets (files) published to STAC have not moved from the S3 bucket `s3://nasa-maap-data-store`. ESA data is accessible via public HTTP access. NASA data in S3 is accessible publicly or via role-based bucket policy access.

Users are encouraged to use common AWS S3 libraries for NASA data access, such as Python's `boto3`.

Each item should have a "data" asset which includes a URL to the data.

For example, [https://stac.maap-project.org/collections/BIOSAR1/items/biosar1\\_roi\\_lidar58](https://stac.maap-project.org/collections/BIOSAR1/items/biosar1_roi_lidar58) includes:

```
"assets": {
  "shx": {
    "href": "https://bmap-catalogue-data.oss.eu-west-0.prod-cloud-ocb.orange-business.
↪com/Campaign_data/biosar1/biosar1_roi_lidar58.shx",
    "type": "application/octet-stream",
    "roles": [
      "data"
    ]
  },
}
```

## NASA's Operational CMR

### CMR Discovery

Users can discover data NASA's Operational CMR via its publicly accessible API: <https://cmr.earthdata.nasa.gov> and user interface: <https://search.earthdata.nasa.gov>.

CMR Search documentation can be found in *Searching Collections* and *Searching Granules* and <https://cmr.earthdata.nasa.gov/search/site/docs/search/api.html>.

## CMR Access

For all NASA MAAP users, access to NASA'S Operational data is provided via a federated access token. Anything that is in NASA's Operational CMR should be accessed via maap-py so that the federated access token can be used. Users can also access data from LPDAAC (and possibly other DAACs in the future) without maap-py since the workspace should have access via a role-based bucket policy on the LPDAAC cloud bucket.

Anyone can access data through Earthdata Login as well.

Find more documentation about how to access data in CMR in the [Access](#) section of this documentation.

## Migrating from MAAP's CMR

If you're migrating code from using <https://cmr.maap-project.org>, we're here to help. The documentation below should support migrating to <https://cmr.earthdata.nasa.gov> and <https://stac.maap-project.org>. If not, please contact the data team for assistance.

### Migration Steps:

1. Identify where your code is using <https://cmr.maap-project.org> and which datasets are being discovered and accessed.
2. Once you've identified the datasets, use <https://search.earthdata.nasa.gov> or <https://stac-browser.maap-project.org> to find out if the dataset is available through NASA's Operational CMR or MAAP's STAC catalog. If you don't see your datasets in one of those places, reach out to the data team so they can prioritize that dataset for publication to MAAP STAC.
3. If the dataset is in NASA's Operational CMR and you're using MAAP's Python library maap-py to discover and access data, add the parameter `cmr_host="cmr.earthdata.nasa.gov"` to your `maap.searchCollection` and `maap.searchGranule` function calls. Update the `concept_id` to match the one from NASA's Operational CMR if you're using it to identify a specific collection or granule.
4. If the dataset is in MAAP STAC, use `pystac_client` (<https://pystac-client.readthedocs.io/en/stable/>) or an HTTP library to call the STAC HTTP API endpoints directly.

### Examples:

#### Example of switching a granule search to NASA's Operational CMR:

The code below discovers granules from the ABoVE LVIS L2 Geolocated Surface Elevation Product:

```
COLLECTION_ID = 'C1200125288-NASA_MAAP'
results = maap.searchGranule(concept_id=COLLECTION_ID)
pprint(f'Got {len(results)} results')
```

This dataset exists in NASA's Operational CMR. Using <https://search.earthdata.nasa.gov>, I discovered the collection's `concept_id` by searching for "ABoVE LVIS L2 Geolocated Surface Elevation Product" and copying the `concept_id` from the URL of the result to modify the code below:

```
COLLECTION_ID = 'C1513105984-NSIDC_ECS'
results = maap.searchGranule(
    cmr_host='cmr.earthdata.nasa.gov',
    concept_id=COLLECTION_ID
```

(continues on next page)

```
)  
pprint(f'Got {len(results)} results')
```

### Example of switching a granule search to MAAP STAC:

This code discovers granules from the Landsat 8 Operational Land Imager (OLI) Surface Reflectance Analysis Ready Data (ARD) V1, Peru and Equatorial Western Africa, April 2013-January 2020.

```
COLLECTION_ID = 'C1200110769-NASA_MAAP'  
  
results = maap.searchGranule(concept_id=COLLECTION_ID)  
pprint(f'Got {len(results)} results')
```

You can use <https://stac-browser.maap-project.org> to find the STAC collection ID for that dataset, which is Landsat8\_SurfaceReflectance.

```
from pystac_client import Client  
URL = 'https://stac.maap-project.org/'  
cat = Client.open(URL)  
for collection in cat.get_all_collections():  
    print(collection)  
  
collection = cat.get_collection('Landsat8_SurfaceReflectance')  
items = collection.get_items()
```

## 3.2.2 Using the NASA Earthdata Search Client Graphical User Interface

Author(s): Samuel Ayers (UAH)

Date: July 27, 2020


Description: A guide detailing how to use NASA's Earthdata Search client graphical user interface (GUI).

### Additional Resources

- [Earthdata Search](#)
- [Find Earthdata](#)

### About the Earthdata Search Client (EDSC)

The EDSC allows users to search, preview, download, and access EOSDIS Earth observation data. NASA's EDSC is located at <https://search.earthdata.nasa.gov>. EDSC provides a GUI for NASA's Common Metadata Repository (CMR) to ease the process of discovering data.



(Image of the NASA EDSC GUI)

### Using the Earthdata Search Client

We can use the searchbar to search for a term (example: *GEDI*) to narrow the resulting collections. The search can be further refined by picking a temporal range from the calendar using the **Temporal**  button and setting spatial boundaries using the **Spatial**  button. Additionally, using the **Advanced search**  lets you search by the HUC ID or region (more information about hydrological units may be found [here](#)). You can use the **Clear Search**  button to undo any filters that have been set. The sidebar to the left allows you to further refine your search by selecting one of the available facets. These include *Features*, *Keywords*, *Platforms*, *Instruments*, *Organizations*, *Projects*, *Processing levels*, *Date Format*, *Tiling System*, *Horizontal Data Resolution*, and *Latency*.

We can also use the tools with the background map to refine our search. We can search spatially using **Search by spatial polygon** , **Search by spatial rectangle** , **Search by spatial circle** , and **Search by spatial coordinate** . Layers may be edited using the **Edit layers**  button and deleted using the **Delete layers**  buttons. There are also options for **North Polar Stereographic** , **Geographic (Equirectangular)** , and **South Polar Stereographic**  projections. There are options to **Zoom in** , **Zoom home** , and **Zoom out** . Finally, we can change the basemap by selecting the **Map layers**  button.

The results of the search are displayed in the *Matching Collections* section. Collection names and summaries for each result are shown here. The **View collection details**  button may be used to view related URLs and additional information about the selected collection. Also, collections may be added to a project using the **Add collection to the current project**  button. Clicking anywhere else on a result allows you to see the granules within the collection available for download.

[ ]:

### 3.2.3 Searching for Collections in NASA’s Operational CMR using maap-py

Authors: Samuel Ayers (UAH), Aimee Barciauskas (DevSeed), Alex Mandel (DevSeed)

Date: November 2, 2020

Description: These examples walk through the MAAP API functionality of searching for collections within NASA’s Common Metadata Repository (CMR) based on specific parameters. Collections are groupings of files that share the same product specification. Searching for collections can be useful for finding individual files, known as granules, which are used for processing.

#### Run This Notebook

To access and run this tutorial within MAAP’s Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP’s ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

#### Additional Resources

- [NASA’s CMR API Documentation](#)

#### Importing and Installing Packages

We begin by importing the maap package and creating a new MAAP class.

```
[1]: # import the MAAP package to handle queries
      from maap.maap import MAAP

      # import printing package to help display outputs
      from pprint import pprint

      # invoke the MAAP search client
      maap = MAAP()
```

#### About searchCollection

We can use the `maap.searchCollection` function to return a list of desired collections. Before using this function, let’s use the `help` function to view the specific arguments and keywords for `maap.searchCollection`.

```
[2]: # view help for the searchCollection function
      help(maap.searchCollection)

      Help on method searchCollection in module maap.maap:

      searchCollection(limit=100, **kwargs) method of maap.maap.MAAP instance
          Search the CMR collections
          :param limit: limit of the number of results
          :param kwargs: search parameters
          :return: list of results (<Instance of Result>)
```

The help text is showing that `maap.searchCollection` accepts a limit and search parameters. The limit parameter limits the number of resulting collections returned by `maap.searchCollection`. Note that `limit=100` means that the *default limit* for results from the MAAP API is 100. `maap.searchCollection` accepts any additional search parameters that are included in the CMR. For a list of accepted parameters, please refer to the [CMR Search Collections API reference](#).

In this example we will explore search options including:

1. Finding all Collections
2. Searching by temporal filter
3. Searching by spatial filter
4. Using the results from one search as inputs into another
5. Searching by additional attributes

### Finding all Collections

Here we will demonstrate how to create a list containing all of the collections contained within the CMR. To do this, we will use the `maap.searchCollection` function without any additional search parameters.

```
[3]: # search all collections
results = maap.searchCollection(cmr_host="cmr.earthdata.nasa.gov")

# print the number of collections
pprint(f'Got {len(results)} results')

'Got 100 results'
```

We get 100 results because of the default page limit. The result from the MAAP API is a list of collections where each element in the list is the metadata for that particular collection. To change the limit, type `limit=` and then a value within the parentheses after `maap.searchCollection()`.

Let's look at the metadata for the first collection in our list of results (`results[0]`) using `pprint`. For formatting purposes, we can use the `depth` parameter to control the number of levels of metadata detail to display. By default, there is no constraint on the depth. By setting a `depth` parameter (in this case `depth=2`), we can ensure that the next contained level is replaced by an ellipsis.

```
[4]: # print the metadata for the first collection
# we use the depth parameter to set the layer of metadata detail in the results, with
# ↪ (1) having the least detail
# (1) displays the concept ID, format, and revision ID
# adjust the depth to a larger value (6) if you would like to view all of the metadata
pprint(results[0], depth=2)
```

```
{'Collection': {'AssociatedBrowseImageUrls': {...},
                'CollectionState': 'COMPLETE',
                'Contacts': {...},
                'DOI': {...},
                'DataSetId': "'Latent reserves' within the Swiss NFI",
                'Description': 'The files refer to the data used in Portier et '
                              'al. "u2018Latent reservesu2019: a hidden '
                              'treasure in National Forest Inventories" '
                              '(2020) *Journal of Ecology*.'
                              "***'Latent reserves'*** are defined as plots in "
```

(continues on next page)

(continued from previous page)

'National Forest Inventories (NFI) that have '  
 'been free of human influence for >40 to >70 '  
 'years. They can be used to investigate and '  
 'acquire a deeper understanding of attributes '  
 'and processes of near-natural forests using '  
 'existing long-term data. To determine which '  
 'NFI sample plots could be considered '  
 'latent reserves, criteria were '  
 'defined based on the information available in '  
 'the Swiss NFI database: \* Shrub '  
 'forests were excluded. \* Plots must have been '  
 'free of any kind of management, including '  
 'salvage logging or sanitary cuts, for a '  
 'minimum amount of time. Thresholds of 40, 50, '  
 '60 and 70 years without intervention were '  
 'tested. \* To ensure that species composition '  
 'was not influenced by past management, plots '  
 'where potential vegetation was classified as '  
 'deciduous by Ellenberg & Kluge (1972) '  
 'had to have an observed proportion of '  
 'deciduous trees matching the theoretical '  
 'proportion expected in a natural deciduous '  
 'forest, as defined by Kienast, Brzeziecki, & '  
 'Wildi (1994). \* Plots had to originate from '  
 'natural regeneration. \* Intensive livestock '  
 'grazing must never have occurred on the '  
 'plots. The tables stored here were '  
 'derived from the first, second and third '  
 'campaigns of the Swiss NFI. The raw data from '  
 'the Swiss NFI can be provided free of charge '  
 'within the scope of a contractual agreement '  
 '(<http://www.lfi.ch/dienstleist/daten-en.php>). '

\*\*\*\* The files 'Data figure 2' to 'Data '  
 'figure 8' are publicly available and contain "  
 'the data used to produce the figures published '  
 'in the paper. The files 'Plot-level data "  
 'for characterisation of 'latent reserves' and "  
 "'Tree-level data for characterisation of "  
 "'latent reserves' contain all the data "  
 'required to reproduce the section of the '  
 'article concerning the characterisation of '  
 "'latent reserves' and the comparison to "  
 'managed forests. The file 'Data for mortality "  
 'analyses' contains the data required to "  
 'reproduce the section of the article '  
 'concerning tree mortality in 'latent "  
 'reserves'. The access to these three files is "  
 'restricted as they contain some raw data from '  
 'the Swiss NFI, submitted to the Swiss law and '  
 'only accessible upon contractual agreement. ',

'InsertTime': '2020-07-29T14:18:59.791Z',  
 'LastUpdate': '2021-02-04T04:39:30.512Z',

(continues on next page)

(continued from previous page)

```

    'LongName': 'Not provided',
    'OnlineResources': {...},
    'Platforms': {...},
    'ProcessingLevelId': 'Not provided',
    'RestrictionComment': 'Access to the data upon request',
    'RevisionDate': '2021-02-04T04:39:30.512Z',
    'ScienceKeywords': {...},
    'ShortName': 'latent-reserves-in-the-swiss-nfi',
    'Spatial': {...},
    'Temporal': {...},
    'UseConstraints': {...},
    'VersionId': '1.0'},
'concept-id': 'C1931110427-SCIOPS',
'format': 'application/echo10+xml',
'revision-id': '6'}

```

The `Collection` key has all of the collection information including attributes, the archive center, spatial, and temporal information. The `concept-id` is a unique identifier for this collection. It can be used to further refine search results from the CMR, such as when searching for granule information.

### Searching by Temporal Filter

Here we use a temporal filter to narrow down our results using the `temporal` keyword in our search. The temporal keyword takes datetime information in a [specific format](#). The date format used is `YYYY-MM-DDThh:mm:ssZ` and temporal search criteria may be either a single date or a date range. If one date is provided then it can be inferred as the start or end date. To define a start date and return all collections after the date, put a comma after the date (`YYYY-MM-DDThh:mm:ssZ,`). To define an end date and return all granules prior to the data, put a comma before the date (`, YYYY-MM-DDThh:mm:ssZ`). Lastly, to get a date range, provide the start date and end date separated by a comma (`YYYY-MM-DDThh:mm:ssZ, YYYY-MM-DDThh:mm:ssZ`).

In this example we will search for one month of data.

```
[5]: datetimeRange = '2000-01-01T00:00:00Z,2000-01-31T23:59:59Z' # specify datetime range to
    ↪ search for data in January 2000
```

```

results = maap.searchCollection(
    cmr_host = "cmr.earthdata.nasa.gov",
    temporal = datetimeRange
)
pprint(f'Got {len(results)} results')

```

```
'Got 100 results'
```

```
[6]: collectionName = results[0]['Collection']['ShortName'] # get the collection short name
    collectionDate = results[0]['Collection']['Temporal']['RangeDateTime']['BeginningDateTime
    ↪'] # get the collection start time
```

```

pprint(
    f'Collection {collectionName} was acquired starting at {collectionDate}', width=100)

```

```
'Collection ERS-2_L0 was acquired starting at 1995-10-01T03:13:03.000Z'
```

It appears the first result correctly matches with the beginning and ending temporal search parameters. Keep in mind that the results are limited to 100 so the final collection returned may not match the end date that was searched for.

### Searching by Spatial Filter

Here we will illustrate how to search for collections by a spatial filter. There are a couple of [spatial filters available to search by](#) in the CMR including point, line, polygon, and bounding box. In this example, we will explore filtering with a bounding box which is a sequence of four latitude and longitude values in the order of [W,S,E,N].

```
[7]: collectionDomain = '-42,10,42,20' # specify bounding box to search by

results = maap.searchCollection(
    cmr_host = "cmr.earthdata.nasa.gov",
    bounding_box = collectionDomain
)
pprint(f'Got {len(results)} results')

'Got 100 results'
```

```
[8]: collectionName = results[3]['Collection']['ShortName'] # get a collection short name
collectionGeometry = results[3]['Collection']['Spatial']['HorizontalSpatialDomain']['
↳'Geometry'] # grab the spatial information from collection

pprint(f'Collection {collectionName} was acquired within the following geometry: ',
↳width=100)
pprint(collectionGeometry)

'Collection gov.noaa.nodc:0000029 was acquired within the following geometry: '
{'BoundingRectangle': {'EastBoundingCoordinate': '-16.25',
    'NorthBoundingCoordinate': '46.263167',
    'SouthBoundingCoordinate': '0.766667',
    'WestBoundingCoordinate': '-124.041667'},
 'CoordinateSystem': 'CARTESIAN'}
```

We can see from the first collection that the spatial coordinates of the collection intersect our search box.

### 3.2.4 Searching for Granules in NASA's Operational CMR using maap-py

Authors: Kel Markert (UAH), Katrina Virts (UAH), Samuel Ayers (UAH), Alex Mandel (DevSeed)

Date: February 27, 2020 (updated in 2022)

Description: These examples will walk through the MAAP API functionality of searching granules within a collection in NASA's Common Metadata Repository (CMR) based on specific parameters. Granules are individual files from a sensor where a group of granules make a collection within CMR. The granules are the raw data that will be used for processing.

## Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

## Additional Resources

- [NASA's CMR API Documentation](#)

## Importing and Installing Packages

We begin by importing the maap and pprint packages. Then invoke the MAAP constructor, setting the maap\_host argument to 'api.maap-project.org'.

```
[1]: # import the MAAP package
      from maap.maap import MAAP

      # import printing package to help display outputs
      from pprint import pprint

      # invoke the MAAP constructor using the maap_host argument
      maap = MAAP(maap_host='api.maap-project.org')
```

## About searchGranule

Here we view the specific arguments and keywords for the maap.searchGranule function.

```
[2]: help(maap.searchGranule)

Help on method searchGranule in module maap.maap:

searchGranule(limit=20, **kwargs) method of maap.maap.MAAP instance
    Search the CMR granules

    :param limit: limit of the number of results
    :param kwargs: search parameters
    :return: list of results (<Instance of Result>)
```

As we can see from the result, maap.searchGranule accepts a limit keyword which limits the number of results from CMR. maap.searchGranule() also accepts any additional search parameters that are included in CMR. For a list of accepted parameters, please refer to the [CMR Search Granules API reference](#).

It is important to note that *the default limit on results from the MAAP API is 20*. To increase the number of results we will specify a variable and use it in later queries.

```
[3]: # get at max 500 results from CMR
      MAX_RESULTS = 500
```

In this example we will explore search options including:

1. Searching by collection concept ID
2. Searching by temporal filter
3. Searching by spatial filter
4. Using the results from one search as inputs into another
5. Searching by additional attributes

For the next couple of examples, we will focus on the [ICESat-2/ATLAS Land and Vegetation Height dataset](#).

### Searching by Collection Short Name, Version

Here we will search by a short name and version which should uniquely identify a collection CMR. HOWEVER, some datasets exist both in the cloud and on-prem, so in the following example we actually get **2** results.

```
[4]: atl08_collections = maap.searchCollection(
      short_name='ATL08',
      version='005',
      cmr_host='cmr.earthdata.nasa.gov'
    )
len(atl08_collections)
```

```
[4]: 2
```

If you inspect the results, you will see the second result has distribution information which points to an S3 bucket location. You can see this information with the follow code: `atl08_collections[1]['Collection']['DirectDistributionInformation']`.

A simpler solution to finding just the cloud-hosted dataset is to add the `cloud_hosted="true"` parameter to our search.

```
[5]: atl08_collections = maap.searchCollection(
      short_name='ATL08',
      version='005',
      cmr_host='cmr.earthdata.nasa.gov',
      cloud_hosted="true"
    )
len(atl08_collections)
```

```
[5]: 1
```

Now we can look up the collection concept id to find only granules in the cloud-hosted ATL08 v005 dataset.

```
[6]: COLLECTION_ID = atl08_collections[0]['concept-id']

results = maap.searchGranule(
    concept_id=COLLECTION_ID,
    cmr_host='cmr.earthdata.nasa.gov',
    limit=MAX_RESULTS)
pprint(f'Got {len(results)} results')
```

```
'Got 500 results'
```

We were able to get 500 results! There are most likely more than 500 granules in search results, but remember we limited the results to 500 granules. The result from the MAAP API is a list of granules where each element in the list is the metadata for that particular granule.

Now let's look at the metadata for the first result.

```
[7]: # print the first granule's metadata
# we use the depth parameter to set the layer of metadata detail in the results, with
↳ (1) having the least detail
# (1) displays the collection concept ID, concept ID, format, and revision ID
# adjust the depth to a larger value (6) if you would like to view all of the metadata
pprint(results[0], depth=2)

{'Granule': {'AssociatedBrowseImageUrls': {...},
             'Collection': {...},
             'DataGranule': {...},
             'GranuleUR': 'ATL08_20181014001049_02350102_005_01.h5',
             'InsertTime': '2021-11-14T23:43:07.741Z',
             'LastUpdate': '2021-11-14T23:43:07.741Z',
             'OnlineAccessURLs': {...},
             'OnlineResources': {...},
             'OrbitCalculatedSpatialDomains': {...},
             'Spatial': {...},
             'Temporal': {...}},
 'collection-concept-id': 'C2153574670-NSIDC_CPRD',
 'concept-id': 'G2166182816-NSIDC_CPRD',
 'format': 'application/echo10+xml',
 'revision-id': '1'}
```

There is a lot of information in the metadata so let's break it down...

The Granule key has all of the granule information including attributes, browse imagery URLs, spatial, and temporal information. The collection-concept-id should match what you searched by and be the same for each granule. Lastly the granule specific concept-id is a unique identifier for this granule. This information can be used to further refine search results from CMR, specifically the granule information.

### Searching by Temporal Filter

Here we will combine a search from earlier using the Collection Concept ID with a temporal filter to fine tune our results using the temporal keyword in our search.

The temporal keyword takes datetime information in a [specific format](#). The date format used is YYYY-MM-DDThh:mm:ssZ and temporal search criteria may be either a single date or a date range. If one date is provided then it can be inferred as start or end date. To define a start date and return all granules after the date, put a comma after the date (YYYY-MM-DDThh:mm:ssZ,). To define an end date and return all granules prior to the data, put a comma before the date (, YYYY-MM-DDThh:mm:ssZ). Lastly, to get a date range, provide the start date and end date separated by a comma (YYYY-MM-DDThh:mm:ssZ, YYYY-MM-DDThh:mm:ssZ).

In this example we will search for one month of data.

```
[8]: date_range = '2018-12-01T00:00:00Z,2018-12-31T23:59:59Z' # specify a date range to
↳ search for data for Dec. 2018

results = maap.searchGranule(
    temporal=date_range,
    concept_id=COLLECTION_ID,
    limit=MAX_RESULTS,
    cmr_host="cmr.earthdata.nasa.gov"
```

(continues on next page)

(continued from previous page)

```
)
pprint(f'Got {len(results)} results')

'Got 500 results'
```

```
[9]: granuleFilename = results[0]['Granule']['DataGranule']['ProducerGranuleId'] # get the
      ↪ granule file name
granuleDate = results[0]['Granule']['Temporal']['RangeDateTime']['BeginningDateTime'] #
      ↪ get the granule start time

pprint(f'Granule {granuleFilename} was acquired starting at {granuleDate}',width=100)

'Granule ATL08_20181201001339_09680103_005_01.h5 was acquired starting at 2018-12-01T00:
      ↪ 13:48.477Z'
```

It looks like the first result correctly matches with the beginning temporal search parameter. Keep in mind that the results are limited to 500 so the final granule returned may not match the end date that was searched for.

### Searching by Spatial Filter

Here we will illustrate how to search for granules by a spatial filter. There are a couple of [spatial filters](#) available to [search by](#) in CMR including point, line, polygon, and bounding box. The most simple to use is the bounding box which is a sequence of four latitude and longitude values in the order of [W,S,E,N]. In this example, we are going to search for data over Gabon using the `bounding_box` keyword.

```
[10]: granule_bbox = '8.79799563969,-3.97882659263,14.4254557634,2.32675751384' # specify
      ↪ bounding box to search by

COLLECTION_ID = 'C1000000240-LPDAAC_ECS' # Collection title: "NASA Shuttle Radar
      ↪ Topography Mission Global 1 arc second V003"

results = maap.searchGranule(
    concept_id=COLLECTION_ID,
    bounding_box=granule_bbox,
    cmr_host="cmr.earthdata.nasa.gov"
)
pprint(f'Got {len(results)} results')

'Got 20 results'
```

```
[11]: granule_filename = results[0]['Granule']['DataGranule']['ProducerGranuleId'] # get the
      ↪ granule file name
geometry = results[0]['Granule']['Spatial']['HorizontalSpatialDomain']['Geometry'] #
      ↪ grab the spatial information from granule

pprint(f'Granule {granule_filename} was acquired within the following geometry: ',
      ↪ width=100)
pprint(geometry)

'Granule S03E012.SRTMGL1.hgt.zip was acquired within the following geometry: '
{'BoundingRectangle': {'EastBoundingCoordinate': '13.00027778',
                      'NorthBoundingCoordinate': '-1.99972222',
```

(continues on next page)

(continued from previous page)

```
'SouthBoundingCoordinate': '-3.00027778',  
'WestBoundingCoordinate': '11.99972222']}]}
```

We can see from the first granule that the spatial coordinates of the granule intersect our search box.

The MAAP API provides rich functionality to interact with the CMR instance within the MAAP platform. Users can search datasets programmatically by many parameters and even combine parameters such as spatial and temporal filters to refine results.

### Generating ID List from Search Results

Each element in the `results` list contains the metadata for the granules returned by the search. Within this metadata is the key concept-id, which is the unique identifier for each granule. To create a list of granule IDs, we create a new list and add the concept-id from each element of results into the that list.

```
[12]: granuleID_list = [result['concept-id'] for result in results]
```

```
# View some of the results  
granuleID_list[:10]
```

```
[12]: ['G1004577874-LPDAAC_ECS',  
'G1004578009-LPDAAC_ECS',  
'G1004578073-LPDAAC_ECS',  
'G1004578089-LPDAAC_ECS',  
'G1004578257-LPDAAC_ECS',  
'G1004578334-LPDAAC_ECS',  
'G1004578381-LPDAAC_ECS',  
'G1004578586-LPDAAC_ECS',  
'G1004578726-LPDAAC_ECS',  
'G1004578728-LPDAAC_ECS']
```

### 3.2.5 Searching the STAC Catalog

Authors: Aimee Barciauskas (Development Seed)

Date: December 13, 2022

Description: This tutorial provides a basic introduction to searching the [MAAP STAC catalog](#) using `pystac-client`.

Another method of searching the STAC catalog is via the [STAC browser](#).

maap-stac

Source Share

Browse Search Cross-Catalog Search Prototype

Description

maap-stac

Additional resources

- OpenAPI service description
- OpenAPI service documentation

Catalogs 9

Tiles List Ascending Descending

Filter catalogs by title

<p><b>AfriSAR UAVSAR Coregistered SLCs Generated Using NISAR Tools</b></p> <p>This dataset contains multi-baseline Polarimetric Interferometric Synthetic Aperture Radar SLC (single-look-complex) data collected from multipl...</p> <p>2/25/2016, 12:00:00 AM UTC</p>	<p><b>AfriSAR: Aboveground Biomass for Lope, Mabounie, Mondah, and Rabi Sites, Gabon</b></p> <p>This dataset provides gridded estimates of aboveground biomass (AGB) for four sites in Gabon at 0.25 ha (50 m) resolution derived with field...</p> <p>2/1/2016, 12:00:00 AM UTC</p>	<p><b>GEDI L2B Canopy Cover and Vertical Profile Metrics Data Global Footprint Level V002</b></p> <p>The Global Ecosystem Dynamics Investigation (GEDI) mission aims to characterize ecosystem structure and dynamics to enable radically...</p> <p>1/8/2020, 1:28:04 AM UTC - 12/31/2020, 11:23:02 PM UTC</p>	<p><b>BIOSAR1</b></p> <p>The understanding of processes occurring in Boreal forests and observation of changes over the huge areas of Boreal regions can efficiently be...</p> <p>3/9/2007, 9:32:00 AM UTC - 7/21/2021, 5:51:41 PM UTC</p>
<p><b>Landsat 8 Operational Land Imager (OLI) Surface Reflectance Analysis Ready Data (ARD) V1, Peru and Equatorial Western Africa, April 2013-January 2020</b></p> <p>Landsat Analysis Ready Data (ARD) are consistently processed to the highest scientific standards and level of processing required for...</p> <p>4/12/2013, 9:28:35 AM UTC - 12/24/2019, 3:22:30 PM UTC</p>	<p><b>ABoVE LVIS L1B Geolocated Return Energy Waveforms V001</b></p> <p>This data set contains laser altimetry return energy waveform measurements over Alaska and Western Canada taken from the NASA Land, Vegetation,...</p> <p>6/29/2017, 12:00:00 AM UTC - 7/17/2017, 11:59:59 PM UTC</p>	<p><b>AfriSAR LVIS L2 Geolocated Surface Elevation Product V001</b></p> <p>This data set contains surface elevation measurements from NASA's Land, Vegetation, and Ice Sensor (LVIS) over Gabon, Africa. The data...</p> <p>2/20/2016, 10:33:44 AM UTC - 3/8/2016, 1:38:15 PM UTC</p>	<p><b>AFRISAR_DLR</b></p> <p>The ESA BIOMASS mission was selected in 2013 as the 7th Earth Explorer mission. BIOMASS will provide estimates of forest biomass and height...</p> <p>2/4/2016, 10:23:00 AM UTC - 7/21/2021, 2:19:23 PM UTC</p>
<p><b>GEDI L2A Elevation and Height Metrics Data Global Footprint Level V002</b></p> <p>The Global Ecosystem Dynamics Investigation (GEDI) mission aims to characterize ecosystem structure and dynamics to enable radically...</p> <p>1/8/2020, 1:28:04 AM UTC - 9/19/2020, 10:53:59 PM UTC</p>			

Powered by STAC Browser 3.0.0-beta.5

### About the STAC Catalog

The MAAP STAC catalog provides discovery of a subset of MAAP datasets. These collections are hosted specifically through the MAAP STAC catalog and are typically not available on NASA's CMR. The data files have not been moved at all in the process of publishing datasets to STAC.

Data will continue to be added to the STAC catalog with priority given to datasets which are known to be in-use by MAAP UWG members through S3 metrics, direct collaboration with data team members, and by request.

### Additional Resources

- [Pystac-client Introduction](#)

### Importing and Installing Packages

In order to run this notebook you'll need the following packages:

```
[1]: %%capture
      %pip install -U pystac-client
```

```
[2]: from pystac_client import Client
```

## STAC Client

We first connect to an API by retrieving the root catalog, or landing page, of the API with the `Client.open` function.

```
[3]: # STAC API root URL
URL = 'https://stac.maap-project.org/'
cat = Client.open(URL)
cat

[3]: <Client id=stac-fastapi>
```

## Searching Collections

As with a static catalog the `get_collections` function will iterate through the Collections in the Catalog. Notice that because this is an API it can get all the Collections through a single call, rather than having to fetch each one individually.

```
[4]: stac_collections = list(cat.get_collections())
stac_collections

[4]: [<CollectionClient id=Landsat8_SurfaceReflectance>,
<CollectionClient id=Global_PALSAR2_PALSAR_FNF>,
<CollectionClient id=Global_Forest_Change_2000-2017>,
<CollectionClient id=AFRISAR_DLR2>,
<CollectionClient id=AfriSAR_UAVSAR_KZ>,
<CollectionClient id=AfriSAR_UAVSAR_Ungeocoded_Covariance>,
<CollectionClient id=AfriSAR_UAVSAR_Normalization_Area>,
<CollectionClient id=AfriSAR_UAVSAR_Geocoded_SLC>,
<CollectionClient id=AfriSAR_UAVSAR_Geocoded_Covariance>,
<CollectionClient id=GlobCover_09>,
<CollectionClient id=GlobCover_05_06>,
<CollectionClient id=GEDI_CalVal_Field_Data>,
<CollectionClient id=AfriSAR_UAVSAR_Coreg_SLC>,
<CollectionClient id=GEDI_CalVal_Lidar_Data_Compressed>,
<CollectionClient id=GEDI_CalVal_Lidar_Data>,
<CollectionClient id=ABOVE_UAVSAR_PALSAR>,
<CollectionClient id=AFRISAR_DLR>,
<CollectionClient id=BIOSAR1>,
<CollectionClient id=icesat2-boreal>,
<CollectionClient id=ICESat2_Boreal_AGB_tindex_average>,
<CollectionClient id=NCEO_Africa_AGB_100m_2017>,
<CollectionClient id=Paraguay_Country_Pilot>,
<CollectionClient id=ESACCI_Biomass_L4_AGB_V4_100m>,
<CollectionClient id=NASA_JPL_global_agb_mean_2020>,
<CollectionClient id=SRTMGL1_COD>]

[5]: collection = cat.get_collection(stac_collections[0].id)
collection

[5]: <CollectionClient id=Landsat8_SurfaceReflectance>
```

## Searching STAC Items

Query the /search endpoint of the STAC catalog to find items in our collection. This method will return an ItemSearch instance which we can then turn into a list.

Read more about additional parameters to the search() method at [pystac-client.readthedocs.io](https://pystac-client.readthedocs.io).

```
[6]: collection_items = list(cat.search(collections=[collection.id], max_items=10).items())
collection_items
```

```
[6]: [<Item id=LC080090662019122401T1-SC20200127151508.tar>,
<Item id=LC080090652019122401T1-SC20200127151451.tar>,
<Item id=LC080090642019122401T2-SC20200127163402.tar>,
<Item id=LC080080662019121701T2-SC20200127163324.tar>,
<Item id=LC080080652019121701T2-SC20200127163702.tar>,
<Item id=LC080080642019121701T1-SC20200127162047.tar>,
<Item id=LC080090662019120801T1-SC20200127162000.tar>,
<Item id=LC080090652019120801T1-SC20200127151500.tar>,
<Item id=LC080090642019120801T1-SC20200127163722.tar>,
<Item id=LC080080662019120101T2-SC20200127161947.tar>]
```

We can get a specific item by supplying one of the IDs from an item in our previous collection search. We are then able to get the HREF of the first asset in our item.

```
[7]: item = collection.get_item(collection_items[0].id)
item.assets[list(item.assets.keys())[0]].href
```

```
[7]: 's3://nasa-maap-data-store/file-staging/nasa-map/Landsat8_SurfaceReflectance___1/
↳LC080090662019122401T1-SC20200127151508.tar.gz'
```

Here's a simplified example:

```
[ ]: # Retrieve a specific collection
collection = cat.get_collection("ESACCI_Biomass_L4_AGB_V4_100m")

# Search for items in the collection
collection_items = list(cat.search(collections=["ESACCI_Biomass_L4_AGB_V4_100m"], max_
↳items=10).items())

# Retrieve a specific item
item = collection.get_item("S50W080_ESACCI-BIOMASS-L4-AGB-MERGED-100m-2020-fv4.0")

# List the item's asset href
item.assets["estimates"].href
```

---

## 3.3 Visualize

### 3.3.1 Visualizing MAAP STAC Dataset with MosaicJSON

Authors: Samuel Ayers (UAH), Alex Mandel (DevSeed), Aimee Barciauskas (DevSeed)

Date: July 23, 2021

Description: In this notebook, we visualize SRTM Cloud-Optimized GeoTIFFs (COGs) from MAAP's STAC using a generated mosaic from MAAP's TiTiler.

#### Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the [“Getting started with the MAAP”](#) section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

#### Note About the Data

The NASA Shuttle Radar Topographic Mission (SRTM) has provided digital elevation data (DEMs) for over 80% of the globe. This data is currently distributed free of charge by USGS and is available for download from the National Map Seamless Data Distribution System, or the USGS FTP site.

At MAAP, we've converted this elevation data into Cloud-Optimized GeoTIFFs (COGs) so they can be efficiently queried and visualized. These COGs are available in the [MAAP STAC](#).

#### Additional Resources

- [USGS EROS Archive - Shuttle Radar Topography Mission \(SRTM\)](#)
- [TiTiler API Documentation - MosaicJSON](#)
- [Github - MosaicJSON](#)
- [Working with MosaicJSON - TiTiler \(DevSeed Example\)](#)

#### Importing and Installing Packages

To be able to run this notebook you'll need the following requirements:

- rasterio
- folium
- requests
- pystac-client
- cogeo-mosaic (Optional)

If the packages below are not installed already, uncomment the following cell:

```
[1]: # %pip install rasterio
      # %pip install folium
      # %pip install requests
      # %pip install pystac-client
      # %pip install cogeo-mosaic --pre
```

```
[2]: import requests

      from pystac_client import Client

      from pprint import pprint

      from rasterio.features import bounds as featureBounds

      from folium import Map, TileLayer, GeoJson
```

### Fetch SRTM COG STAC Items

```
[3]: cat = Client.open('https://stac.maap-project.org/')

      items = list(
          cat.search(
              collections="SRTMGL1_COD",
              bbox=[4, 42, 16, 48],
              max_items=120
          ).items_as_dicts(),
      )
```

### Map the Data Bounds

```
[4]: geojson = {"type": "FeatureCollection", "features": items}

      bounds = featureBounds(geojson)
      zoom_start = 5

      m = Map(
          tiles="OpenStreetMap",
          location=((bounds[1] + bounds[3]) / 2, (bounds[0] + bounds[2]) / 2),
          zoom_start=zoom_start,
      )

      geo_json = GeoJson(
          data=geojson,
          style_function=lambda x: {
              "opacity": 1,
              "dashArray": "1",
              "fillOpacity": 0,
              "weight": 1,
          },
      ),
```

(continues on next page)

(continued from previous page)

```
)
geo_json.add_to(m)
m
```

```
[4]: <folium.folium.Map at 0x7f007b1aeef0>
```

## Create Mosaic

We’re using the TiTiler deployed by MAAP

```
[5]: titiler_endpoint = "https://titiler.maap-project.org" # MAAP titiler endpoint
```

To begin, we’ll pull our COG:

```
[6]: cog_info = requests.get(
    f"{titiler_endpoint}/cog/info",
    params={
        "url": geojson["features"][0]["assets"]["cog_default"]["href"],
    },
).json()
pprint(cog_info)
```

```
{'band_descriptions': [['b1', '']],
 'band_metadata': [['b1', {}]],
 'bounds': [15.999861111111111,
            47.999861111111116,
            17.000138888888888,
            49.000138888888889],
 'colorinterp': ['gray'],
 'count': 1,
 'driver': 'GTiff',
 'dtype': 'int16',
 'height': 3601,
 'maxzoom': 12,
 'minzoom': 8,
 'nodata_type': 'Nodata',
 'nodata_value': -32768.0,
 'overviews': [2, 4, 8, 16],
 'width': 3601}
```

Next, we will create the mosaic using the geojson from above. SRTMGL1 COGs have a “cog default” asset type, so we can create a mosaic of these type=“image/tiff” assets. We can get access to these assets by using the accessor function.

```
[7]: from cogeomosaic.mosaic import MosaicJSON

mosaicdata = MosaicJSON.from_features(
    geojson.get("features"),
    minzoom=cog_info["minzoom"],
    maxzoom=cog_info["maxzoom"],
    accessor=lambda feature: feature["assets"]["cog_default"]["href"],
)
```

Alternatively, we can build a MosaicJSON using a list of files within MAAP's ADE by converting the local "my-private", "my-public", and "shared-buckets" paths to their respective AWS S3 prefixes like so:

```
from maap.maap import MAAP
maap = MAAP(maap_host='api.maap-project.org')
username = maap.profile.account_info()["username"]

local_path = "/local/path/to/files/"

files = glob.glob(os.path.join(dps_output, "*.tif"), recursive=False)

def local_to_s3(url):
    """ A Function to convert local paths to s3 urls"""
    if url.startswith("my-private-bucket"):
        return url.replace("my-private-bucket", f"s3://maap-ops-workspace/{username}")

    if url.startswith("my-public-bucket"):
        return url.replace("my-public-bucket", f"s3://maap-ops-workspace/shared/
↪{username}")

    if url.startswith("shared-buckets"):
        return url.replace("shared-buckets", "s3://maap-ops-workspace/shared")

tiles = [local_to_s3(file) for file in files]

mosaicdata = MosaicJSON.from_urls(tiles, minzoom=9, maxzoom=16)
```

Now we will upload the mosaicjson to the TiTiler:

```
[8]: mosaic_links = requests.post(
    url=f"{titiler_endpoint}/mosaics",
    headers={
        "Content-Type": "application/vnd.titiler.mosaicjson+json",
    },
    json=mosaicdata.model_dump(exclude_none=True),
).json()

pprint(mosaic_links)

{'id': 'a6739144-b9ab-4ef6-82c3-f092100858cb',
 'links': [{'href': 'https://titiler.maap-project.org/mosaics/a6739144-b9ab-4ef6-82c3-
↪f092100858cb',
            'rel': 'self',
            'title': 'Self',
            'type': 'application/json'},
            {'href': 'https://titiler.maap-project.org/mosaics/a6739144-b9ab-4ef6-82c3-
↪f092100858cb/mosaicjson',
            'rel': 'mosaicjson',
            'title': 'MosaicJSON',
            'type': 'application/json'},
            {'href': 'https://titiler.maap-project.org/mosaics/a6739144-b9ab-4ef6-82c3-
↪f092100858cb/tilejson.json',
            'rel': 'tilejson',
            'title': 'TileJSON',
```

(continues on next page)

(continued from previous page)

```

        'type': 'application/json'},
        {'href': 'https://titiler.maap-project.org/mosaics/a6739144-b9ab-4ef6-82c3-
↪f092100858cb/tiles/{z}/{x}/{y}',
        'rel': 'tiles',
        'title': 'Tiles',
        'type': 'application/json'},
        {'href': 'https://titiler.maap-project.org/mosaics/a6739144-b9ab-4ef6-82c3-
↪f092100858cb/WMTSCapabilities.xml',
        'rel': 'wmts',
        'title': 'WMTS',
        'type': 'application/json'}}}

```

The response from the post request gives endpoints for different services (eg. mosaicjson, tilejson, tiles, wmts, etc). We're fetching the tilejson endpoint.

```

[9]: tilejson_endpoint = list(
    filter(lambda x: x.get("rel") == "tilejson", dict(mosaic_links)["links"]))
)
tilejson_endpoint

[9]: [{'href': 'https://titiler.maap-project.org/mosaics/a6739144-b9ab-4ef6-82c3-f092100858cb/
↪tilejson.json',
      'rel': 'tilejson',
      'type': 'application/json',
      'title': 'TileJSON'}]

```

## Display Tiles

NOTE: The important bit is the “tiles” endpoint returned from f“{titiler\_endpoint}/mosaics. This endpoint (e.g. [https://titiler.maap-project.org/mosaics/{mosaic\\_id}/tiles/{z}/{x}/{y}](https://titiler.maap-project.org/mosaics/{mosaic_id}/tiles/{z}/{x}/{y})) could be used in any map client which can tile x,y,z layers.

Read more about this endpoint at [MAAP's TiTiler docs](#).

```

[10]: params = {"colormap_name": "viridis", "rescale": "0,4000"}

r_te = requests.get(tilejson_endpoint[0]["href"], params=params).json()

tiles = TileLayer(tiles=f"{r_te['tiles'][0]}", opacity=1, attr="USGS")

tiles.add_to(m)
m

[10]: <folium.folium.Map at 0x7f007b1aeef0>

```

[ ]:

### 3.3.2 Visualizing Rasters with MosaicJSON using stac\_ipyleaflet

Authors: Grace Llewellyn (JPL), Emma Paz (DevSeed)

Date: September 26, 2023

Description: In this notebook, we create a mosaic from file URLs using MosaicJSON, upload it to MAAP's TiTiler, and then visualize the mosaic using stac\_ipyleaflet.

#### Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: Currently, the stac\_ipyleaflet works within [this Algorithm Development Environment](#). It is recommended to run this tutorial within MAAP's ADE **Pangeo workspace**, which already includes the stac\_ipyleaflet package.

#### Additional Resources

- stac\_ipyleaflet DOI: [10.5281/zenodo.10015863](https://doi.org/10.5281/zenodo.10015863)
- [TiTiler API Documentation - MosaicJSON](#)
- [Github - MosaicJSON](#)

#### Import and Install Packages

To import and install the packages necessary for the notebook, run the following cell.

```
[ ]: %pip install cogeomosaic --quiet

import os
import boto3
import httpx
from cogeomosaic.mosaic import MosaicJSON
from shapely.geometry import box
from ipyleaflet import TileLayer
import stac_ipyleaflet
```

#### Setup

First, we'll set variables and helper functions, including setting the MAAP TiTiler endpoint.

```
[2]: titiler_url = "https://titiler.maap-project.org"
min_zoom = 0
max_zoom = 0
band_min = 0
band_max = 4000
user = os.getenv('CHE_WORKSPACE_NAMESPACE')
```

(continues on next page)

(continued from previous page)

```
bucket = "maap-ops-workspace"
color_map = "gist_earth_r"
```

```
[3]: def checkFilePath(file_path):
      result = s3.list_objects(Bucket=bucket, Prefix=file_path)
      exists = True if 'Contents' in result else False
      if exists:
          print('PATH EXISTS')
          return [i for i in result['Contents'] if i["Key"].endswith('.tif')]
      return exists
```

### Find Data Location

Next, we'll find the location for our data. Sample files are provided in an S3 bucket, but code is also provided for you to uncomment if you will be using your own files.

```
[4]: path = "/local/path/to/files/" # "Path to directory with rasters:", Right-click on the
      ↪ directory and select option to Copy Path

s3 = boto3.client('s3')
file_name = path.split('/', 1)[-1]
if 'shared-buckets' in path:
    file_path = f'shared/{file_name}'
if 'my-private-bucket' in path:
    file_path = f'{user}/{file_name}'
if 'my-public-bucket' in path:
    file_path = f'shared/{user}/{file_name}'

# If using your files
#if file_path:
#    paths = checkFilePath(file_path)
#    files = [ i['Key'] for i in paths ]

# Our sample files
files = ['s3://maap-ops-workspace/shared/alexdevseed/landsat8/viz/Landsat8_30542_comp_
      ↪ cog_2015-2020_dps.tif', 's3://maap-ops-workspace/shared/alexdevseed/landsat8/viz/
      ↪ Landsat8_30543_comp_cog_2015-2020_dps.tif']

print(files)

['s3://maap-ops-workspace/shared/alexdevseed/landsat8/viz/Landsat8_30542_comp_cog_2015-
      ↪ 2020_dps.tif', 's3://maap-ops-workspace/shared/alexdevseed/landsat8/viz/Landsat8_30543_
      ↪ comp_cog_2015-2020_dps.tif']
```

## Get Raster Info

Let's go ahead and get our raster information which will consist of bounds, zoom, data type, and bands. This information will be pulled from the first file in an array of files.

```
[5]: url = files[0]

r = httpx.get(
    f"{titiler_url}/cog/info",
    params = {
        "url": url,
    }
).json()

if r.get('count') > 0:
    bounds = r.get("bounds")
    min_zoom = r.get("minzoom")
    max_zoom = r.get("maxzoom")
    zoom = min_zoom + 1 if min_zoom == 0 else min_zoom
    bands = r.get("band_metadata")

    print("Bounds:", bounds)
    print("Zoom:", zoom, "min =", min_zoom, "max =", max_zoom)
    print("Data type:", r.get("dtype"))
    print("Bands:", bands)

Bounds: [-117.10749852280769, 50.78795362739066, -116.50936927974429, 51.16389512140189]
Zoom: 9 min = 9 max = 12
Data type: float32
Bands: [['b1', {}], ['b2', {}], ['b3', {}], ['b4', {}], ['b5', {}], ['b6', {}], ['b7', {}]
↪], ['b8', {}], ['b9', {}], ['b10', {}], ['b11', {}], ['b12', {}], ['b13', {}], ['b14',
↪{}], ['b15', {}], ['b16', {}], ['b17', {}], ['b18', {}]]
```

## Create Mosaic

Using MosaicJSON, we'll create a mosaic from the file urls.

```
[6]: if min_zoom == 0 and max_zoom == 0:
    print("Warning: missing zoom attributes!")

mosaicdata = MosaicJSON.from_urls(files, minzoom=min_zoom, maxzoom=max_zoom)
print("Mosaic created!")

Mosaic created!
```

## Upload the MosaicJSON

Next, let's upload the MosaicJSON to the TiTiler...

```
[7]: mosaic_links = httpx.post(
    url=f"{titiler_url}/mosaics",
    headers={
        "Content-Type": "application/vnd.titiler.mosaicjson+json",
    },
    json=mosaicdata.model_dump(exclude_none=True),
).json()
# print(mosaic_links)
```

... and then filter for tilejson results so we get the tilejson endpoint.

```
[8]: tilejson_object = list(
    filter(lambda x: x.get("rel") == "tilejson", dict(mosaic_links)["links"])
)
tilejson_url = tilejson_object[0]["href"]
tilejson_url

[8]: 'https://titiler.maap-project.org/mosaics/9e6ff907-589b-42b3-9e5b-46d455af5afe/tilejson.
↪json'
```

## Calculate Raster Center

For this next step, we'll calculate the raster center for map placement.

```
[9]: r = httpx.get(tilejson_url).json()
center_data = r.get('center')
center = (center_data[1], center_data[0])
zoom = center_data[2]
```

```
[10]: polygon = box(*bounds)
center = (polygon.centroid.y, polygon.centroid.x)
print("Center:", center)

Center: (50.97592437439628, -116.80843390127599)
```

## Create the TileLayer

Before visualization, we'll set our parameters and create our tile layer.

```
[11]: params = {
    "return_mask": "true",
    "rescale": f"{band_min}, {band_max}",
    "bidx": "1",
    "colormap_name": "viridis"
}

r = httpx.get(tilejson_url, params=params).json()
```

(continues on next page)

(continued from previous page)


```
layer_url = r['tiles'][0]
custom_layer = TileLayer(url=layer_url, show_loading=True, transparent=True)
```

### Add the Mosaic Tile Layer to the Map

Finally, using `stac_ipyleaflet`, we'll set our map center and zoom and then add our mosaic tile layer.

```
[ ]: m = stac_ipyleaflet.StacIpyleaflet(zoom=zoom, center=center)
m.add_layer(custom_layer)
m
```

Draw
  Layers



ipyleaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community, Tiles © Esri — National Geographic, Esri, DeLorme, NAVTEQ, UNEP-WCMC, USGS, NASA, ESA, METI, NRCAN, GEBCO, NOAA, IPC, © OpenStreetMap contributors, Map data © OpenStreetMap contributors, SRTM | Map style: © OpenTopoMap (CC-BY-SA), Map tiles by Stamen Design, CC BY 3.0 — Map data © OpenStreetMap contributors, Map tiles by Strava 2021, Paraguay Tree Cover, Paraguay Forest Mask, Paraguay Estimated Biomass, NCEO Africa SD, NCEO Africa, NASA JPL SE, NASA JPL, ICESat-2 Boreal Biomass SE (Use zoom >=8), ICESat-2 Boreal Biomass (Use zoom >=8), GEDI L4B SE, GEDI L4B, CCI Biomass SD, CCI Biomass

### 3.3.3 Interval Color Mapping

Author(s): Aimee Barciauskas (DevSeed)

Date: March 3, 2023

Description: In this tutorial, we will pull from a SpatioTemporal Asset Catalog (STAC) collection containing cloud optimized geotiffs (COG) to create a colormap using CSS RGBA values with the COG's data values. We will then use the custom colormap to visualize the Global Aboveground Biomass (AGB) density estimates.

## Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

## Additional Resources

- [Cloud Native Geoguide](#)
- [Examples of Working with COGs](#)
- [Predefined Color Maps](#)
- [CSS RGBA Colors](#)
- [Using Python Zip Function](#)

## Importing and Installing Packages

We will begin by installing any packages we need and importing the packages that we will use.

Prerequisites

- branca
- folium

```
[ ]: # %pip install folium
     # %pip install branca
```

```
[1]: import branca
     from folium import Map, TileLayer
     import json
     from matplotlib import cm
     import requests
```

## Discover Data from STAC

```
[2]: stac_endpoint = "https://stac.maap-project.org"
     titiler_endpoint = "https://titiler.maap-project.org"
     collection = "NASA_JPL_global_agb_mean_2020"
     item = "SAmerica"

     items_response = requests.get(f"{stac_endpoint}/collections/{collection}/items/{item}").
     ↪ json()
     url = items_response['assets']['mean']['href']
     url

[2]: 's3://nasa-maap-data-store/file-staging/nasa-map/NASA_JPL_global_agb_mean_2020/global_
     ↪ 008_06dc_agb_mean_prediction_2020_mosaic_veg_gfccorr_scale1_SAmerica_cog.tif'
```

## Get Data Values Using /statistics Endpoint

```
[3]: # You can use gdalinfo /vsis3/nasa-maap-data-store/file-staging/nasa-map/NASA_JPL_global_
      ↪ agb_mean_2020/global_008_06dc_agb_mean_prediction_2020_mosaic_veg_gfccorr_scale1_
      ↪ SAmerica_cog.tif -stats
      # or you can get metadata from titiler.
      stats_response = requests.get(
          f"{titiler_endpoint}/cog/statistics",
          params = {
              "url": url
          }
      ).json()
```

```
[4]: bins = stats_response['b1']['histogram'][1]
      bin_ranges = [[bins[i], bins[i+1]] for i in range(len(bins)-1)]
      bin_ranges
```

```
[4]: [[-1166.0, -882.5],
      [-882.5, -599.0],
      [-599.0, -315.5],
      [-315.5, -32.0],
      [-32.0, 251.5],
      [251.5, 535.0],
      [535.0, 818.5],
      [818.5, 1102.0],
      [1102.0, 1385.5],
      [1385.5, 1669.0]]
```

## Pick a Color Map and Create a Linear Mapping

```
[5]: # There are many pre-defined colormaps supported by matplotlib.
      # Some are listed below but a complete list be found here: https://matplotlib.org/3.1.0/
      ↪ tutorials/colors/colormaps.html
      # You may define custom color maps, but using the predefined ones makes life easier.
      sequential_cmaps = [
          'Greys', 'Purples', 'Blues', 'Greens', 'Oranges', 'Reds',
          'YlOrBr', 'YlOrRd', 'OrRd', 'PuRd', 'RdPu', 'BuPu',
          'GnBu', 'PuBu', 'YlGnBu', 'PuBuGn', 'BuGn', 'YlGn'
      ]

      sequential_cmaps2 = [
          'binary', 'gist_yarg', 'gist_gray', 'gray', 'bone', 'pink',
          'spring', 'summer', 'autumn', 'winter', 'cool', 'Wistia',
          'hot', 'afmhot', 'gist_heat', 'copper']
```

```
[9]: # Here we create a list of pairs, each pair containing a data value interval range (aka
      ↪ "bin")
      # with a color value in RGBA (see https://www.w3schools.com/css/css3_colors.asp)
      # First we create a list of colors
      rgbas = [[int(value) for value in rgb] for rgb in cm.ScalarMappable(cmap='gist_earth').
      ↪ to_rgba(x=bins[:-1], bytes=True)]
```

(continues on next page)

(continued from previous page)

```
# Then we use python's zip function to pair rgba values with data values (https://www.
↳w3schools.com/python/ref_func_zip.asp)
color_map = list(zip(bin_ranges, rgbas))
# some tweaking may be necessary
color_map
```

```
[9]: [[[-1166.0, -882.5], [0, 0, 0, 255]],
      [[-882.5, -599.0], [18, 48, 119, 255]],
      [[-599.0, -315.5], [37, 102, 124, 255]],
      [[-315.5, -32.0], [54, 135, 111, 255]],
      [[-32.0, 251.5], [67, 151, 77, 255]],
      [[251.5, 535.0], [123, 167, 82, 255]],
      [[535.0, 818.5], [169, 179, 91, 255]],
      [[818.5, 1102.0], [191, 164, 100, 255]],
      [[1102.0, 1385.5], [221, 186, 167, 255]],
      [[1385.5, 1669.0], [253, 250, 250, 255]]]
```

```
[7]: # Let's also create a legend using the RGBA values and bins so our map visualization can
↳be interpreted!
legend = branca.colormap.StepColormap(rgbas, index=bins, vmin=round(bins[0], 2),
↳vmax=round(bins[-1], 2))
```

### Preview the data

```
[10]: # Create a json string of the colormap, so it can be passed as a parameter to titiler's
↳API.
cmap = json.dumps(color_map)

# We fetch tilejson from titiler endpoint, to build a better map with appropriate bounds
↳and zoom level
tilejson_response = requests.get(
    f"{titiler_endpoint}/cog/tilejson.json",
    params = {
        "url": url,
        "colormap": cmap
    }
).json()

bounds = tilejson_response["bounds"]
m = Map(
    location=((bounds[1] + bounds[3]) / 2, (bounds[0] + bounds[2]) / 2),
    zoom_start=tilejson_response["minzoom"] + 1
)

# We add a TileLayer using the tilejson_response "tiles" value which is the XYZ endpoint
↳of titiler.
aod_layer = TileLayer(
    tiles=tilejson_response["tiles"][0],
    opacity=1,
    attr="SAmerica"
)
```

(continues on next page)

(continued from previous page)

```
aod_layer.add_to(m)

# Finally, we add the legend.
legend.caption = 'Global Aboveground Biomass (AGB) Density Estimates in Mg/ha (megagram_
↳per hectare)'
legend.add_to(m)

m
```

[10]: <folium.folium.Map at 0x10877c890>

### 3.3.4 Visualizing STAC Data Layers using stac\_ipyleaflet (beta)

Authors: Emma Paz (Development Seed)

Date: May 10, 2023

Description: This project - **stac\_ipyleaflet** - leverages the **ipyleaflet** mapping library and is intended to reduce the code needed to visualize data from the **MAAP STAC**. The beta version supports Cloud-Optimized GeoTIFFs (COGs).

Currently, this package works within [this Algorithm Development Environment](#).

#### Run This Notebook

To access and run this tutorial within MAAP’s Algorithm Development Environment (ADE), please refer to the “[Getting started with the MAAP](#)” section of our documentation.


Disclaimer: it is recommended to run this tutorial within MAAP’s ADE **Pangeo workspace**, which already includes the **stac\_ipyleaflet** package.

#### Additional Resources

- stac\_ipyleaflet DOI: [10.5281/zenodo.10015863](https://doi.org/10.5281/zenodo.10015863)

#### Importing and Installing Packages

Selecting a new **PANGEO workspace**




or alternatively, you may install **stac\_ipyleaflet** into your environment by uncommenting the install in the following cell:

```
[1]: # NOTE: This has only been tested in the **MAAP Basic Stable (Vanilla)** environment.

# %pip install git+https://github.com/MAAP-Project/stac_ipyleaflet.git#egg=stac_
↪ ipyleaflet
```

```
[ ]: import stac_ipyleaflet
m = stac_ipyleaflet.StacIpyleaflet()
m
```



The **stac ipyleaflet** notebook's user interface consists of a map and a custom set of tools to aid in the discovery and visualization of STAC datasets, along with Biomass Layers and pre-determined Basemaps.

## Map Navigation

### Move the Map

- press and hold a mouse-click, then drag the map

### Adjust the Map's Scale (Zoom Extent) - 1 of 4 Methods:


- click the Zoom In / Out buttons in the top left-corner (this will maintain the center)
- use your mouse's scroll-wheel - hovering over an area of interest
- double-click within the map on an area of interest
- while pressing the **shift** key on your keyboard, press and hold a mouse-click, then drag to draw a rectangle around the area of interest

## Layers Tool

Pressing the Layers button at the top opens the **Layers widget** that consists of 2 tabs. This tool currently allows users to: - View one or more **Biomass Layers** at the same time to see different combinations. - Choose between common **Basemap Layers** that are known favorites. - Have full control over the **opacity** of any layer or basemap for fine-tuning how the map looks.


### The Layers Tab

- Toggle each layer's visibility by using its checkbox
- Adjust each layer's opacity by moving its slider



### The Basemaps Tab

- Select a basemap from the dropdown
- Adjust the basemap's opacity by moving its slider



## STAC Discovery Tool

Pressing the STAC Data button at the top opens the **STAC widget** that consists of 2 tabs. This tool currently allows users to: - **Connect** to the [MAAP STAC](#) to access collections of mission data. - **Discover** items per the selected collection, including description, available dates, & direct URL. - **Identify** valid COG datasets. - **Add COG tiles** dynamically to the map. - **Customize** the tiles by changing the selected color palette for the selected item.

### The Catalog Data Discovery Tab

- Select a Collection within the default STAC library.

#### Catalog

#### Collection

- Only Show Displayable Items**  
*Currently, only Cloud-Optimized GeoTiffs are supported*

- Browse through the Collection's details.

#### Description

NASA JPL Global Above Ground Biomass Mean Prediction 2020

#### URL

[https://stac.maap-project.org/collections/NASA\\_JPL\\_global\\_agb\\_mean\\_2020](https://stac.maap-project.org/collections/NASA_JPL_global_agb_mean_2020)

#### View in STAC Browser

#### Date Range

Start   End

- Select an item from the collection to check if it is a valid COG. If it is, the Display button will become active (available) to add the selected item to the map. The displayed STAC layer's opacity can be adjusted by moving its slider.

## Items

Select an Item 

% Opacity: 

100

Display 

6 items were found – please select 1 to determine if it can be displayed.

### The Visualization Tab

- Select a category from the dropdown.
- Select an item from the corresponding color palettes.
- Press the Display button to update the data on the map.

#### Palette Category

Perceptually Uniform Sequential 

#### Palette

- cividis
- inferno
- magma
- plasma
- viridis

---

### Interact with the Map

1. **Activate the Interact Tools** (click on the top *Interact* button)
2. From within the Point tab: **Use your mouse** to activate the Point tool; then click on the map at a location of interest
  - **Coordinates** will be printed within the open tab
  - **Raster cell values** will be identified and printed, if raster layers are on
3. From within the Area tab: **Use your mouse** to activate the Polygon tool; then click, hold and draw a polygon over the map - releasing to finish
  - The area of interest's **Coordinates & BBox** within the open tab

- Alternatively **Print** the area of interest's bbox from within a cell:

```
[3]: m.aoi_bbox
```

```
[3]: (-18.354806, 21.524308, -10.794943, 28.603513)
```

4. **Clear** the point or polygon graphics as needed

### Add a Tile Layer

```
[3]: import httpx
import json
titiler_url = "https://titiler.maap-project.org" # MAAP titiler endpoint
titiler_tilejson_url = f"{titiler_url}/cog/tilejson.json"
band_min = 0
band_max = 400
bidx = 1
colormap_name = 'gist_earth_r'
data_url = f"s3://maap-ops-workspace/shared/alexdevseed/landsat8/viz/Copernicus_30439_
↪covars_cog_topo_stack.tif"
```

```
[8]: from ipyleaflet import TileLayer

params = {
    "url": data_url,
    "bidx": bidx,
    "rescale": f"{band_min}, {band_max}",
    "pixel_selection": "first",
    "resampling_method": "nearest",
    "colormap_name": colormap_name
}
r = httpx.get(titiler_tilejson_url, params = params).json()

custom_layer = TileLayer(url=r["tiles"][0], show_loading=True, visible=True)
# print(custom_layer)

TileLayer(options=['attribution', 'bounds', 'detect_retina', 'max_native_zoom', 'max_zoom
↪', 'min_native_zoom', 'min_zoom', 'no_wrap', 'tile_size', 'tms', 'zoom_offset'], show_
↪loading=True, url='https://titiler.maap-project.org/cog/tiles/WebMercatorQuad/{z}/{x}/
↪{y}@1x?url=s3%3A%2F%2Fmaap-ops-workspace%2Fshared%2Falexdevseed%2Flandsat8%2Fviz
↪%2FCopernicus_30439_covars_cog_topo_stack.tif&bidx=1&rescale=0%2C+400&pixel_
↪selection=first&resampling_method=nearest&colormap_name=gist_earth_r')
```

```
[9]: r = httpx.get(
    f"{titiler_url}/cog/info",
    params = {
        "url": data_url,
    }
).json()
```

(continues on next page)

(continued from previous page)

```
# print(json.dumps(r, indent=4))

bounds = r.get("bounds")
minzoom = r.get("minzoom")
zoom = minzoom + 1 if minzoom == 0 else minzoom
bands = r.get("band_metadata")

print("Bounds:", bounds)
print("Zoom:", zoom)
print("Data type:", r.get("dtype"))
print("Bands:", bands)
```

```
Bounds: [-163.51338693693168, 67.17121197506852, -162.6566451826878, 67.49580310072406]
Zoom: 8
Data type: float32
Bands: [['b1', {}], ['b2', {}], ['b3', {}], ['b4', {}], ['b5', {}]]
```


```
[13]: from shapely.geometry import box

polygon = box(*bounds)
center = (polygon.centroid.y, polygon.centroid.x)
print("Center:", center)

Center: (67.33350753789628, -163.0850160598097)
```

```
[ ]: # import stac_ipyleaflet

m = stac_ipyleaflet.StacIpyleaflet(zoom=zoom, center=center)
m.add_layer(custom_layer)
m
```



ipyleaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community, Tiles © Esri — National Geographic, Esri, DeLorme, NAVTEQ, UNEP-WCMC, USGS, NASA, ESA, METI, NRCAN, GEBCO, NOAA, IPC, © OpenStreetMap contributors, Map data © OpenStreetMap contributors, SRTM | Map style: © OpenTopoMap (CC-BY-SA), Map tiles by Stamen Design, CC BY 3.0 — Map data © OpenStreetMap contributors, Map tiles by Strava 2021, Paraguay Tree Cover, Paraguay Forest Mask, Paraguay Estimated Biomass, NCEO Africa SD, NCEO Africa, NASA JPL SE, NASA JPL, ICESat-2 Boreal Biomass SE (Use zoom >=8), ICESat-2 Boreal Biomass (Use zoom >=8), GEDI L4B SE, GEDI L4B, CCI Biomass SD, CCI Biomass

```
m.remove_layer(custom_layer)
```

## 3.4 Access

### 3.4.1 Accessing Data from the MAAP

Authors: Samuel Ayers (UAH), Brian Satorius (JPL)

Date: May 26, 2022 (Revised July 2023)

Description: In this example, we demonstrate how to access data from the MAAP using the ‘getData’ method of the maap-py library. At this time, this procedure is the same for user-contributed data added to the store.

#### Run This Notebook

To access and run this tutorial within MAAP’s Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP’s ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

## Additional Resources

- Search Granules Tutorial
- Additional Search Attributes

## Importing Packages

We import the os module, import the MAAP package, and create a new MAAP class.

```
[1]: # import os module
import os

# import the MAAP package
from maap.maap import MAAP

# create MAAP class
maap = MAAP()
```

For this example, the additional bounding\_box attribute is used to search for granules within the Mondah Forest Gabon research site spatial area. For more information about searching for granules in MAAP, please see [https://docs.maap-project.org/en/latest/technical\\_tutorials/search/granules.html](https://docs.maap-project.org/en/latest/technical_tutorials/search/granules.html).

```
[2]: SHORTNAME = "AFLVIS2"
BBOX = '9.316216,0.538705,9.422509,0.616939'

# search for granules with SHORTNAME
results = maap.searchGranule(
    short_name=SHORTNAME,
    bounding_box=BBOX
)
results[0]
```

```
[2]: {'concept-id': 'G1549416185-NSIDC_ECS',
'collection-concept-id': 'C1549378743-NSIDC_ECS',
'revision-id': '2',
'format': 'application/echo10+xml',
'Granule': {'GranuleUR': 'SC:AFLVIS2.001:138348928',
'InsertTime': '2018-09-24T11:01:33.892Z',
'LastUpdate': '2018-09-24T11:02:09.869Z',
'Collection': {'DataSetId': 'AfriSAR LVIS L2 Geolocated Surface Elevation Product V001
↳ }},
'DataGranule': {'SizeMBDataGranule': '130.082',
'ProducerGranuleId': 'LVIS2_Gabon2016_0304_R1808_054746.TXT',
'DayNightFlag': 'UNSPECIFIED',
'ProductionDateTime': '2018-08-23T18:32:04.000Z',
'LocalVersionId': '001'},
'Temporal': {'RangeDateTime': {'BeginningDateTime': '2016-03-04T15:12:26.391000Z',
'EndingDateTime': '2016-03-04T15:19:18.916000Z'}},
'Spatial': {'HorizontalSpatialDomain': {'Geometry': {'GPolygon': {'Boundary': {'Point':
↳ [{"PointLongitude": '9.27281',
'PointLatitude': '0.57138'},
{'PointLongitude': '9.33743', 'PointLatitude': '0.57138'},
{'PointLongitude': '9.42716', 'PointLatitude': '0.57138'},
```

(continues on next page)

(continued from previous page)

```

    {'PointLongitude': '9.5169', 'PointLatitude': '0.57138'},
    {'PointLongitude': '9.60664', 'PointLatitude': '0.57138'},
    {'PointLongitude': '9.66048', 'PointLatitude': '0.56777'},
    {'PointLongitude': '9.73945', 'PointLatitude': '0.56416'},
    {'PointLongitude': '9.73586', 'PointLatitude': '0.54613'},
    {'PointLongitude': '9.64972', 'PointLatitude': '0.54974'},
    {'PointLongitude': '9.55998', 'PointLatitude': '0.54974'},
    {'PointLongitude': '9.47024', 'PointLatitude': '0.54974'},
    {'PointLongitude': '9.3805', 'PointLatitude': '0.54974'},
    {'PointLongitude': '9.32307', 'PointLatitude': '0.54613'},
    {'PointLongitude': '9.2764', 'PointLatitude': '0.54974'},
    {'PointLongitude': '9.27281', 'PointLatitude': '0.56416'},
    {'PointLongitude': '9.27281', 'PointLatitude': '0.56777'}}]}]}]}},
'Platforms': {'Platform': {'ShortName': 'B-200',
  'Instruments': {'Instrument': {'ShortName': 'LVIS',
    'Sensors': {'Sensor': {'ShortName': 'LVIS'}}}}}},
'Campaigns': {'Campaign': {'ShortName': 'AfriSAR'}},
'AdditionalAttributes': {'AdditionalAttribute': [{'Name': 'SIPSMetGenVersion',
  'Values': {'Value': '2.5'}},
  {'Name': 'ThemeID', 'Values': {'Value': 'AfriSAR'}},
  {'Name': 'AircraftID', 'Values': {'Value': 'N529NA'}}]},
'OnlineAccessURLs': {'OnlineAccessURL': [{'URL': 'https://n5eil01u.ecs.nsidc.org/DP8/
↪ICEBRIDGE/AFLVIS2.001/2016.03.04/LVIS2_Gabon2016_0304_R1808_054746.TXT',
  'MimeType': 'application/octet-stream'}]},
'OnlineResources': {'OnlineResource': {'URL': 'https://n5eil01u.ecs.nsidc.org/DP8/
↪ICEBRIDGE/AFLVIS2.001/2016.03.04/LVIS2_Gabon2016_0304_R1808_054746.TXT.xml',
  'Type': 'METADATA',
  'MimeType': 'text/xml'}},
'Orderable': 'true',
'Visible': 'true'}}

```

We assign a variable (in this case, `data_file`) to the first result of our search from the cell above.

A data directory is then set, and if the directory does not already exist, it is created. The file from our search is then downloaded into the file system in this directory. Here, the function `getData()` is downloading the data using the access URLs in the CMR granule and downloading it directly to the path provided.

```

[3]: # grab first result
data_file = results[0]

# set data directory
dataDir = './data'

# check if directory exists -> if directory doesn't exist, directory is created
if not os.path.exists(dataDir):
    os.mkdir(dataDir)

# extract the link to the resource
data = data_file.getData(dataDir)

```

We can now see that the data directory has been created and the data file is downloaded into the directory. The downloaded file remains in the data directory until the user deletes it.

## Accessing Data from AWS Requester Pays Buckets

Some data is cloud available but in requester pays buckets. In this example, we use Rasterio, Boto3, and MAAP's `aws.requester_pays_credentials()` function to retrieve data within the usgs-landsat requester pays bucket.


```
[4]: import boto3
import rasterio as rio

from maap.maap import MAAP
from rasterio.plot import show
from rasterio.session import AWSSession

maap = MAAP(maap_host='api.maap-project.org')
credentials = maap.aws.requester_pays_credentials()

boto3_session = boto3.Session(
    aws_access_key_id=credentials['aws_access_key_id'],
    aws_secret_access_key=credentials['aws_secret_access_key'],
    aws_session_token=credentials['aws_session_token']
)

[5]: aws_session = AWSSession(boto3_session, requester_pays=True)
file_s3 = 's3://usgs-landsat/collection02/level-2/standard/oli-tirs/2015/044/025/LC08_
↳L2SP_044025_20150812_20200908_02_T1/LC08_L2SP_044025_20150812_20200908_02_T1_SR_B2.TIF'
with rio.Env(aws_session):
    with rio.open(file_s3, 'r') as src:
        # list of overviews
        overviews = src.overviews(1)
        # get second item from list to retrieve a thumbnail
        oview = overviews[1]
        # read first band of file and set shape of new output array
        thumbnail = src.read(1, out_shape=(1, int(src.height // oview), int(src.width //
↳oview)))
# now display the thumbnail
show(thumbnail)
```



You may adjust the expiration time of the AWS credentials generated by `maap.aws.requester_pays_credentials()`:

```
[ ]: # Credential expiration time in seconds (defaults to 12 hours)
maap.aws.requester_pays_credentials(expiration=3600)
```

### 3.4.2 Accessing Data Provided by NASA's Distributed Active Archive Centers (DAACs)

Authors: Samuel Ayers (UAH), Alex Mandel (DevSeed)

Date: April 3, 2023

Description: In this example, we will demonstrate how to get authorized access from a Distributed Active Archive Center (DAAC) in NASA Earthdata, and then access data from the DAAC. Note: not all DAACs will require prior authorization to access data.

## Run This Notebook

To access and run this tutorial within MAAP’s Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP’s ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.


## Additional Resources

- [Changes to Land Processes Distributed Active Archive Center \(LP DAAC\) Data Access](#)
- [LP DAAC AppEARS API Documentation](#)
- [Alaska Satellite Facility \(ASF\) API Basics](#)

## Create a Workspace

It is possible to download data provided by DAACs, including data which is not cataloged by the MAAP’s CMR, using the [NASA MAAP ADE](#). This data is hosted externally from the MAAP but can be accessed using the NASA MAAP ADE’s authentication systems.

In order to do this, we start by creating a Jupyter workspace within the NASA MAAP ADE. Using the left-hand navigation, select “+ Get Started” and then select the “Jupyter - MAAP Basic Stable” workspace.



Alternatively, you can create a workspace using the “Workspaces” interface. See [Create Workspace](#) for more information.

## Importing Packages


You can access data from Jupyter Notebook within your workspace. In your Jupyter Notebook, start by importing the maap package. Then invoke the MAAP constructor, setting the maap\_host argument to 'api.maap-project.org'.

```
[7]: # import the maap package
from maap.maap import MAAP
#import os for directory creation later in the example
import os
# invoke the MAAP constructor using the maap_host argument
maap = MAAP(maap_host='api.maap-project.org')
```

## Granting Earthdata Login Access

In order to access external DAAC data from the NASA MAAP ADE, MAAP uses your Earthdata Login profile to send a data request to the desired DAAC application.

Some DAAC applications (such as ‘Alaska Satellite Facility Data Access’) must be authorized before you can use them. Login or register at <https://urs.earthdata.nasa.gov/> in order to see the applications that you have authorized. From the profile page, click on the ‘Applications’ tab and select ‘Authorized Apps’ from the drop-down menu.



This takes you to the Approved Applications page which lists the applications you have authorized. To add more applications, scroll down to the bottom of the page and click the ‘APPROVE MORE APPLICATIONS’ button which takes you to the Application search page.

ORNL DAAC apache module	 
maap-auth	 
NASA GESDISC DATA ARCHIVE	 
Earthdata Search PROD (Serverless)	 
Hyrax in the cloud	 

[APPROVE MORE APPLICATIONS](#)

Enter the desired application name within the search box and click the ‘SEARCH’ button. After this, a list of search results appears.

Approve Applications

Once you find the desired application, click the ‘AUTHORIZE’ button next to the name.

## Approve Applications

Alaska Satellite Facility Data Access SEARCH

### Application Results

These applications have a EULA, and must be authorized before you can use them

Alaska Satellite Facility Data Access	<b>AUTHORIZE</b>
Alaska Satellite Facility Data Access (DEV/TEST)	<b>AUTHORIZE</b>

You are then presented with its End User License Agreement. In order to have authorization, you need to select the ‘I agree to the terms of End User License Agreement’ checkbox and then click the ‘AGREE’ button.

I agree to clearly mark all ERS-1 and ERS-2 data, irrespective of the form in which it is reproduced, in such a way that the data credit or image copyright are clear to see.

Data: Dataset: ERS-2[1], ESA [year of data acquisition]. Downloaded from ASF DAAC [day/month/year of data access]

Images: © ESA [year of data acquisition]

I agree to the terms of End User License Agreement  
(Please select the checkbox to Agree)

AGREE

Along with ‘Alaska Satellite Facility Data Access’, you must also authorize ‘Alaska Satellite Facility Data Access Egress Control’. Return to the search page to find this application.

Alaska Satellite Facility Data Access Egress Control	<b>AUTHORIZE</b>
--	------------------

Similar to the previous application, once you click ‘AUTHORIZE’, you will also select the ‘I agree to the terms of the End User License Agreement’ checkbox and click ‘AGREE’.

After these steps are done, you are then shown the Approved Applications page again and both of the desired applications should now be listed.

## Approved Applications

Applications that use your Earthdata Login profile for authentication.

Earthdata Feedback Module	?
Earthdata Code Collaborative	?
Earthdata Website	?
Earthdata Ticketing System	✎ ✕
Earthdata Wiki	✎ ✕
NSIDC_DATAPOOL_OPS	✎ ✕
nsidc-daacdata	✎ ✕
LaRC_ECS_OPS_URS	✎ ✕
NSIDC Cumulus Data	✎ ✕
Alaska Satellite Facility Data Access	✎ ✕
Alaska Satellite Facility Data Access Egress Control	✎ ✕

Note that if Earthdata Login access is not granted to your target DAAC application, the following example will result

in a 401-permission error.

### Accessing Sentinel-1 Granule Data from the Alaska Satellite Facility (ASF)

Search for a granule using the `searchGranule` function (for more information on searching for granules, see [Searching for Granules in MAAP](#)). Then utilize the `getData` function, which downloads granule data if it doesn't already exist locally. We can use `getData` to download the first result from our granule search into the file system and assign it to a variable (in this case `download`). Note that you will need to authorize the 'Alaska Satellite Facility Data Access' application before downloading any results from our search (see the above section for more information concerning authorizing applications).

Before downloading our data, we will also create a new data directory to download our files into using `os`.

```
[8]: # set data directory
dataDir = './data'

# check if directory exists -> if directory doesn't exist, directory is created
if not os.path.exists(dataDir):
    os.mkdir(dataDir)
```

```
[9]: # search for granule data using the short_name argument
results = maap.searchGranule(short_name='SENTINEL-1A_DP_GRD_HIGH')
# download first result
download = results[0].getData(dataDir)
```

Note that we can then use the `print` function to see the file name and directory.

```
[10]: # print file directory
print(download)

./data/S1A_S3_GRDH_1SDH_20140615T034444_20140615T034512_001055_00107C_8977.zip
```

### Accessing Harmonized Landsat Sentinel-2 (HLS) Level 3 Granule Data from the Land Processes Distributed Active Archive Center (LP DAAC)

We use a similar approach in order to access HLS Level 3 granule data. Note that this data is not cataloged by the MAAP's CMR but we can use `searchGranule`'s `cmr_host` argument to specify a CMR instance external to MAAP.

```
[11]: # search for granule data using CMR host name and short name arguments
results = maap.searchGranule(
    cmr_host='cmr.earthdata.nasa.gov',
    short_name='HLSL30')
# download first result
download = results[0].getData(dataDir)
```

As in the previous example, we can use the `print` function to see the file name and directory.

```
[12]: # print file directory
print(download)

./data/HLS.L30.T59WPT.2013101T001445.v2.0.B09.tif
```

### 3.4.3 Accessing Cloud Optimized Data

Authors: Samuel Ayers (UAH)

Date: April 28, 2021 (Revised July 2023)

Description: The following is an example that uses Shuttle Radar Topography Mission (SRTM) Cloud Optimized GeoTIFF (COG) data from the MAAP data store, via MAAP STAC search. In this example, we read in elevation data using a bounding box tile.

#### Run This Notebook

To access and run this tutorial within MAAP’s Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP’s ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

#### Additional Resources

- [Cloud Native Geoguide](#)
- [Examples of Working with COGs](#)
- [Using pystac-client](#)

#### Importing and Installing Packages

To be able to run this notebook you’ll need the following requirements:

- rasterio
- folium
- geopandas
- rio-cogeo

If the packages below are not installed already, uncomment the following cell

```
[1]: # %pip install -U folium geopandas rasterio>=1.2.3 rio-cogeo
# %pip install pystac-client
```

```
[2]: # import the maap package to handle queries
from maap.maap import MAAP

# invoke the MAAP
maap = MAAP()
```

## Retrieving the Data

We can use `pystac_client` `get_collection` to retrieve the desired collection, in this case the `SRTMGL1_COD` collection and set the result of the function to a variable.

```
[3]: # Get the SRTMGL1_COD collection
from pystac_client import Client
catalog = 'https://stac.maap-project.org/'
client = Client.open(catalog)

collection = client.get_collection('SRTMGL1_COD')
collection
```

```
[3]: <CollectionClient id=SRTMGL1_COD>
```

We can narrow the area of interest for the items within the collection by passing bounding box values into the `pystac_client` `search` function.

```
[4]: # set bounding box
bbox = "-101.5,45.5,-100.5,46.5"

# retrieve STAC items from the collection that are within the bounding box
search = client.search(bbox=bbox, collections=collection, max_items=20)
```

Let's check how many items we are working with.

```
[5]: # show number of items in search results
len(list(search.items()))
```

```
[5]: 4
```

## Inspecting the Results

Now we can work on inspecting our results. In order to do this, we import the `geopandas`, `shapely`, and `folium` packages.

```
[6]: # import geopandas to work with geospatial data
import geopandas as gpd

# import shapely for manipulation and analysis of geometric objects
from shapely.geometry import shape, box

# import folium to visualize data in an interactive leaflet map
import folium
```

We can use the `gpd.GeoSeries` function to create a `GeoSeries` of all the `shapely` polygons created from the geometries of our item results. According to the [GeoPandas documentation](#), a `GeoSeries` is a “Series [a type of one-dimensional array] object designed to store `shapely` geometry objects”. We use ‘`EPSG:4326`’ (WGS 84) for the coordinate reference system then we can check the `GeoSeries`.

```
[7]: # create GeoSeries of all polygons from granule results with WGS 84 coordinate reference
      ↪ system
geometries = gpd.GeoSeries(
    [shape(item.geometry) for item in search.items()],
```

(continues on next page)

```

    crs='EPSG:4326'
)

# check GeoSeries
geometries
[7]: 0    POLYGON ((-102.00014 45.99986, -100.99986 45.9...
      1    POLYGON ((-101.00014 45.99986, -99.99986 45.99...
      2    POLYGON ((-102.00014 44.99986, -100.99986 44.9...
      3    POLYGON ((-101.00014 44.99986, -99.99986 44.99...
dtype: geometry

```

Now we create a list from our bounding box values. Then we use the `centroid` function to get the centroid of our bounding box and set to a point. Next we use `folium.Map` to create a map. For the map's parameters, let's set the centroid point coordinates as the location, "cartodbpositron" for the map tileset, and 7 as the starting zoom level. With our map created, we can create a dictionary containing style information for our bounding box. Then we can use `folium.GeoJson` to create GeoJsons from our `geometries` GeoSeries and add them to the map. We also use the `folium.GeoJson` function to create a GeoJson of a polygon created from our bounding box list, name it, and add our style information. Finally, we check the map by displaying it.

```

[8]: # create list of bounding box values
bbox_list = [float(value) for value in bbox.split(',')]

# get centroid point from bounding box values
center = box(*bbox_list).centroid

# create map with folium with arguments for lat/lon of map, map tileset, and starting_
↳ zoom level
m = folium.Map(
    location=[center.y,center.x],
    tiles="cartodbpositron",
    zoom_start=7,
)
# create style information for bounding box
bbox_style = {'fillColor': '#ff0000', 'color': '#ff0000'}

# create GeoJson of `geometries` and add to map
folium.GeoJson(geometries, name="tiles").add_to(m)

# create GeoJson of `bbox_list` polygon and add to map with specified style
folium.GeoJson(
    box(*bbox_list),
    name="bbox",
    style_function=lambda x:bbox_style
).add_to(m)

# display map
m
[8]: <folium.folium.Map at 0x7f50e9d3b5d0>

```

## Creating a Mosaic

Let's check the raster information contained in our item results. In order to do this, we import some more packages. - To read and write files in raster format, import `rasterio`. - From `rasterio` we import `merge` to copy valid pixels from an input into an output file - `AWSSession` to set up an Amazon Web Services (AWS) session - `show` to display images and label axes - Import `boto3` in order to work with AWS - From `matplotlib`, we want to import `imshow` which allows us to display images from data - Import `numpy` to work with multi-dimensional arrays and `numpy.ma` to work with masked arrays. - From `pyproj`, import `Proj` for converting between geographic and projected coordinate reference systems and `Transformer` to make transformations.

```
[9]: # import rasterio for reading and writing in raster format
import rasterio as rio

# copy valid pixels from input files to an output file.
from rasterio.merge import merge

# set up AWS session
from rasterio.session import AWSSession

# display images, label axes
from rasterio.plot import show

# import boto3 to work with Amazon Web Services
import boto3

# display images from data
from matplotlib.pyplot import imshow

# import numpy to work with multi-dimensional arrays
import numpy as np

# import numpy.ma to work with masked arrays
import numpy.ma as ma

# convert between geographic and projected coordinates and make transformations
from pyproj import Proj, Transformer
```

Finally, we import `os` and run some code in order to speed up Geospatial Data Abstraction Library (GDAL) reads from Amazon Simple Storage Service (S3) buckets by skipping sidecar (connected) files.

```
[10]: # speed up GDAL reads from S3 buckets by skipping sidecar files
import os
os.environ['GDAL_DISABLE_READDIR_ON_OPEN'] = 'EMPTY_DIR'
```

Now that we have the necessary packages, let's get a list of S3 urls to the granules. To start, set up an AWS session. The S3 urls are contained within the `search.items()` assets, so we loop through the items in our results to get the S3 urls and add them to a new list. We can then use the `sort` function to sort the S3 urls in an ascending order. Then we can check our S3 url list.

```
[11]: # set up AWS session
aws_session = AWSSession(boto3.Session())

# get the S3 urls to the granules
file_S3 = [item.assets["cog_default"].href for item in search.items()]
```

(continues on next page)

```
# sort list in ascending order
file_S3.sort()
```

```
# check list
file_S3
```


```
[11]: ['s3://nasa-maap-data-store/file-staging/nasa-map/SRTMGL1_COD__001/N45W101.SRTMGL1.tif',
's3://nasa-maap-data-store/file-staging/nasa-map/SRTMGL1_COD__001/N45W102.SRTMGL1.tif',
's3://nasa-maap-data-store/file-staging/nasa-map/SRTMGL1_COD__001/N46W101.SRTMGL1.tif',
's3://nasa-maap-data-store/file-staging/nasa-map/SRTMGL1_COD__001/N46W102.SRTMGL1.tif']
```

We can now check to see that we can read the AWS files and display a thumbnail. Pass the boto3 session to `rio.Env`, which is the GDAL/AWS environment for rasterio. Use the `rio.open` function to read in one of the Cloud Optimized GeoTIFFs.

Now let's use the `overviews` command to get a list of overviews. Overviews are versions of the data with lower resolution, and can thus increase performance in applications. Let's get the first overview from our list for retrieving a thumbnail.

Retrieve a thumbnail by reading the first band of our file and setting the shape of the new output array. The shape can be set with a tuple of integers containing the number of datasets as well as the `height` and `width` of the file divided by our integer from the overview list. Now use the `show` function to display the thumbnail.

```
[12]: # prove that we can read the AWS files
# for more information - https://automating-gis-processes.github.io/CSC/notebooks/L5/
↪read-cogs.html
with rio.Env(aws_session):
    with rio.open(file_S3[0], 'r') as src:
        # list of overviews
        overviews = src.overviews(1)
        # get second item from list to retrieve a thumbnail
        oview = overviews[1]
        # read first band of file and set shape of new output array
        thumbnail = src.read(1, out_shape=(1, int(src.height // oview), int(src.width //
↪oview)))
# now display the thumbnail
show(thumbnail)
```



```
[12]: <Axes: >
```

Since we verified that we can read the AWS files and display a thumbnail, we can create a mosaic from all of the rasters in our `file_S3` list. To do this, again pass the `boto3` session to `rio.Env`. Then create a list which contains all of the read in Cloud Optimized GeoTIFFs (this may take a while).

```
[13]: # create a mosaic from all the images
with rio.Env(aws_session):
    sources = [rio.open(raster) for raster in file_S3]
```


Now we can use the `merge` function to merge these source files together using our list of bounding box values as the bounds. `merge` copies the valid pixels from input rasters and outputs them to a new raster.

```
[14]: # merge the source files
mosaic, out_trans = merge(sources, bounds = bbox_list)
```

Lastly, we use `ma.masked_values` for masking all of the `NoData` values, allowing the mosaic to be plotted correctly. `ma.masked_values` returns a `MaskedArray` in which a data array is masked by an approximate value. For the parameters, let's use our `mosaic` as the data array and the integer of the "nodata" value as the value to mask by. Now we can use `show` to display our masked raster using `matplotlib` with a "terrain" colormap.

```
[15]: # mask the NoData values so it can be plotted correctly
masked_mosaic = ma.masked_values(mosaic, int(sources[0].nodatavals[0]))

# display the masked mosaic
show(masked_mosaic, cmap = 'terrain')
```



### 3.4.4 Accessing EDAV Data via Web Coverage Service

Authors: Alex Mandel (DevSeed), Samuel Ayers (UAH), Aimee Barciauskas (DevSeed)

Date: April 3, 2023

Description: This example demonstrates how to retrieve raster data from EDAV using a Web Coverage Service (WCS). A WCS lets you access coverage data with multiple dimensions online. The downloaded data is subsetting from data hosted on the MAAP and is available with the full resolution and values.

#### Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: it is recommended to run this tutorial within MAAP's ADE **Pangeo workspace**, which already includes rioxarray.

## Additional Resources

- Cloud Native Geoguide
- Examples of Working with COGs
- Raster data handling with Python
- OWSLib Github
- rioarray Documentation

## Importing and Installing Packages

We start by installing the libraries that are used to query the WCS connection point, and then to load, explore, and plot the raster data. We use `rasterio` for reading and writing raster formats, `rio-cogeo` for creating and validating Cloud Optimized GEOTIFF (COG) data, and `owslib` for interacting with Open Geospatial Consortium (OGC) services.

```
[ ]: # install libraries
# %pip is a magic command that installs into the current kernel
# -q means quiet (to give less output)
%pip install -q rasterio
%pip install -q rio-cogeo
%pip install -q owslib
```

After installing the libraries, note that you may see multiple messages that you need to restart the kernel. Then import `rasterio`, show from `rasterio.plot` to display images with labeled axes, and `WebCoverageService` from `owslib.wcs` to program with an OGC web service.

```
[46]: # import rasterio
import rasterio as rio
# import show
from rasterio.plot import show
# import WebCoverageService
from owslib.wcs import WebCoverageService
```

## Querying the WCS

Now we can configure the WCS source, use the `getCoverage` function to request a file in GeoTIFF format, and save what is returned to our workspace.

```
[47]: # configure the WCS source
EDAV_WCS_Base = "https://edav-das.val.esa-maap.org/wcs"
wcs = WebCoverageService(f'{EDAV_WCS_Base}?service=WCS', version='2.0.0')
```

```
[48]: # request imagery to download
response = wcs.getCoverage(
    identifier=['ESACCI_Biomass_L4_AGB'], # coverage ID
    format='image/tiff', # format what the coverage response will be returned as
    filter='false', # define constraints on query
    scale=1, # resampling factor (1 full resolution, 0.1 resolution degraded of a factor
↳ of 10)
    subsets=[('Long', 11.54, 11.8), ('Lat', -0.3, 0.0)] # subset the image by lat / lon
```

(continues on next page)

(continued from previous page)

```
)
# save the results to file as a tiff
results = "EDAV_example.tif"
with open(results, 'wb') as file:
    file.write(response.read())
```

We can use `gdalinfo` to provide information about our raster dataset to make sure the data is valid and contains spatial metadata.

```
[49]: # gives information about the dataset
!gdalinfo {results}
```

```
Driver: GTiff/GeoTIFF
Files: EDAV_example.tif
Size is 293, 339
Warning 1: PROJ: proj_create_from_database: Open of /opt/conda/share/proj failed
Coordinate System is:
GEOGCRS["WGS 84",
  DATUM["World Geodetic System 1984",
    ELLIPSOID["WGS 84",6378137,298.257223563,
      LENGTHUNIT["metre",1,
        ID["EPSG",9001]]]],
  PRIMEM["Greenwich",0,
    ANGLEUNIT["degree",0.0174532925199433,
      ID["EPSG",9122]]],
  CS[ellipsoidal,2],
    AXIS["latitude",north,
      ORDER[1],
      ANGLEUNIT["degree",0.0174532925199433,
        ID["EPSG",9122]]],
    AXIS["longitude",east,
      ORDER[2],
      ANGLEUNIT["degree",0.0174532925199433,
        ID["EPSG",9122]]]]
Data axis to CRS axis mapping: 2,1
Origin = (11.53955555748001,0.000888887639000)
Pixel Size = (0.000888888889000,-0.000888888889000)
Metadata:
  AREA_OR_POINT=Area
  cdm_data_type=INT
  comment=These data were produced at ESA CCI as part of the ESA Biomass CCI project.
  Conventions=CF-1.7
  creator_email=santoro@gamma-rs.ch
  creator_name=GAMMA Remote Sensing
  creator_url=www.gamma-rs.ch
  date_created=2021-6-3
  EPSG=4326
  format_version=CCI Data Standards v2.1
  geospatial_lat_max=0
  geospatial_lat_min=-10
  geospatial_lat_resolution=0.00088889
  geospatial_lat_units=degrees_north
```

(continues on next page)

(continued from previous page)

```

geospatial_lon_max=20
geospatial_lon_min=10
geospatial_lon_resolution=0.00088889
geospatial_lon_units=degrees_east
geospatial_vertical_max=0.0
geospatial_vertical_min=0.0
history=AGB estimation with BIOMASAR-L, v202101, AGB estimation with BIOMASAR-C,
↪v202101, Merging of AGB estimates, v202101
id=N00E010_ESACCI-BIOMASS-L4-AGB_SD-MERGED-100m-${year}-fv3.0.tif
institution=GAMMA Remote Sensing
keywords=satellite, observation, forest, biomass
keywords_vocabulary=NASA Global Change Master Directory (GCMD) Science Keywords
key_variables=AGB
license=ESA CCI Data Policy: free and open access
naming_authority=ch.gamma-rs
platform=ALOS-1 PALSAR, ENVISAT ASAR
product_version=3.0
proj4=+proj=longlat +datum=WGS84 +no_defs
project=Climate Change Initiative - European Space Agency
references=http://cci.esa.int/biomass
sensor=PALSAR, SAR-C
source=ALOS-1 PALSAR FB mosaics, ENVISAT ASAR WideSwath
spatial_resolution=100 m
standard_name_vocabulary=NetCDF Climate and Forecast (CF) Metadata Convention version.
↪67
summary=This dataset contains a global map of above-ground biomass of the epoch 2010.
↪obtained from L- and C-band spaceborne SAR backscatter, placed onto a regular grid.
time_coverage_duration=P1Y
time_coverage_end=20101231T235959Z
time_coverage_resolution=P1Y
time_coverage_start=20100101T000000Z
title=ESA CCI above-ground biomass standard deviation product level 4, year 2010
tracking_id=30d2a523-05a8-44ce-8c19-a37b5feb2cf7
Image Structure Metadata:
  COMPRESSION=LZW
  INTERLEAVE=BAND
Corner Coordinates:
Upper Left  ( 11.5395556,  0.0008889) ( 11d32'22.40"E,  0d 0' 3.20"N)
Lower Left  ( 11.5395556, -0.3004444) ( 11d32'22.40"E,  0d18' 1.60"S)
Upper Right ( 11.8000000,  0.0008889) ( 11d48' 0.00"E,  0d 0' 3.20"N)
Lower Right ( 11.8000000, -0.3004444) ( 11d48' 0.00"E,  0d18' 1.60"S)
Center      ( 11.6697778, -0.1497778) ( 11d40'11.20"E,  0d 8'59.20"S)
Band 1 Block=293x13 Type=UInt16, ColorInterp=Gray
  NoData Value=0


```

## Reading the Data

We can now use `rio.open` with our results path string and return an opened dataset object. We can set a variable (`rast`) to what is read from this dataset object. Then, we utilize the function `show` to display the raster using Matplotlib.

```
[50]: # take path and return opened dataset object, set variable to read dataset object
with rio.open(results, 'r') as src:
    rast = src.read()
```


```
[51]: # make a plot
show(rast, transform=src.transform, cmap='pink')
```



```
[51]: <AxesSubplot: >
```

We now have a visual of our raster. Let's import and employ the `show_hist` function from `rasterio.plot` to generate a histogram of the raster.


```
[52]: # import show_hist
from rasterio.plot import show_hist
# create histogram
show_hist(rast,
          bins=50, # number of bins to compute histogram across
          alpha=.3, # transparency
          title="Histogram" # figure title
        )
```



We can also generate a plot using Matplotlib. Let's import `matplotlib.pyplot` and `numpy` and make a new plot. To do this, use the `plt.subplots` function to return a figure and a single "Axes" instance. Then remove single-dimensional entries from the shape of our array using `np.squeeze` and display the data as an image using `imshow`. Now, we can set the norm limits for image scaling using the `set_clim` function.

```
[53]: # import matplotlib.pyplot
import matplotlib.pyplot as plt
# import numpy
import numpy as np
```

```
[54]: # set figure and single "Axes" instance
fig, ax = plt.subplots(1, figsize=(8,8))
# remove single-dimensional entries from the shape of the variable rast
# and display the image
edavplot = ax.imshow(np.squeeze(rast), cmap='pink')
```



### Newer Method rioxarray

Another way to work with raster data is with the rasterio “xarray” extension. Let’s install and import rioxarray and create a plot using the open\_rasterio and plot functions.


```
[ ]: # install rasterio xarray extension
%pip install -q rioxarray
```

```
[56]: # import rasterio xarray extension
import rioxarray
```

```
[57]: # opens results with rasterio to set dataarray
edav_x = rioxarray.open_rasterio(results)
```

```
[58]: # plot dataarray
edav_x.plot(cmap="gist_earth", figsize=(10,8))
```

```
[58]: <matplotlib.collections.QuadMesh at 0x7f591617ae60>
```



### 3.4.5 GEDI S3 Bucket Access at LPDAAC (BETA)

Authors: Alex Mandel (Development Seed), Brian Freitag (NASA MSFC), Jamison French (Development Seed)

Description: In this tutorial, we demonstrate how to use transform HTTPS links into their corresponding S3 links to retrieve GEDI data hosted by the Land Processes Distributed Active Archive Center (LP DAAC).

**This tutorial demonstrates a temporary workaround with the expectation that direct access links for LPDAAC GEDI data will eventually be available through NASA CMR.**

#### Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as maap-py. Running the tutorial outside of the MAAP ADE may lead to errors.

#### Additional Resources

- *Searching Granules in CMR*
- *Searching Collections in CMR*

#### Importing Packages

If the packages below are not installed already, uncomment the following cell

```
[ ]: # %pip install h5py fsspec s3fs --quiet

[2]: import h5py
import boto3
import botocore
import fsspec
from maap.maap import MAAP

maap = MAAP(maap_host="api.maap-project.org")
```

#### Searching the Data

We'll start by gathering a sample list of granules from the GEDI L2A collection. The HTTPS links we're after are nested within the granule object.

```
[3]: results = maap.searchGranule(
    concept_id="C1908348134-LPDAAC_ECS", # GEDI-L2A
    cmr_host="cmr.earthdata.nasa.gov",
    limit=10,
)

# Download URL of GEDI L2A product
print(results[0].getDownloadUrl())
```

```
https://e4ftl01.cr.usgs.gov//GEDI_L1_L2/GEDI/GEDI02_A.002/2019.04.18/GEDI02_A_
↳ 2019108002012_001959_01_T03909_02_003_01_V002.h5
```

## Converting the Paths

We'll create a helper function to handle the link conversions to AWS S3 links.

```
[4]: def lpdaac_gedi_https_to_s3(url):
      dir_comps = url.split("/")
      return f"s3://lp-prod-protected/{dir_comps[6]}/{dir_comps[8].strip('.h5')}/{dir_
↳ comps[8]}"

# Sample
lpdaac_gedi_https_to_s3(results[0].getDownloadUrl())

[4]: 's3://lp-prod-protected/GEDI02_A.002/GEDI02_A_2019108002012_001959_01_T03909_02_003_01_
↳ V002/GEDI02_A_2019108002012_001959_01_T03909_02_003_01_V002.h5'
```

## Accessing the Data

We'll fetch temporary S3 credentials for LPDAAC data and then view the BEAM groups of the first GEDI link in our results.

```
[5]: credentials = maap.aws.earthdata_s3_credentials(
      'https://data.lpdaac.earthdatacloud.nasa.gov/s3credentials'
)

s3 = fsspec.filesystem(
    "s3",
    key=credentials['accessKeyId'],
    secret=credentials['secretAccessKey'],
    token=credentials['sessionToken']
)

[6]: with s3.open(lpdaac_gedi_https_to_s3(results[0]._location), "rb") as f:
      gedi_data = h5py.File(f, "r")
      print(gedi_data.keys())

<KeysViewHDF5 ['BEAM0000', 'BEAM0001', 'BEAM0010', 'BEAM0011', 'BEAM0101', 'BEAM0110',
↳ 'BEAM1000', 'BEAM1011', 'METADATA']>
```

```
[ ]:
```

### 3.4.6 Direct DAAC S3 Bucket Access (BETA)

Authors: Alex Mandel (Development Seed), Brian Freitag (NASA MSFC), Jamison French (Development Seed)

Date: September 27, 2023

Description: In this tutorial, we demonstrate how to assume the MAAP data reader role to access specific DAAC buckets.

**This tutorial demonstrates an experimental feature to allow access to DAACs without using EarthDataLogin.**

This method currently works for a select number of DAACs and their EarthDataCloud datasets which are stored in AWS S3: - NSIDC - ORNL - GES DISC - LPDAAC - PODAAC

#### Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: this tutorial **must** be run within MAAP's ADE to assume the necessary permissions. This tutorial was tested using the **vanilla** workspace image. If you encounter issues with the installs, ensure you have the latest version of pip installed.

#### Additional Resources

- *Searching Granules in CMR*
- *Searching Collections in CMR*
- Package: fsspec s3fs

#### Importing Packages

If the packages below are not installed already, uncomment the following cell.

```
[ ]: %pip install h5netcdf fsspec s3fs xarray rioxarray --quiet
```

```
[1]: import boto3
import fsspec
import xarray
import rioxarray
import matplotlib.pyplot as plt
import rasterio
from rasterio.session import AWSSession
```

## Access The Data

We'll create a couple helper functions to setup the assumed role session and view the data.

```
[2]: def assume_role_credentials(ssm_parameter_name):
    # Create a session using your current credentials
    session = boto3.Session()

    # Retrieve the SSM parameter
    ssm = session.client('ssm', "us-west-2")
    parameter = ssm.get_parameter(
        Name=ssm_parameter_name,
        WithDecryption=True
    )
    parameter_value = parameter['Parameter']['Value']

    # Assume the DAAC access role
    sts = session.client('sts')
    assumed_role_object = sts.assume_role(
        RoleArn=parameter_value,
        RoleSessionName='TutorialSession'
    )

    # From the response that contains the assumed role, get the temporary
    # credentials that can be used to make subsequent API calls
    credentials = assumed_role_object['Credentials']

    return credentials

# We can pass assumed role credentials into fsspec
def fsspec_access(credentials):
    return fsspec.filesystem(
        "s3",
        key=credentials['AccessKeyId'],
        secret=credentials['SecretAccessKey'],
        token=credentials['SessionToken']
    )

# We can also pass assumed role credentials into rasterio AWSSession
def rasterio_access(credentials):
    aws_session = AWSSession(
        aws_access_key_id=credentials['AccessKeyId'],
        aws_secret_access_key=credentials['SecretAccessKey'],
        aws_session_token=credentials['SessionToken']
    )

    return rasterio.Env(aws_session)
```

Initialize the assumed role sessions

```
[3]: s3_fsspec = fsspec_access(assume_role_credentials("/iam/maap-data-reader"))
s3_rasterio = rasterio_access(assume_role_credentials("/iam/maap-data-reader"))
```

## NSIDC DAAC Access

We can use xarray to open a specific GROUP within the HDF5 such as the “gt1l” track.

```
[4]: nsidc_object = "s3://nsidc-cumulus-prod-protected/ATLAS/ATL08/006/2023/06/21/ATL08_
↳20230621235543_00272011_006_01.h5"
with s3_fsspec.open(nsidc_object) as f:
    ds = xarray.open_dataset(f, group='gt1l/land_segments', engine="h5netcdf", phony_
↳dims='sort')
ds
```

```
[4]: <xarray.Dataset>
Dimensions:          (delta_time: 21470, ds_geosegments: 5, ds_surf_type: 5)
Coordinates:
  * delta_time      (delta_time) datetime64[ns] 2023-06-21T23:55:51.147657...
    latitude        (delta_time) float32 ...
    longitude       (delta_time) float32 ...
Dimensions without coordinates: ds_geosegments, ds_surf_type
Data variables: (12/41)
  asr                (delta_time) float32 ...
  atlas_pa           (delta_time) float32 ...
  beam_azimuth       (delta_time) float32 ...
  beam_coelev        (delta_time) float32 ...
  brightness_flag    (delta_time) float32 ...
  cloud_flag_atm     (delta_time) float32 ...
  ...
  snr                (delta_time) float32 ...
  solar_azimuth      (delta_time) float32 ...
  solar_elevation    (delta_time) float32 ...
  surf_type          (delta_time, ds_surf_type) int8 ...
  terrain_flg        (delta_time) float64 ...
  urban_flag         (delta_time) float64 ...
Attributes:
  Description:    Contains data categorized as land at 100 meter intervals.
  data_rate:     Data are stored as aggregates of 100 meters.
```

## ORNL DAAC Access

We can also use rioarray to inspect our TIF objects.

```
[5]: ornl_object = "s3://ornl-cumulus-prod-protected/gedi/GEDI_L4B_Gridded_Biomass_V2_1/data/
↳GEDI04_B_MW019MW223_02_002_02_R01000M_SE.tif"

with s3_fsspec.open(ornl_object) as obj:
    data_array = rioarray.open_rasterio(obj)
data_array
```

```
[5]: <xarray.DataArray (band: 1, y: 14616, x: 34704)>
[507233664 values with dtype=float32]
Coordinates:
  * band          (band) int64 1
  * x             (x) float64 -1.737e+07 -1.737e+07 ... 1.737e+07 1.737e+07
  * y             (y) float64 7.314e+06 7.313e+06 ... -7.313e+06 -7.314e+06
```

(continues on next page)

(continued from previous page)

```

    spatial_ref  int64  0
Attributes:
  AREA_OR_POINT:  Area
  _FillValue:     -9999.0
  scale_factor:   1.0
  add_offset:     0.0

```

## PO DAAC Access

```

[7]: po_object = "s3://podaac-ops-cumulus-protected/OPERA_L3_DSWX-HLS_PROVISIONAL_V1/OPERA_L3_
↳DSWx-HLS_T55GEM_20230813T235239Z_20230815T154108Z_S2B_30_v1.0_B01_WTR.tif"
with s3_fsspec.open(po_object) as obj:
    data_array = rioxarray.open_rasterio(obj)
data_array

```

```

[7]: <xarray.DataArray (band: 1, y: 3660, x: 3660)>
[13395600 values with dtype=uint8]
Coordinates:
  * band          (band) int64 1
  * x             (x) float64 5e+05 5e+05 5.001e+05 ... 6.097e+05 6.098e+05
  * y             (y) float64 -4.8e+06 -4.8e+06 -4.8e+06 ... -4.91e+06 -4.91e+06
  spatial_ref     int64 0
Attributes: (12/48)
  ACCODE: ...
  AEROSOL_CLASS_REMAPPING_ENABLED: ...
  AEROSOL_NOT_WATER_TO_HIGH_CONF_WATER_FMASK_VALUES: ...
  AEROSOL_PARTIAL_SURFACE_AGGRESSIVE_TO_HIGH_CONF_WATER_FMASK_VALUES: ...
  AEROSOL_PARTIAL_SURFACE_WATER_CONSERVATIVE_TO_HIGH_CONF_WATER_FMASK_VALUE...
  AEROSOL_WATER_MODERATE_CONF_TO_HIGH_CONF_WATER_FMASK_VALUES: ...
  ...
  WORLDCOVER_COVERAGE: ...
  WORLDCOVER_SOURCE: ...
  _FillValue: ...
  scale_factor: ...
  add_offset: ...
  long_name: ...

```

## GES DISC Access

```

[8]: ges_disc_object = "s3://gesdisc-cumulus-prod-protected/Landslide/Global_Landslide_
↳Nowcast.1.1/2020/Global_Landslide_Nowcast_v1.1_20201231.tif"
with s3_fsspec.open(ges_disc_object) as obj:
    data_array = rioxarray.open_rasterio(obj)
data_array

```

```

[8]: <xarray.DataArray (band: 1, y: 14400, x: 43200)>
[622080000 values with dtype=uint8]
Coordinates:

```

(continues on next page)

(continued from previous page)

```

* band          (band) int64 1
* x             (x) float64 -180.0 -180.0 -180.0 -180.0 ... 180.0 180.0 180.0
* y             (y) float64 60.0 59.99 59.98 59.97 ... -59.98 -59.99 -60.0
  spatial_ref   int64 0
Attributes:
  AREA_OR_POINT: Area
  STATISTICS_MAXIMUM: 2
  STATISTICS_MEAN: nan
  STATISTICS_MINIMUM: 0
  STATISTICS_STDDEV: nan
  _FillValue: 255
  scale_factor: 1.0
  add_offset: 0.0

```

## LP DAAC Access

We can also use rasterio to directly inspect our TIF objects.

```
[9]: lp_object = "s3://lp-prod-protected/HLSL30.020/HLS.L30.T56JMN.2023225T234225.v2.0/HLS.
↳L30.T56JMN.2023225T234225.v2.0.B11.tif"
```

```

with s3_rasterio:
    with rasterio.open(lp_object) as src:
        print(f'Width: {src.width}')
        print(f'Height: {src.height}')
        print(f'Bounds: {src.bounds}')
        print(f'CRS: {src.crs}')
        print(f'Count: {src.count}')
        print(f'Data type: {src.dtypes}')

```

```

Width: 3660
Height: 3660
Bounds: BoundingBox(left=399960.0, bottom=-3309780.0, right=509760.0, top=-3199980.0)
CRS: EPSG:32656
Count: 1
Data type: ('int16',)

```

```
[ ]:
```

## 3.5 Query

### 3.5.1 Fields Within the Gedi Cal/Val Data

Author: Samuel Ayers (UAH)

Updated: June 30, 2020

The Global Ecosystem Dynamics Investigation (GEDI) Forest Structure and Biomass Database (FSBD) is a collection of field and LiDAR datasets developed to serve a central repository for calibration and validation of the GEDI mission

data. The GEDI Cal/Val Field Data collection contains the field data contributions to the FSBD. The database has contributions across the globe for a variety of vegetation types from projects dating back to 2003.

The table below describes the variables found in the files:

variable	units	description
plot	NA	name of plot
subplot	NA	subplot identifier
survey	NA	name of survey event
private	NA	data privacy (1=private, 0=public)
date	NA	date of survey event
region	NA	region of plot location: Eu=Europe; As=Asia; Au=Australia/New Zealand; Af=Africa; SEAsia=South East Asia
vegetation	NA	vegetation type where sampled: Sav = Savannah; TropRF = Tropical rainforest; TempRF = Temperate rainforest
map	mm	mean annual rainfall
mat	deg	mean annual temperature
pft.modis	NA	plant functional type from the nearest MCD12Q1 product date
pft.name	NA	plant functional type from field descriptions or other ancillary data
wwf.ecoregion	NA	Terrestrial ecoregion from the WWF Olson et al. (2004) terrestrial ecoregions of the globe
latitude	deg	latitude of location where sampled (-90 to 90 deg South to North)
longitude	deg	longitude of location where sampled (-180 to 180 deg West to East)
p.sample	NA	subplot type: 0=independent fixed area plots; 1=variable area plots; 2=multiple fixed area plots for ag
p.stemmap	NA	stem mapped plot (1=TRUE,0=FALSE)
p.origin	NA	origin of the plot, SW has to be interpreted as the lower left corner relative to the orientation
p.orientation	deg	orientation of plot degrees clockwise from UTM map grid north
p.shape	NA	plot shape (E=ellipse, R=rectangle)
p.majoraxis	m	major axis of plot
p.minoraxis	m	minor axis of plot
p.geom	m	plot geometry WKT string
p.epsg	NA	epsg code of the UTM zone used for the tree coordinates
p.area	m <sup>2</sup>	plot polygon area
p.mindiam	m	minimum tree diameter measured across all subplots
sp.geom	m	subplot geometry WKT string
sp.ix	NA	subplot track index
sp.iy	NA	subplot pulse index
sp.shape	NA	subplot shape (E=ellipse, R=rectangle)
sp.area	m <sup>2</sup>	subplot area
sp.mindiam	m	minimum tree diameter measured for the subplot
pai	m <sup>2</sup> /m <sup>2</sup>	plant area index of vegetation
lai	m <sup>2</sup> /m <sup>2</sup>	leaf area index of vegetation
cover	NA	vertically projected canopy cover (1-Pgap)
dft	NA	dominant plant functional type: EA = evergreen angiosperm; DA = deciduous angiosperm; EG = evergreen gymnosperm
agb	kg	mass of above-ground standing trees and shrubs
agb.valid	NA	valid above ground mass prediction (1=TRUE,0=FALSE)
agb.lower	kg	lower limit of standard error of mass of above-ground standing trees and shrubs
agb.upper	kg	upper limit of standard error of mass of above-ground standing trees and shrubs
agbd.ha	Mg/ha	mass density of above-ground standing trees and shrubs
agbd.ha.lower	Mg/ha	lower limit of standard error of mass density of above-ground standing trees and shrubs
agbd.ha.upper	Mg/ha	upper limit of standard error of mass density of above-ground standing trees and shrubs
sn	n	plot stem number
snd.ha	n/ha	plot stem number density
sba	m <sup>2</sup>	plot stand basal area
sba.ha	m <sup>2</sup> /ha	plot stand basal area per hectare
swsg.ba	g/cm <sup>3</sup> /m <sup>2</sup>	basal-area-weighted wood specific gravity

variable	units	description
h.t.max	m	maximum total height of plants from ground to highest leaf
sp.agb	kg	subplot mass of above-ground standing trees and shrubs
sp.agb.valid	NA	valid subplot above ground mass prediction (1=TRUE,0=FALSE)
sp.agbd.ha	Mg/ha	subplot mass density of above-ground standing trees and shrubs
sp.agbd.ha.lower	Mg/ha	subplot lower limit of standard error of mass density of above-ground standing trees and shrubs
sp.agbd.ha.upper	Mg/ha	subplot upper limit of standard error of mass density of above-ground standing trees and shrubs
sp.sba.ha	m <sup>2</sup> /ha	subplot stand basal area per hectare
sp.swsg.ba	g/cm <sup>3</sup> /m <sup>2</sup>	subplot basal-area-weighted wood specific gravity
sp.h.t.max	m	subplot maximum total height of plants from ground to highest leaf
l.project	NA	name of the lidar project dataset on UMD servers
l.instr	NA	lidar instrument manufacturer and model
l.epsg	NA	epsg code of the corresponding lidar data
l.date	NA	date of the corresponding lidar acquisition
g.fp	NA	geometry collection WKT string of GEDI lidar footprint center locations
tree.date	NA	date of tree measurement
family	NA	latin name of botanical family
species	NA	latin name of species (genus species)
pft	NA	plant functional type: EA = evergreen angiosperm; DA = deciduous angiosperm; EG = evergreen gymnosperm
wsg	g/cm <sup>3</sup>	the ratio of wood density to water
wsg.sd	g/cm <sup>3</sup>	standard deviation of WSG sample values
tree	NA	tree identifier
stem	NA	stem identifier
x	m	easting UTM coordinate
y	m	northing UTM coordinate
z	m	elevation relative to geoid coordinate
status	NA	live tree (1=TRUE,0=FALSE)
allom.key	NA	key to allometric LUT
a.stem	m <sup>2</sup>	area of total stem cross-section at measurement height
h.t	m	total height of plant from ground to highest leaf
h.t.mod	NA	tree heights modelled using local or regional DBH-Ht relationship
d.stem	m	diameter of stem at measurement height
d.stem.valid	NA	valid tree diameter to use in AGB calculation (1=TRUE,0=FALSE)
d.ht	m	height at which stem diameter was measured
c.w	m	diameter or width of crown
m.agb	kg	mass of above-ground components of tree

## 3.6 User Data

### 3.6.1 Adding Cloud-Optimized GeoTIFFs to the MAAP Biomass Earthdata Dashboard

Author(s): Aimee Barciauskas (Development Seed)

Date: Oct 14, 2021

Description: The following notebook steps through how to add a dataset to the MAAP Dashboard.

Note, there are 2 scenarios:

1. Adding a single Cloud-Optimized GeoTIFF (COG), and

2. Adding many distinct COGs as a “mosaic” with mosaicJSON.

High-level, the steps are:

1. Inspect your Cloud-Optimized GeoTIFF(s) (COGs) to understand the best rescale and colormap name parameters. Optionally create a mosaic.
2. Define a colormap. Colormaps provide mappings of data values to RGB values.
3. Create a PR to the datasets repo to add or update your dataset.

The MAAP dashboard has 3 environments:

1. Developer-in-test (DIT): <https://biomass.dit.maap-project.org>
2. Staging: <https://biomass.staging.maap-project.org>
3. Production: <https://biomass.maap-project.org>

These instructions will guide you towards adding your dataset to `biomass.dit.maap-project.org`. The MAAP Dashboard team will “promote” changes to staging and production periodically (release schedule forthcoming).

## Run This Notebook

To access and run this tutorial within MAAP’s Algorithm Development Environment (ADE), please refer to the “Getting started with the MAAP” section of our documentation.

Disclaimer: it is highly recommended to run a tutorial within MAAP’s ADE, which already includes packages specific to MAAP, such as `maap-py`. Running the tutorial outside of the MAAP ADE may lead to errors.

## Additional Resources

- [Cloud Native Geoguide](#)
- [Examples of Working with COGs](#)
- [Rio Tiler Colors](#)
- [Matplotlib Colors](#)

## Importing and Installing Packages

To be able to run this notebook you’ll need the following requirements: - rasterio - rio-cogeo - requests - cogeo-mosaic - folium

If the packages below are not installed already, uncomment the following cell:

```
[1]: # %pip install rasterio
      # %pip install rio-cogeo
      # %pip install requests
      # %pip install cogeo-mosaic
      # %pip install folium
```

```
[2]: import glob
      import json
      import os
      import matplotlib
```

(continues on next page)

(continued from previous page)

```
import requests
from pprint import pprint
from cogeo_mosaic.mosaic import MosaicJSON
from cogeo_mosaic.backends import MosaicBackend
from folium import Map, TileLayer, WmsTileLayer

titiler_endpoint = "https://titiler.maap-project.org"
```

### Step 1: Inspect Cloud-Optimized GeoTIFF(s)

In this step, we ensure that our data is valid, accessible, and looks as expected. We've included a helper function to translate MAAP ADE local paths to their respective S3 urls.

#### Accessing Files

```
[3]: project_dir = "/projects/shared-buckets/<your_name>/<project_dir>"

# e.g.
project_dir = "/projects/shared-buckets/alexdevseed/landsat8/viz/"
```

```
[4]: # Search for files to include, use recursive if nested folders (common in DPS output)
files = glob.glob(os.path.join(project_dir, "Landsat8*.tif"), recursive=False)
files = [os.path.basename(f) for f in files]
pprint(files[:10])

# Use the first product
_tif = files[0]

# Helper function
def local_to_s3(url):
    """A Function to convert local paths to s3 urls"""
    return url.replace("/projects/shared-buckets", "s3://maap-ops-workspace/shared")

['Landsat8_30542_comp_cog_2015-2020_dps.tif',
'Landsat8_30543_comp_cog_2015-2020_dps.tif',
'Landsat8_30822_comp_cog_2015-2020_dps.tif',
'Landsat8_30823_comp_cog_2015-2020_dps.tif']
```

```
[5]: %%bash -s "$project_dir" "$_tif"
rio cogeo validate $1/$2

/projects/shared-buckets/alexdevseed/landsat8/viz/Landsat8_30542_comp_cog_2015-2020_dps.
↪tif is a valid cloud optimized GeoTIFF
```

```
[6]: # Getting COG information
cog_info = requests.get(
    f"{titiler_endpoint}/cog/info",
    params={
        "url": f"{local_to_s3(project_dir)}{_tif}",
```

(continues on next page)

(continued from previous page)

```

    },
).json()

bounds = cog_info["bounds"]
pprint(cog_info)

{'band_descriptions': [['b1', 'Blue'],
                       ['b2', 'Green'],
                       ['b3', 'Red'],
                       ['b4', 'NIR'],
                       ['b5', 'SWIR'],
                       ['b6', 'NDVI'],
                       ['b7', 'SAVI'],
                       ['b8', 'MSAVI'],
                       ['b9', 'NDMI'],
                       ['b10', 'EVI'],
                       ['b11', 'NBR'],
                       ['b12', 'NBR2'],
                       ['b13', 'TCB'],
                       ['b14', 'TCG'],
                       ['b15', 'TCW'],
                       ['b16', 'ValidMask'],
                       ['b17', 'Xgeo'],
                       ['b18', 'Ygeo']],
 'band_metadata': [['b1', {}],
                   ['b2', {}],
                   ['b3', {}],
                   ['b4', {}],
                   ['b5', {}],
                   ['b6', {}],
                   ['b7', {}],
                   ['b8', {}],
                   ['b9', {}],
                   ['b10', {}],
                   ['b11', {}],
                   ['b12', {}],
                   ['b13', {}],
                   ['b14', {}],
                   ['b15', {}],
                   ['b16', {}],
                   ['b17', {}],
                   ['b18', {}]],
 'bounds': [-117.10749852280769,
            50.78795362739066,
            -116.50936927974429,
            51.16389512140189],
 'colorinterp': ['gray',
                 'undefined',
                 'undefined',
                 'undefined',
                 'undefined',
                 'undefined']

```

(continues on next page)

(continued from previous page)

```

        'undefined',
        'undefined'],
'count': 18,
'driver': 'GTiff',
'dtype': 'float32',
'height': 1000,
'maxzoom': 12,
'minzoom': 9,
'nodata_type': 'None',
'overviews': [2, 4],
'width': 1000}

```

```

[7]: # Getting band information
cog_stats = requests.get(
    f"{titiler_endpoint}/cog/statistics",
    params={
        "url": f"{local_to_s3(project_dir)}_{tif}",
    },
).json()
pprint(cog_stats["b1"])

```

```

{'count': 1000000.0,
 'histogram': [[128480.0,
                807237.0,
                53374.0,
                7274.0,
                2056.0,
                743.0,
                370.0,
                299.0,
                129.0,
                38.0],
               [0.0,
                4814.5,
                9629.0,
                14443.5,
                19258.0,
                24072.5,
                28887.0,
                33701.5,
                38516.0,
                43330.5,

```

(continues on next page)

(continued from previous page)

```

        48145.0]],
'majority': 0.0,
'masked_pixels': 0.0,
'max': 48145.0,
'mean': 7467.137024,
'median': 7989.0,
'min': 0.0,
'minority': 11663.0,
'percentile_2': 0.0,
'percentile_98': 12191.0,
'std': 2803.86812414882,
'sum': 7467137024.0,
'unique': 20318.0,
'valid_percent': 100.0,
'valid_pixels': 1000000.0}

```

### Create Parameters for the TITiler

These parameters will be passed to `titiler_endpoint` for visualization.

Note the values below: We're setting the `rescale` equal to the selected band's `min,max` values and selecting the `gist_earth_r` colormap. You should modify the `colormap_name` as makes sense for your dataset. This notebook includes a section on what colormaps are available and how to configure different types of colormaps and legends.

```

[8]: band = "b1"
     bidx = 1
     rescale = f"{cog_stats[band]['min']},{cog_stats[band]['max']}"

     params = {
         "tile_format": "png",
         "tile_scale": "1",
         "TileMatrixSetId": "WebMercatorQuad",
         "url": f"{local_to_s3(project_dir)}{tif}",
         "bidx": 1, # Select which band to use
         "resampling": "nearest",
         "rescale": rescale,
         "return_mask": "true",
         "colormap_name": "gist_earth_r",
     }

```

### Scenario 1: Adding a Single COG

#### Upload File

Only use the following steps if you only have one COG to share to the dashboard. If you want to create a mosaic from multiple COGs, skip Scenario 1 and go to Scenario 2.

If you haven't already, upload the file to S3 and make note of the location. In this tutorial, we're using a `land-sat8/visualization` TIF already in S3 for the `url` parameter value.

## Test COG with TiTiler and Folium

```
[9]: response = requests.get(f"{titiler_endpoint}/cog/tilejson.json", params=params).json()
```

```
[10]: m = Map(
    tiles="OpenStreetMap",
    location=((bounds[1] + bounds[3]) / 2, (bounds[0] + bounds[2]) / 2),
    zoom_start=cog_info["minzoom"],
)

tiles = TileLayer(tiles=response["tiles"][0], opacity=1, attr="USGS")

tiles.add_to(m)
m
```

```
[10]: <folium.folium.Map at 0x7f78ef4be440>
```

## Scenario 2: Adding Data from Multiple COGs by Creating a Mosaic

Many datasets are comprised of many tiles distributed spatially over the globe. In order to visualize them all together, we can use [mosaicJSON](#) to create a mosaic for the dynamic tiler API. The dynamic tiler API knows how to read this mosaicJSON and select which tiles to render based on the current zoom, x and y coordinates across spatially distinct COGs.

```
[11]: tiles = [f"{local_to_s3(project_dir)}{file}" for file in files]
```

```
[12]: mosaicdata = MosaicJSON.from_urls(tiles, minzoom=1, maxzoom=16)
mosaicdata
```

```
[12]: MosaicJSON(mosaicjson='0.0.3', name=None, description=None, version='1.0.0',
↳ attribution=None, minzoom=1, maxzoom=16, quadkey_zoom=1, bounds=(-117.19773367251135,
↳ 50.19386902261471, -116.26013039328576, 51.16389512140189), center=(-116.
↳ 72893203289856, 50.67888207200831, 1), tiles={'0': ['s3://maap-ops-workspace/shared/
↳ alexdevseed/landsat8/viz/Landsat8_30542_comp_cog_2015-2020_dps.tif', 's3://maap-ops-
↳ workspace/shared/alexdevseed/landsat8/viz/Landsat8_30543_comp_cog_2015-2020_dps.tif',
↳ 's3://maap-ops-workspace/shared/alexdevseed/landsat8/viz/Landsat8_30822_comp_cog_2015-
↳ 2020_dps.tif', 's3://maap-ops-workspace/shared/alexdevseed/landsat8/viz/Landsat8_30823_
↳ comp_cog_2015-2020_dps.tif']}, tilematrixset=None, asset_type=None, asset_prefix=None,
↳ data_type=None, colormap=None, layers=None)
```

## Using MosaicJSON with TiTiler

There are 2 options for using mosaicJSON with titiler:

1. (Preferred) Post mosaicJSON to titiler mosaics endpoint and use the mosaicjson/mosaics endpoint for dynamic tiling.
2. Upload mosaicJSON to S3 and pass the S3 url to the titiler mosaicjson/tiles endpoint.

## Post MosaicJSON to TiTiler

```
[13]: mosaic_links = requests.post(
    url=f"{titiler_endpoint}/mosaics",
    headers={
        "Content-Type": "application/vnd.titiler.mosaicjson+json",
    },
    json=mosaicdata.model_dump(exclude_none=True),
).json()

pprint(mosaic_links)

mosaic_id = mosaic_links["id"]

{'id': '1cecf064-1f2c-4adf-b7b3-7121fdc8f97d',
 'links': [{'href': 'https://titiler.maap-project.org/mosaics/1cecf064-1f2c-4adf-b7b3-
↪7121fdc8f97d',
            'rel': 'self',
            'title': 'Self',
            'type': 'application/json'},
           {'href': 'https://titiler.maap-project.org/mosaics/1cecf064-1f2c-4adf-b7b3-
↪7121fdc8f97d/mosaicjson',
            'rel': 'mosaicjson',
            'title': 'MosaicJSON',
            'type': 'application/json'},
           {'href': 'https://titiler.maap-project.org/mosaics/1cecf064-1f2c-4adf-b7b3-
↪7121fdc8f97d/tilejson.json',
            'rel': 'tilejson',
            'title': 'TileJSON',
            'type': 'application/json'},
           {'href': 'https://titiler.maap-project.org/mosaics/1cecf064-1f2c-4adf-b7b3-
↪7121fdc8f97d/tiles/{z}/{x}/{y}',
            'rel': 'tiles',
            'title': 'Tiles',
            'type': 'application/json'},
           {'href': 'https://titiler.maap-project.org/mosaics/1cecf064-1f2c-4adf-b7b3-
↪7121fdc8f97d/WMTSCapabilities.xml',
            'rel': 'wmts',
            'title': 'WMTS',
            'type': 'application/json'}}]}

[14]: tilejson_endpoint = list(
    filter(lambda x: x.get("rel") == "tilejson", dict(mosaic_links)["links"])
)
tilejson_endpoint

[14]: [{'href': 'https://titiler.maap-project.org/mosaics/1cecf064-1f2c-4adf-b7b3-7121fdc8f97d/
↪tilejson.json',
        'rel': 'tilejson',
        'type': 'application/json',
        'title': 'TileJSON'}]]
```

## Test Mosaic with TiTiler and Folium

```
[15]: params = {
    "tile_format": "png",
    "bidx": bidx,
    "resampling": "nearest",
    "rescale": rescale,
    "return_mask": "true",
    "colormap_name": "viridis",
    "pixel_selection": "first",
}

r_te = requests.get(tilejson_endpoint[0]["href"], params=params).json()

tiles = TileLayer(tiles=f"{r_te['tiles'][0]}", opacity=1, attr="USGS")

tiles.add_to(m)
m
```

```
[15]: <folium.folium.Map at 0x7f78ef4be440>
```

### Step 2: Define a Color Map

By default, the image will be displayed in greyscale if no `colormap_name` parameter is passed to the titiler API. Guidance below is provided to help determine what a valid `colormap_name` might be and how to create a legend for the dashboard.

### Dashboard ColorRamps & Legends

When using the dashboard, there 2 components for implementing a color scheme for your map. There is the map render and there is the legend.

Titiler used for Cloud Optimized Geotiff (COG) rendering accepts any color scheme from the python matplotlib library, and custom color formulas.

- [Rio Tiler Colors](#)
- [Matplotlib Colors](#)

Available `colormap_name` values for titiler: above, accent, accent\_r, afmhot, afmhot\_r, autumn, autumn\_r, binary, binary\_r, blues, blues\_r, bone, bone\_r, brbg, brbg\_r, brg, brg\_r, bugn, bugn\_r, bupu, bupu\_r, bwr, bwr\_r, cfastie, cividis, cividis\_r, cmrmap, cmrmap\_r, cool, cool\_r, coolwarm, coolwarm\_r, copper, copper\_r, cubehelix, cubehelix\_r, dark2, dark2\_r, flag, flag\_r, gist\_earth, gist\_earth\_r, gist\_gray, gist\_gray\_r, gist\_heat, gist\_heat\_r, gist\_ncar, gist\_ncar\_r, gist\_rainbow, gist\_rainbow\_r, gist\_stern, gist\_stern\_r, gist\_yarg, gist\_yarg\_r, gnbu, gnbu\_r, gnuplot, gnuplot2, gnuplot2\_r, gnuplot\_r, gray, gray\_r, greens, greens\_r, greys, greys\_r, hot, hot\_r, hsv, hsv\_r, inferno, inferno\_r, jet, jet\_r, magma, magma\_r, nipy\_spectral, nipy\_spectral\_r, ocean, ocean\_r, oranges, oranges\_r, orrd, orrd\_r, paired, paired\_r, pastel1, pastel1\_r, pastel2, pastel2\_r, pink, pink\_r, piyg, piyg\_r, plasma, plasma\_r, prgn, prgn\_r, prism, prism\_r, pubu, pubu\_r, pubugn, pubugn\_r, puor, puor\_r, purd, purd\_r, purples, purples\_r, rainbow, rainbow\_r, rdpu, rdpu\_r, rdylbu, rdylbu\_r, rdylgn, rdylgn\_r, reds, reds\_r, rplumbo, schwarzwald, seismic, seismic\_r, set1, set1\_r, set2, set2\_r, set3, set3\_r, spectral, spectral\_r, spring, spring\_r, summer, summer\_r, tab10, tab10\_r, tab20,

tab20\_r, tab20b, tab20b\_r, tab20c, tab20c\_r, terrain, terrain\_r, twilight, twilight\_r, twilight\_shifted, twilight\_shifted\_r, viridis, viridis\_r, winter, winter\_r, wistia, wistia\_r, ylgn, ylgn\_r, ylgnbu, ylgnbu\_r, ylorbr, ylorbr\_r, ylorrd, ylorrd\_r

### Example 1: Class Based Known Colors

In this example, the raster represents classes of forest with 11 possible values. There are specific colors selected to correspond to each class. We combine the list of colors and the list of classes and format them for the legend parameter the dashboard needs.

<https://github.com/MAAP-Project/dashboard-datasets-maap/blob/main/datasets/taiga-forest-classification.json>

```
[16]: colors = [
    "#5255A3",
    "#1796A3",
    "#FDBF6F",
    "#FF7F00",
    "#FFFFBF",
    "#D9EF8B",
    "#91CF60",
    "#1A9850",
    "#C4C4C4",
    "#FF0000",
    "#0000FF",
]
labels = [
    "Sparse & Uniform",
    "Sparse & Diffuse-gradual",
    "Sparse & Diffuse-rapid",
    "Sparse & Abrupt ",
    "Open & Uniform ",
    "Open & Diffuse-gradual",
    "Open & Diffuse-rapid",
    "Open & Abrupt",
    "Intermediate & Closed",
    "Non-forest edge (dry)",
    "Non-forest edge (wet)",
]

legend = [dict(color=colors[i], label=labels[i]) for i in range(0, len(colors))]
print(json.dumps(legend, indent=2))
```

*# Copy and Paste the output below to your dashboard config.*

```
[
  {
    "color": "#5255A3",
    "label": "Sparse & Uniform"
  },
  {
    "color": "#1796A3",
    "label": "Sparse & Diffuse-gradual"
  },
]
```

(continues on next page)

(continued from previous page)

```

{
  "color": "#FDBF6F",
  "label": "Sparse & Diffuse-rapid"
},
{
  "color": "#FF7F00",
  "label": "Sparse & Abrupt "
},
{
  "color": "#FFFFBF",
  "label": "Open & Uniform "
},
{
  "color": "#D9EF8B",
  "label": "Open & Diffuse-gradual"
},
{
  "color": "#91CF60",
  "label": "Open & Diffuse-rapid"
},
{
  "color": "#1A9850",
  "label": "Open & Abrupt"
},
{
  "color": "#C4C4C4",
  "label": "Intermediate & Closed"
},
{
  "color": "#FF0000",
  "label": "Non-forest edge (dry)"
},
{
  "color": "#0000FF",
  "label": "Non-forest edge (wet)"
}
]

```

### Example 2: Discrete ColorRamp

In this example, the range of values is known, but the color scale has many non-sequential colors. Starting with the premade color list, we create a continuous color ramp that uses the known colors as stops points. Arbitrarily 12 breaks looked decent in the dashboard legend so we split it into 12 discrete colors. Then combine the list of values and colors into the correct json syntax.

<https://github.com/MAAP-Project/dashboard-datasets-maap/blob/main/datasets/ATL08.json>

```

[17]: forest_ht = matplotlib.colors.LinearSegmentedColormap.from_list(
      "forest_ht",
      [
        "#636363",

```

(continues on next page)

(continued from previous page)

```

        "#FC8D59",
        "#FEE08B",
        "#FFFFBF",
        "#D9EF8B",
        "#91CF60",
        "#1A9850",
        "#005A32",
    ],
    12,
)
cols = [matplotlib.colors.to_hex(forest_ht(i)) for i in range(forest_ht.N)]

cats = range(0, 25, (25 // len(cols)))
legend = [[cats[i], cols[i]] for i in range(0, len(cols))]
text = json.dumps(legend, separators=(",", ": "))

print(text.replace("\n", "\n"))

# Copy and Paste the output below to your dashboard config.

```

```

[[0, "#636363"],
 [2, "#c47e5d"],
 [4, "#fda467"],
 [6, "#fed886"],
 [8, "#fff1a7"],
 [10, "#f8fcb6"],
 [12, "#e0f294"],
 [14, "#b8e077"],
 [16, "#86ca5f"],
 [18, "#3aa754"],
 [20, "#118145"],
 [22, "#005a32"]]

```

### Example 3: Continuous ColorRamp

In this example, we are using a built in ColorRamp from matplotlib. So we just need to extract enough colors to fill the legend adequately, and convert the colors to hex codes.

<https://github.com/MAAP-Project/dashboard-datasets-maap/blob/main/datasets/topo.json>

```

[18]: cmap_name = "gist_earth_r"
cmap = matplotlib.cm.get_cmap(cmap_name, 12)
cols = [matplotlib.colors.to_hex(cmap(i)) for i in range(cmap.N)]
print(cols)

# Copy and Paste the output below to your dashboard config.

```

```

['#fdfbfb', '#e3c3b5', '#c9a87a', '#bab060', '#9db059', '#76a652', '#45994a', '#3a8c66',
↪ '#2e7c7f', '#1f567b', '#0f2577', '#000000']

```

### Step 3: Create and Submit Pull Request to Add Dashboard Dataset

```
[19]: # This example is for a continuous color ramps
dataset_type = "raster"
dataset_id = "paraguay-estimated-biomass"
dataset_name = "Estimated Biomass in Paraguay"

stops = cols
legend_type = "gradient-adjustable"
info = "Estimated biomass within 6km grids."

sample_bidx = 1
sample_band_min = 0
sample_band_max = 4000
parameters = (
    f"colormap_name={cmap_name}&rescale={sample_band_min},{sample_band_max}&bidx={bidx}"
)
```

```
[20]: # Single COG
tiles_link = f"{titiler_endpoint}/cog/tiles/{z}/{x}/{y}.png?url=s3://example-
→bucket/path/to/object/example.tif&{parameters}"

# Mosaic
mosaic_link = (
    f"{titiler_endpoint}/mosaic/{mosaic_id}/tiles/{z}/{x}/{y}?{parameters}"
)
```

```
[21]: dataset_dict = {
    "id": dataset_id,
    "name": dataset_name,
    "type": dataset_type,
    "swatch": {"color": "#6976d7", "name": "Moody Blue"},
    "source": {"type": dataset_type, "tiles": [tiles_link]},
    "legend": {
        "type": legend_type,
        "min": sample_band_min,
        "max": sample_band_max,
        "stops": stops,
    },
    "info": info,
}
print(json.dumps(dataset_dict, indent=4))
```

```
{
  "id": "paraguay-estimated-biomass",
  "name": "Estimated Biomass in Paraguay",
  "type": "raster",
  "swatch": {
    "color": "#6976d7",
    "name": "Moody Blue"
  },
  "source": {
    "type": "raster",
```

(continues on next page)

(continued from previous page)

```

    "tiles": [
      "https://titiler.maap-project.org/cog/tiles/{z}/{x}/{y}.png?url=s3://example-
↪bucket/path/to/object/example.tif&colormap_name=gist_earth_r&rescale=0,4000&bidx=1"
    ]
  },
  "legend": {
    "type": "gradient-adjustable",
    "min": 0,
    "max": 4000,
    "stops": [
      "#fdfbfb",
      "#e3c3b5",
      "#c9a87a",
      "#bab060",
      "#9db059",
      "#76a652",
      "#45994a",
      "#3a8c66",
      "#2e7c7f",
      "#1f567b",
      "#0f2577",
      "#000000"
    ]
  },
  "info": "Estimated biomass within 6km grids."
}

```

### Clone the Datasets Repository

```

git clone git@github.com:MAAP-Project/biomass-dashboard-datasets.git
cd biomass-dashboard-datasets
git checkout -b feature/dataset-name
# select and copy json above
echo <copied_json> >> datasets/paraguay-estimated-biomass.json

```

### Add JSON to Product or Country Pilot

In `country_pilots/paraguay/country_pilot.json`:

```

{
  "id": "paraguay",
  "label": "Paraguay",
  //...
  "datasets": [
    {
      "id": "paraguay-forest-mask"
    },
    {
      "id": "paraguay-tree-cover"
    }
  ]
}

```

(continues on next page)

(continued from previous page)

```
    },  
    {  
      "id": "paraguay-estimated-biomass"  
    }  
  ]  
}
```

### Add Content to summary.html

There should be a `summary.html` file corresponding to the product or country pilot you are working on, for example: `country_pilots/paraguay/summary.html`. Add or modify content in that file as appropriate.

### Add Dataset(s) to config.yml

In `config.yml`:

```
DATASETS:  
- paraguay-estimated-biomass.json
```

### Create Pull Request

Once you have added the dataset json file and summary content, submit a PR to <https://github.com/MAAP-Project/biomass-dashboard-datasets>. A member of the data team will review the PR and when it is merged your content will appear in `biomass.dit.maap-project.org`.

## 3.6.2 Memory Profiling Python Scripts in the MAAP ADE

Authors: Rajat Shinde (UAH), Alex Mandel (DevSeed), Jamison French (DevSeed), Sheyenne Kirkland (UAH), Brian Freitag (NASA MSFC), Chuck Daniels (DevSeed)

Date: February 7, 2024

Description: Memory profiling your Python script is a good practice to understand the resource requirements. This is useful when you have working code and you want to estimate the size of the DPS worker to be used. Additionally, it is helpful to optimize the code for resource requirements.

In this tutorial, we will use `memory-profiler` for profiling a sample Python script `demo_memory_profiling.py`. We also see how to log the output to a `.log` file.

### Run This Notebook

To access and run this tutorial within MAAP's Algorithm Development Environment (ADE), please refer to the "Getting started with the MAAP" section of our documentation.

Disclaimer: It is highly recommended to run a tutorial within MAAP's ADE, which already includes packages specific to MAAP, such as `maap-py`. Running the tutorial outside of the MAAP ADE may lead to errors.

## Additional Resources

1. [https://github.com/pythonprofilers/memory\\_profiler](https://github.com/pythonprofilers/memory_profiler)

## Installation

We will begin by installing `memory-profiler` in the current working environment.

```
[1]: # !pip install -U memory-profiler

Collecting memory-profiler
  Using cached memory_profiler-0.61.0-py3-none-any.whl (31 kB)
Requirement already satisfied: psutil in /opt/conda/envs/vanilla/lib/python3.10/site-
↳ packages (from memory-profiler) (5.9.7)
Installing collected packages: memory-profiler
WARNING: Running pip as the 'root' user can result in broken permissions and conflicting_
↳ behaviour with the system package manager. It is recommended to use a virtual_
↳ environment instead: https://pip.pypa.io/warnings/venv
Successfully installed memory-profiler-0.61.0
```

## Add Decorator

Typically, line-by-line memory usage is required for analyzing code. For this example, we are creating dummy functions to be profiled, named `my_function` and `my_other_function`.

You may add the `@profile` decorator to individual functions that you want to profile. This allows you to limit which parts of your program are profiled, thus limiting the volume of profiling output.

However, this requires you to modify your code. If you wish to avoid modifying your code, particularly when it is not yet obvious which parts of your code may be consuming too much memory, simply add the `-m memory_profiler` to the python command.

```
[13]: from memory_profiler import profile

@profile
def my_function():
    # Perform some potentially memory-intensive computation

    return 0

@profile
def my_other_function():
    # Perform some potentially memory-intensive computation

    return 0

def main():
    my_function()
    my_other_function()

    #...
```

(continues on next page)

(continued from previous page)

```
if __name__ == "__main__":
    main()

ERROR: Could not find file /tmp/ipykernel_314/3429381877.py
ERROR: Could not find file /tmp/ipykernel_314/3429381877.py
```

### Running Memory Profiler

For understanding how to run memory profiler on an existing Python script from a Jupyter notebook, we copied the code snippet from above to a file named `demo_memory_profiling.py` in the working directory. After executing the Python script, we can see the details about memory usage and increment due to a particular line in the output.

```
[10]: # With @profile decorator in the script

!python demo_memory_profiling.py

Filename: /projects/maap-documentation/docs/source/technical_tutorials/user_data/demo_
↳memory_profiling.py

Line #      Mem usage      Increment    Occurrences   Line Contents
=====
      6      43.6 MiB      43.6 MiB         1   @profile
      7                               def my_function():
      8                               # Include each line of the script_
↳which needs to be profiled
      9                               # under this function
     10
     11      43.6 MiB       0.0 MiB         1   return 0

Filename: /projects/maap-documentation/docs/source/technical_tutorials/user_data/demo_
↳memory_profiling.py

Line #      Mem usage      Increment    Occurrences   Line Contents
=====
     13      43.6 MiB      43.6 MiB         1   @profile
     14                               def my_other_function():
     15                               # Include each line of the script_
↳which needs to be profiled
     16                               # under this function
     17
     18      43.6 MiB       0.0 MiB         1   return 0
```

## Logging the Output

By default, the output can be seen in the cell output or on the command line as standard output. This can be changed to store the output in a log file. For more details, it is recommended to follow the [documentation](#).

```
[14]: fp=open('memory_profiler.log','w+')
@profile(stream=fp)
def my_function():
    # Perform some potentially memory-intensive computation

    return 0

@profile(stream=fp)
def my_other_function():
    # Perform some potentially memory-intensive computation

    return 0

def main():
    my_function()
    my_other_function()

    #...

if __name__ == "__main__":
    main()
```

```
ERROR: Could not find file /tmp/ipykernel_314/1328302985.py
ERROR: Could not find file /tmp/ipykernel_314/1328302985.py
```

To test the logging, we will run memory profiling on the `demo_memory_profiling_logging.py` script saved in the working directory.

```
[12]: !python demo_memory_profiling_logging.py
```

After executing the above script, we can see that the memory profiling output is saved in the `memory_profiler.log` file. You can also log profiling output to different log files for different functions by defining a separate logging file in the argument `fp`.



## SYSTEM REFERENCE GUIDE

### 4.1 Workspace Creation and Set-up


#### 4.1.1 Create a Basic Workspace

Navigate to the side panel tab Workspaces and click Add Workspace. On the Get Started tab, you can select a Stack (pre-set environment) to get started quickly.

To see what each Stack has pre-installed, check the Github repo ([https://github.com/MAAP-Project/maap-workspaces/tree/main/base\\_images](https://github.com/MAAP-Project/maap-workspaces/tree/main/base_images)) and look at the Dockerfiles. Currently there is not a better way to reliably understand what is in each.

To customize your Workspace after creating it, you can use conda. Further documentation on how to do this is in the *Environments section* of this documentation.


If you would like a more customized approach, on the Custom Workspace tab you can name your workspace, select the storage type, and select a devfile template from available stacks or upload your own devfile.



### 4.1.2 Upgrading an Existing Workspace

As improvements to workspaces are rolled out there are two main ways to upgrade your experience:

1. Create a new workspace with the latest version of Stack that you are using.
2. Edit the Workspace Devfile by going to the Workspaces section on the left-side blue-panel and selecting the gear icon (Configure workspace) for the Workspace that you wish to update. Then choose the Devfile tab. Update the “image” setting to the version of Workspace you would like to use and press Apply in the lower right—note that this will stop and restart the Workspace. If you are not sure which version of workspace to use, check the options by browsing the [Container Registry](#).



Workspaces > vanilla-docs-demo0-301 Starting[Overview](#) [Projects](#) [Plugins](#) [Editors](#) **Devfile** [Share](#)


Workspace

```
1  apiVersion: 1.0.0
2  metadata:
3    name: vanilla-docs-demo0-301
4  attributes:
5    editorFree: 'true'
6  components:
7    - endpoints:
8      - attributes:
9        type: ide
10       discoverable: 'false'
11       path: /
12       protocol: http
13       public: 'true'
14       name: jupyter
15       port: 3100
16     referenceContent: |
17       kind: List
18       items:
19         - apiVersion: v1
20           kind: Pod
21           metadata:
22             name: ws
23             labels:
24               ssh: enabled
25           spec:
26             volumes:
27               - name: ws-pvc
28                 persistentVolumeClaim:
29                   claimName: ws
30               - name: s3fs-volume
31                 emptyDir: {}
32             containers:
33               - name: jupyter
34                 image: 'mas.maap-project.org/root/maap-workspaces/jupyterlab3/vanilla:v3.0.1'
35                 imagePullPolicy: Always
36                 resources:
37                   limits:
38                     memory: 8096Mi
```

[Devfile Documentation](#)

### 4.1.3 Advanced Creation: Alter the Workspace Memory Limit

Here, you can edit the devfile under `containers/jupyter/resources/limits/memory` to alter the memory limit for your workspace.



If you want to edit the devfile or your workspace’s memory limit after its creation, just click on the Workspaces side panel tab, then the workspace, then the Devfile tab at the top of the page.

**DISCLAIMER:** MAAP might change the way that we do workspace memory limits in the future, including restricting the memory that a user can allocate for their workspace. For now, as a courtesy to other users only increase the memory limit if your kernel keeps running out of memory and crashing. If you’re not sure why your kernel is crashing after increasing your workspace’s memory limit, please contact the development team. We recommend using a memory limit of 16GB (which means altering the devfile to `memory: 15258Mi`).

### 4.1.4 Rename a Workspace

#### Option 1: At Workspace Creation

You can replace the auto-generated workspace name during creation via the Custom Workspace option.

**Create Custom Workspace**

Get Started   Custom Workspace

Namespace 🔍

Workspace Name \*

Storage Type  [Learn more about storage types](#)

Devfile \*  
Select a devfile from a templates or enter devfile URL

✕ or

```

1  apiVersion: 1.0.0
2  metadata:
3    name: vanilla-example-workspace
4  attributes:
5    editorFree: 'true'
6  components:

```

## Option 2: Edit Existing Workspace

1. In the workspaces tab under the Che side panel, select the workspace you want to rename.

**Workspaces**

A workspace is where your projects live and run. Create workspaces from stacks that define projects, runtimes, and commands. [Learn more.](#)

NAME	RAM	PROJECTS	STACK
gchang/r-fpdrj	-	-	MAAP R Stable
grace.llewellyn/vanilla-74akl	-	-	Basic Stable

2. Under the Overview section, you can replace the Workspace name field with whatever you wish to name it.

**Workspaces** > vanilla-74akl ● Running

Overview   Projects   Plugins   Editors   Devfile   Share

Workspace name  ✓

Kubernetes Namespace

Storage Type  [Learn more about storage type](#)

Export


Delete ?

Caveat: no special characters like space, dollar sign, etc; name should start/end only with digits, Latin letters, or


underscores

### 4.1.5 Share My Workspace With Another MAAP User


1. In the workspaces tab under the Che side panel, select the workspace you want to share.



2. Under the Share section, click the button + Add Developer. Then type in the email of the person/people you wish to share the workspace with and click *Share*. Only emails registered with MAAP can be used to share workspaces.




3. The user will now be listed for this workspace.



Important notes:

- If the workspace was opened under an organization, the workspace can only be shared with members of that organization and not any other MAAP user.

- Currently, we do not have a way to denote shared workspaces in the Che side panel, so we recommend renaming your workspace so that you know it is shared (e.g. add `_s`)
- Users who you share a workspace with will be able to see everything in your `my-private-bucket` folder and will have read, write, and delete permissions
- You will be able to see what tabs other users have open by refreshing or clicking on the “Running Terminals and Kernels” side tab



## 4.1.6 Managing Workspace Storage

See the *Storage Options* information in the Getting Started Guide for information on the options for personal and shared storage.

### Recovering Files


If you delete files, you have up to 30 days to restore them. Please ask the MAAP platform-development team for help if you need to restore deleted files.

## 4.2 Environments

This document guides MAAP users in the process of selecting, extending existing environments (the set of libraries availables for analysis) or creating custom environments.

### 4.2.1 Workspaces

The MAAP ADE offers various workspace options, each workspace coming with its own environment that has pre-installed essential libraries for computing and geospatial analysis. At the time of writing this guide, here are the options :



For example, the MAAP RGEDI Stable and MAAP R Stable workspace options come with various pre-installed R packages.

**For more information:** Each of these options rely on Docker images that were build off from Dockerfiles that are publicly available in the [MAAP workspace repository](#). If you want to learn more about what libraries each image contains, check out this repository.

## 4.2.2 Extending environments

Users may need libraries for their specific analysis purposes that are not present in the environments of the different workspace options offered. In this case, ideally, the steps should be the following :

1. The user explores her/his environment need by extending the environment of an existing workspace or creating her/his custom environment in an existing workspace (see next sections).
2. Once that is done, the user submits a ticket/coordinates with the platform team to create a new workspace option with the requested, finalized environment.

The above approach is ideal because modifications to the pre-defined workspace environment do not survive a workspace restart (see next sections), and because sharing new experimented environments is valuable.

The next sections explain how to extend environments or create custom environments, and for this, introduces information regarding which environment management solution we are using.

## Package manager

We use `conda` with the `libmamba` solver as a package manager to install, update or remove packages (libraries). `conda` works with ‘environments’ that are directories in your local file system containing a set of packages. When you work ‘in a given environment’, it means that your programs will look for dependencies in that environment’s `conda` directory. All workspaces launch with a default environment that has all the pre-installed libraries for that workspace. The actual name of the default environment depends on the workspace chosen by the user. For example, for the `pangeo` workspace, the default environment is called `pangeo`. If you open a terminal launcher after creating a `Pangeo` workspace :

The screenshot shows a terminal window titled 'Terminal 2' within the NASA MAAP interface. A red banner at the top reads: 'NOTE: This terminal uses the default environment which might not be the same as your notebook.' Below this, the terminal shows a series of shell prompts where the user enters `conda env list`. The output lists two environments: `base` located at `/opt/conda` and `pangeo` located at `*/opt/conda/envs/pangeo`. The `pangeo` environment is marked with an asterisk, indicating it is the active environment.

```

(pangeo) root@workspaceveua5iuvuar8wo5
(pangeo) root@workspaceveua5iuvuar8wo5
(pangeo) root@workspaceveua5iuvuar8wo5
(pangeo) root@workspaceveua5iuvuar8wo5
(pangeo) root@workspaceveua5iuvuar8wo5
(pangeo) root@workspaceveua5iuvuar8wo5
(pangeo) root@workspaceveua5iuvuar8wo51:~#
(pangeo) root@workspaceveua5iuvuar8wo51:~# conda env list
# conda environments:
#
base                /opt/conda
pangeo              * /opt/conda/envs/pangeo

```

You can notice that a `pangeo` conda environment is activated by default, and its libraries are located in `/opt/conda/envs/pangeo`.

## Extending the default environment in a given workspace session

*Throughout this document, “the default workspace environment” refers to the conda environment activated by default in a given workspace environment. The name of that conda environment differs across workspaces. Any modification to the default workspace environment, or to the ‘base’ environment, does not survive a workspace restart.*

Extending an existing conda environment means adding packages on top of what it contains, which works provided there are no dependency conflicts. You can install libraries using the `conda install` command to install additional packages in your current environment (run `conda --help` to learn more about how to use conda commands). All conda install commands should use `-c conda-forge` otherwise it’s unlikely to work, since many/most of the packages installed already are from `conda-forge`. For example :

```
conda install -c conda-forge xarray
```

`libmamba` is the default solver, but users are welcome to set the solver to “classic” with:

```
conda install --solver=classic -c conda-forge xarray
```

However, it is recommended to use configuration files for reproducibility and shareability. With this approach, assuming your configuration file is named `config.yml`, the command to use is :

```
conda env update -f config.yml
```

For more details on configuration files, see the [Custom environments section](#) and for an example of this command, refer to the [subsection about updating an environment with a configuration file](#).

### 4.2.3 Custom environments

For the rest of this README, in each section we provide a link to download an example YAML configuration file.

You can use the conda CLI to create a new, custom environment. The parameters (the list of libraries, the location where to search for them, etc...) can be passed either from a configuration YAML file or directly on the console. We recommend using the first option (a YAML file is easier to share and modify).

#### Basic custom environment

---

**Note:** Example config file for a basic custom environment [here](#).

---

This configuration installs specific versions python, pandas and geopandas from conda-forge. If versions aren't specified, the latest is installed. We recommend to always specify the version for reproducibility. The basic command to create this environment would be :

```
conda env create -f env-example.yml
```

However, this stores this environment files in /opt/conda, which is a directory that is recreated when the workspace restarts, and so packages stored in that directory by the user are lost if a workspace restarts. Therefore, you want to specify another storage location in your user directory with the --prefix parameter

```
conda env create -f env-example.yml --prefix /projects/env/env-example
```

and to activate it :

```
conda activate /projects/env/env-example
```

#### Updating an existing environment with a configuration file

---

**Note:** Example config file for updating the pangeo environment [here](#).

---

You can *update* an existing environment with a configuration file as well. For example, let's assume you have a conda environment with a set of packages already installed in it (for example the pangeo environment, or another default workspace environment), but it doesn't have xarray and geopandas. Using the linked example config :

```
conda env update -f env-extend.yml
```

This command will update the active environment by adding xarray and geopandas, provided it does not cause conflicts with the existing libraries.

## Using pip for python packages

**Note:** Example config file for using pip install [here](#).

Some python packages might not be available in the channel you are using, or in any conda channel. If that package however is in PyPI (the official python package repository), one can use `pip` within a conda environment to download packages. The recommended way is to specify this in the configuration file. In the linked example, we add `stackstack` as a dependency to install from PyPI because it is not available in the `conda-forge` channel.

## Using custom environments in jupyter notebooks

**Note:** Example config file for this section [here](#).


The following instruction steps are for python kernels.

- Make sure `ipykernel` is listed as a dependency in your configuration file.
- Create your environment using the linked configuration file.
- Install the environment as a kernel by running the following command (parameter values follow the example mentioned):

```
python -m ipykernel install --user --name env-with-ipykernel --display-name "Python_
↵env-with-ipykernel"
```

The above command installs the environment as a kernel in Jupyter, making it accessible in the notebook with a display name of “Python env-with-ipykernel”.

- Wait around 30 seconds and launch a new notebook. Among the kernel options, you should see “Python env-with-ipykernel” listed. Below you can see a screenshot that shows what this step looks like:




- Remove by listing kernelspecs `jupyter kernelspec list` to find name, then `jupyter kernelspec remove <env>`

## Suggested packages for custom environment

**Note:** Example config file for installing maap-py via pip [here](#)

MAAP users typically use the python `maap-py`. It's pre-installed in all workspaces, in the default workspace environment. Any custom environment should specify it, otherwise it is not going to be accessible from that environment. However, `maap-py` is not packaged in a public package repository, like PyPI or `conda-forge`. It is possible to install it directly from its Github repository with `pip` though. See the configuration example linked. You can note that in the example, `maap-py` is 'versioned' using one of the `maap-py` git version tags. You can find the most recent `maap-py` tags on the [github repository](#) in the "releases" page :



## 4.3 Share Data

Users who have access to a workspace have access to all the files contained in that workspace.

All users have their own personal s3-bucket folder mounted in `/projects`, called `my-private-bucket`. Each user has a public s3-hosted folder called `my-public-bucket`. Files in this folder are automatically uploaded to s3 and are accessible from any workspace a user signs into.

The intention of this mounted folder is that you can use this to share data with others, and also store files you want to access across different workspaces. It is not intended that you do all of your work in this directory. Because this directory is mounted to s3, you will notice that processes are slower when working in this directory. Other users can access what you put in your public bucket by going to `shared-buckets` and the folder marked with your CAS username.

Name	Last Modified
my-private-bucket	54 years ago
my-public-bucket	54 years ago
shared-buckets	54 years ago
triaged-jobs	54 years ago

```


(base) root@workspace5wpe0juo0qnb1ty2:~# ls
my-private-bucket my-public-bucket shared-buckets triaged-jobs
(base) root@workspace5wpe0juo0qnb1ty2:~# pwd
/projects
(base) root@workspace5wpe0juo0qnb1ty2:~#

```

Users can create a shareable link for any files in their folder that is hosted on s3. To do this, go to **Command Palette** -> **User** -> **Get Presigned S3 Url** and enter the relative path to the file you want to share. You can also do this by right clicking a file and selecting “Get Presigned S3 Url”. The link will expire after 12 hours.

## 4.4 SSH into Workspace

As an alternative to using the jupyter interface, you can SSH directly into the container that your workspace set up. In order to get the IP and port information, navigate to the command palette of the jupyter interface. Find the command **Display SSH Info**, which will display the information you need (you can easily search for SSH). Your public SSH key that you added to your account will be added to any workspace you create. If you did not upload an SSH key to your profile, you will not be able to SSH in and must use the jupyter interface.



### 4.4.1 Accessing MAAP workspaces over SSH

If you would like to have your MAAP workspace mounted (via SSH) on your local computer, follow these steps. It is completely optional and if you do not know why you would want this, feel free to skip this part of the Getting Started Guide.

Basically, this works the same as on any unix-based system: You need to add your Public SSH key from your computer/laptop to the `~/.ssh/authorized_keys` file in MAAP, as described below.

#### Generate a Public SSH Key

First, you need an SSH key for your personal machine. Here are [example instructions for creating an SSH key](#). Note that there are different instructions for Windows and unix-based systems (MacOS, Linux). The outcome of this will be a Public SSH key on your local computer.

#### Add the Public SSH Key to MAAP

By default, you cannot see or edit hidden files in the MAAP Jupyter account. Therefore, you should do the following workaround:

1. On your local computer, copy the contents of the public SSH key you just created. It will usually have a `.pub` extension (the default file is `~/.ssh/id_rsa.pub`) and its contents will look something like this (one long line):  

```
ssh-rsa AAAAB3Nza[...]TeDx1 ashiklom@gs610-ashiklom.ndc.nasa.gov
```
2. Use the Jupyter interface (right click in the file browser) to create a new folder in your home directory called `ssh`.

3. Inside that folder, use the Jupyter interface (right click in the file browser) to create a new file called `authorized_keys` (NOTE: no file extension!).
4. Double click the file you just created to open it in the editor.
5. Copy the contents of your SSH key from your computer into this file. Save it and close it.
6. Return to your home directory, right click the `ssh` folder, click “Rename”, and rename it to `.ssh` (period in front). You will get a 404 error, but the operation will have succeeded, and folder will ‘disappear’.
  - To check that this worked, in a terminal window, run `ls -a` in your home directory. You should see the `.ssh` folder in there.
7. Repeat these steps to add more SSH keys from different machines.
  - Note that, to see the `.ssh` folder from JupyterLab, you’ll need to temporarily rename it to `ssh`. The only way to do this is via the terminal — `mv .ssh ssh`. Don’t forget to rename it back to `.ssh` when you’re done!

To access a MAAP workspace over SSH, you will need a workspace-specific IP address and port. You can find this by going to the JupyterLab commands menu — the 4th button in the left panel of the Jupyter interface; shows a looking glass over a list; alternatively, press Control + Shift + C (Command + Shift + C on Mac) — and search for “SSH”. You’ll see “Display SSH Info”. Click this button. A dialog box with the correct SSH command will appear.

## Uploading your public SSH key

In order to access your ADE workspaces using SSH, you’ll need to upload your public SSH key to your MAAP profile using the MAAP portal at <https://maap-project.org>.

Click on your profile name (or the “Login” button) in the top right corner shown here:



News | Explore | Tools | Communities | Help | Brian

On your profile page, click the “Choose File” button to upload your key.

► Account details

### Public SSH Key

Your public SSH key allows you to establish a secure connection between your computer and your MAAP workspaces. To add an SSH key, you need to generate one or use an existing key.

Choose File No file chosen

After uploading your key, the SSH connection will be enabled **after your next** login into the ADE.

## 4.5 Algorithm Registration UI

The algorithm registration UI allows users to register algorithms stored in their public code repositories to the MAAP so the algorithms can then be used to run jobs on the MAAP.

### 4.5.1 Access

1. Open your workspace
2. Click the **Register Algorithm** button from the launcher menu.

**Register Algorithm**

To register an algorithm to the MAAP, your code must be committed to a public code repository. Need more tips and tricks? Documentation may be found [here](#).

**Repository Information**

Repository URL	<input type="text" value="Enter repository URL"/>
Repository Branch	<input type="text" value="Enter repository branch"/>
Run Command	<input type="text" value="Enter run command"/>
Build Command	<input type="text" value="Enter build command"/>

**General Information**

Algorithm Name	<input type="text" value="Enter algorithm name"/>
Algorithm Description	<input type="text" value="Enter algorithm description"/>
Disk Space (GB)	<input type="text" value="Enter disk space"/>

## 4.5.2 Register an Algorithm

1. Open the **Register Algorithm** UI.
2. Fill out the fields describing general information about the algorithm. This includes things like the repository the algorithm is stored in, the repository branch or tag (also referred to as the version of the algorithm), the command to execute the algorithm, etc.

here.' The form is divided into three sections: 'Repository Information', 'General Information', and 'Inputs'. 'Repository Information' has four fields: 'Repository URL', 'Repository Branch', 'Run Command', and 'Build Command'. 'General Information' has three fields: 'Algorithm Name', 'Algorithm Description', and 'Disk Space (GB)'. Each field has a placeholder text starting with 'Enter...'. The 'Inputs' section is partially visible at the bottom."/>

**Register Algorithm**

To register an algorithm to the MAAP, your code must be committed to a public code repository. Need more tips and tricks? Documentation may be found [here](#).

**Repository Information**

Repository URL

Repository Branch

Run Command

Build Command

**General Information**

Algorithm Name

Algorithm Description

Disk Space (GB)

**Inputs**


File Inputs ⓘ

Name	Description
<input type="text" value="radiance_file"/>	<input type="text" value="Describe the input parameter"/>
<input type="text" value="What is the input name?"/>	<input type="text" value="Describe the input parameter"/>

3. Fill out the algorithm inputs. To add a new input, click the green plus circle. To remove an input click the red x circle.

4. Once all information is filled out, click the **Register Algorithm** button at the bottom of the form. After a few seconds, a modal will appear with the link to the registration job that was just submitted. Users can navigate to

this link to access the registration logs and confirm their algorithm was registered successfully.




[ ]:

## 4.6 Jobs UI for Job Management

The Jobs UI allows users to submit and view DPS jobs from their Jupyter workspace. Users can monitor job status, access generated products, view errors, and view other job metadata.

### 4.6.1 Access the Jobs UI

1. From your workspace click on the **View & Submit Jobs** card on the Launcher tab.



### 4.6.2 View Jobs

The **View** pane lists all the jobs submitted by the user. The top table shows only a few key fields. Users can click on any row to view detailed data for the selected job such as inputs, outputs generated, and errors produced if the job failed to complete successfully.

Users can sort jobs by queued, start, and end time in ascending/descending order. Users may use the search bar to filter the job list down to jobs containing the user-provided string in any of the fields shown.

The screenshot shows the 'My Jobs' page with a table of job records. Annotations include:

- Job search bar**: Points to the search input field at the top.
- User-specified job tag**: Points to the 'Tag' column in the table.
- Algorithm/job type executed**: Points to the 'Job Type' column.
- Job status**: Points to the 'job-completed' status in the third row.
- Unique job identifier**: Points to the 'Payload ID' column.
- Details of selected job**: Points to the 'Job Details' section below the table.

Tag	Job Type	Status	Queued Time	Start Time	End Time	Payload ID
test-job-2	job-run-dps-test_ubunturdelay10	job-started	2023-01-09T22:14:33.961686Z	2023-01-09T22:14:33.963826Z		3f41c6fc-1919-47dd-86b8-48e65...
test-job-1	job-run-dps-test_ubunturdelay10	job-started	2023-01-09T22:14:28.297485Z	2023-01-09T22:14:28.325260Z		5e846158-7f88-4424-472b-219...
test	job-run-dps-test_ubunturdelay10	job-completed	2023-01-09T17:38:28.504081Z	2023-01-09T17:42:45.255325Z	2023-01-09T17:43:02.715051Z	eb1b888b-8510-47e5-91a1-224d...
test	job-run-dps-test_ubunturdelay10	job-completed	2023-01-09T17:38:28.279148Z	2023-01-09T17:38:28.297121Z	2023-01-09T17:42:30.528132Z	2fad1b9-221a-439f-b3e9-a9e5...

## Job Status

Job status may be different between the HySDS Figaro job-monitoring dashboard and the Jobs UI. Below is a mapping of status terms:

```
MAAP <- HySDS
Accepted <- job-queued
Running <- job-started
Success <- job-completed
Failed <- job-offline or job-failed
job-revoked <- job-revoked (when a queued or running job is stopped before completion)

HySDS state not valid/used in MAAP: job-deduped
```

### 4.6.3 Viewing the Output of a Job

Select your job then under the Job Details table, click the Outputs tab. The Products field provides the path to the product directory within the workspace.

The screenshot shows the MAAP Jobs UI. At the top, there is a 'View' button and a 'Submit' button. Below that is a search bar labeled 'Search records...' and a 'Refresh' button. A pagination bar shows 'Page 1 of 4'. The main table has columns: Tag, Job Type, Status, Queued Time, Start Time, and End Time. Two rows are visible, both with 'job-completed' status. Below the table is the 'Job Details' section with tabs for 'General', 'Inputs', 'Outputs', 'Errors', and 'Metrics'. The 'Outputs' tab is selected, showing a 'Products' field with a long URL path to the job's output directory.

Navigating to the product directory for the selected job above shows the following:

```
(pangeo) root@workspacelbx1uqgeyqdei83w:~/my-private-bucket/dps_output/run-dps-test_
↳ ubuntu/delay10/2023/05/10/15/13/27/250000# pwd
/projects/my-private-bucket/dps_output/run-dps-test_ubuntu/delay10/2023/05/10/15/13/27/
↳ 250000

(pangeo) root@workspacelbx1uqgeyqdei83w:~/my-private-bucket/dps_output/run-dps-test_
↳ ubuntu/delay10/2023/05/10/15/13/27/250000# ls
_stderr.txt _stdout.txt output-2023-05-10T15:13:27.250000.context.json output-2023-05-
↳ 10T15:13:27.250000.dataset.json output-2023-05-10T15:13:27.250000.met.json write-
↳ output.txt
```

## 4.6.4 Submit a Job

Users can submit individual jobs from the **Submit** pane. The following are the minimum requirements for submitting a job:

1. Select an Algorithm from the dropdown menu. Note: only registered algorithms will be shown.
2. Provide a Job Tag that may then be used to easily search for and identify the submitted job. This is the same as the `identifier` field in the `maap.py submitJob()` function.
3. Select the Resource to use for algorithm execution. This indicates the memory and disk space available.

---

**Note:** Experimental feature: The output data will be put into a folder named for your Algorithm and the Job Tag. You can use the same Job Tag on several jobs (e.g. in a batch) to group related output data in one place. In `maap.py submitJob` this is the `identifier` field when you use `submitJob()`.

---

The screenshot shows the 'Submit' pane with the following elements:

- Algorithm:** A dropdown menu labeled 'Select algorithm...' with a callout box pointing to it labeled 'List of registered algorithms'.
- Job Tag:** A text input field labeled 'Enter job tag...' with a callout box pointing to it labeled 'User-specified job tag'.
- Resource:** A dropdown menu labeled 'Select resource...' with a callout box pointing to it labeled 'Resource used for algorithm execution'.
- Buttons:** 'Submit Job' (blue), 'Clear' (grey), and 'Copy Jupyter Notebook Code' (blue).

Algorithms may contain additional inputs that users may have to provide.

View
Submit

### 1. General Information

Algorithm

run-dps-test\_ubuntu:delay10
▾

Job Tag

*Enter job tag...*

Resource

Select resource...
▾

### 2. Algorithm Inputs

input\_file

*Enter input\_file...*


### 3. Publish to Content Metadata Repository (CMR)?

i CMR publication not available for selected algorithm.

Submit Job
Clear

Copy Jupyter Notebook Code

Once all inputs have been provided, the user may click **Submit Job** to submit the job. If the job was submitted successfully, a toast will appear in the bottom right corner containing the unique job id. Please give the **Submit Job** button a second to execute.




The screenshot shows the MAAP Jobs UI with the following details:

- 1. General Information**
  - Algorithm: run-dps-test\_ubuntudelay10
  - Job Tag: test
  - Resource: maap-dps-worker-8gb
- 2. Algorithm Inputs**
  - input\_file: <https://raw.githubusercontent.com/MAAP-Project/dps-unit-test/main/README.md>
- 3. Publish to Content Metadata Repository (CMR)?**
  - CMR publication not available for selected algorithm.

Buttons: Submit Job, Clear, Copy as Jupyter Notebook Code

**Toast Message:** Job submitted successfully. JobID is 81b36e44-4896-4760-b821-dc6f09b8a077


If the job failed to submit, a toast will appear indicating the job failed to submit.



**Toast Message:** Missing algorithm selection. Job failed to submit.

## 4.6.5 Generate Job Submission Command

Users may fill out the job submission form and - instead of submitting the job - click the **Copy Jupyter Notebook Code** button to copy the **maap-py** job submission command to their clipboard to then paste it into a Jupyter notebook.



The screenshot shows a web form for job submission. The form has three sections:

- 1. General Information**
  - Algorithm: run-dps-test\_ubuntu:delay10
  - Job Tag: test-dps
  - Resource: maap-dps-worker-8gb
- 2. Algorithm Inputs**
  - input\_file: https://raw.githubusercontent.com/MAAP-Project/dps-unit-test/main/README.md
- 3. Publish to Content Metadata Repository (CMR)?** (toggle off)

A blue box highlights the 'Copy Jupyter Notebook Code' button. A black arrow points from this button to a Jupyter notebook code cell containing the following Python code:

```
[ ]: from maap.maap import MAAP
      maap = MAAP()

      maap.submitJob(identifier="test-dps",
                    algo_id="run-dps-test_ubuntu",
                    version="delay10",
                    username="anonymous",
                    queue="maap-dps-worker-8gb",
                    input_file="https://raw.githubusercontent.com/MAAP-Project/dps-unit-test/main/README.md")
```

## 4.6.6 Cancel Jobs

Users may cancel queued or running jobs. Queued jobs that are cancelled will be deleted and no longer listed in the **View Jobs** table. Running jobs that are cancelled will be stopped, but still viewable in the **View Jobs** table. These jobs will have the status **job-revoked**.

**Note:** Jobs that are listed as queued in the UI, then cancelled, may remain in the View Jobs table after the cancel request was submitted. This is due to a delay within the DPS between job state change and report of job state change. In these cases, the cancelled job was not really queued but had already started.

1. In the View Jobs table, hover over the job entry you want to cancel to display the action bar.
2. Click the cancel job button.

### My Jobs + Submit New Job

▼
×
↻
Last updated:  
Wed, 03 Apr 2024 20:57:42 GMT

Tag	Job Type	Status	Queued Time ▼	Start Time ⬆	End
test	job-run-dps-test_ubuntu:delay10	job-queued	2024-04-03T20:57:37.247709Z		■

cancel job
→

Once the cancel request is submitted, a toast will appear in the bottom right of the workspace indicating whether or not the request was successful.

✓

Job with ID c9b95fb6-a7d8-440d-a440-6a848258e224 was successfully cancelled.

×

Successful submission:

!

Failed to cancel job with ID a5120760-ac5f-4d58-ba62-e5860a38b7fb: Not allowed to cancel job with status job-revoked


×

Unsuccessful submission:

## 4.7 Job Management with maap-py

### 4.7.1 Set up maap.py

1. Open a Jupyter Notebook then click the MAAP button from the notebook toolbar. This will paste the code snippet below into your notebook.



2. Provide the MAAP host. For normal operations, this would be `api.maap-project.org`.

```
from maap.maap import MAAP
maap = MAAP(maap_host='api.maap-project.org')
```

## 4.7.2 Submit a Job

Use the `submitJob` method and provide your algorithm inputs. The example below will run the `run-dps-test_ubuntu` algorithm.

**Note:** Experimental feature: The output data will be put into a folder named for your `algo_id` and the identifier. You can use the same identifier on several jobs (e.g. in a batch) to group related output data in one place. In the [View & Submit Jobs GUI](#) this is the Job Tag field in the Submit form.

```
maap.submitJob(identifier="test-job",
               algo_id="run-dps-test_ubuntu",
               version="delay10",
               username="anonymous",
               queue="maap-dps-worker-8gb",
               input_file="https://raw.githubusercontent.com/MAAP-Project/dps-unit-test/
↳main/README.md")
```

4. Run the notebook to submit the job. The cell output for a job that was submitted successfully will look similar to this:

```
{'status': 'success',
 'http_status_code': 200,
 'job_id': '86fbac52-24b0-4963-8b67-59d0fc09946a'}
```

### 4.7.3 Monitor a Job

1. Use the `getJobStatus` method and provide the job ID that was created upon job submission.

```
r = maap.getJobStatus("86fbac52-24b0-4963-8b67-59d0fc09946a")
r.text
```

2. Run the notebook to get the job status. The output should resemble the xml snippet below. In this example, the job status is Succeeded.

```
'<wps:StatusInfo xmlns:ows="http://www.opengis.net/ows/2.0" xmlns:schemaLocation="http://
↪schemas.opengis.net/wps/2.0/wps.xsd" xmlns:wps="http://www.opengis.net/wps/2.0" xmlns:
↪xsi="http://www.w3.org/2001/XMLSchema-instance"><wps:JobID>86fbac52-24b0-4963-8b67-
↪59d0fc09946a</wps:JobID><wps:Status>Succeeded</wps:Status></wps:StatusInfo>'
```

### Job Status

Job status may be different between the HySDS Figaro job-monitoring dashboard and the Jobs UI. Below is a mapping of status terms:

```
MAAP <- HySDS
Accepted <- job-queued
Running <- job-started
Success <- job-completed
Failed <- job-offline or job-failed
job-revoked <- job-revoked (when a queued or running job is stopped before completion)

HySDS state not valid/used in MAAP: job-deduped
```

### 4.7.4 Get Job Results

1. Use the `getJobResult` method and provide the job ID that was created upon job submission.

```
r = maap.getJobResult("86fbac52-24b0-4963-8b67-59d0fc09946a")
r.text
```

2. Run the notebook to get the job result. The output should resemble the xml snippet below.


```
<wps:Result xmlns:ows="http://www.opengis.net/ows/2.0" xmlns:schemaLocation="http://
↪schemas.opengis.net/wps/2.0/wps.xsd" xmlns:wps="http://www.opengis.net/wps/2.0" xmlns:
↪xsi="http://www.w3.org/2001/XMLSchema-instance"><wps:JobID>86fbac52-24b0-4963-8b67-
↪59d0fc09946a</wps:JobID><wps:Output id="output-2023-05-10T15:39:51.905070"><wps:Data>
↪http://maap-dit-workspace.s3-website-us-west-2.amazonaws.com/anonymous/dps_output/run-
↪dps-test_ubuntu/delay10/2023/05/10/15/39/51/905070</wps:Data><wps:Data>s3://s3-us-west-
↪2.amazonaws.com:80/maap-dit-workspace/anonymous/dps_output/run-dps-test_ubuntu/delay10/
↪2023/05/10/15/39/51/905070</wps:Data><wps:Data>https://s3.console.aws.amazon.com/s3/
↪buckets/maap-dit-workspace/anonymous/dps_output/run-dps-test_ubuntu/delay10/2023/05/10/
↪15/39/51/905070/?region=us-east-1&tab=overview</wps:Data></wps:Output></wps:Result>
```

## 4.8 Working with Git


### 4.8.1 Clone a Repository with GitHub

Here is an example repository you can use for this getting started guide: <https://github.com/MAAP-Project/dps-unit-test>

1. Copy the Github clone link from <https://github.com/MAAP-Project/dps-unit-test>




2. Open the built-in Jupyter Github UI to the left of the file browser. Choose “Clone a Repository” and paste in the .git link you copied from the Github repository. You can also access this menu through the **Git** tab at the top of the Jupyter window.



The screenshot shows the NASA MAAP interface with a Git repository management dialog. The dialog has a title bar and a main content area. The main content area contains the text "Clone a repo" and "Enter the Clone URI of the repository". Below this text is a text input field containing the URI "m/MAAP-Project/dps-unit-test.git". At the bottom of the dialog are two buttons: "Cancel" and "Clone". The "Clone" button is highlighted in blue. In the background, a terminal window shows the command prompt and the output of the git clone command.

```
NOTE: This terminal uses the default environment which might not be the same as your notebook.
(base) root@workspace3zz16lgnifbk3xwv:~/algorithms/getting_started_demo#
```

3. You should see a new folder created with the repo you cloned. If you browse to that folder and open up the Jupyter Github UI again, it will show you some info about that repo.



4. If you want to make changes to the code and have your own copy of it to register, clone the code into a public repository in Github or in MAAP Gitlab.

If you would like to create a template from an existing repository, create a new repository on GitHub where you have the option to “Import a repository” where you can supply the old repository git link.

## Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository](#).

*Required fields are marked with an asterisk (\*).*

Then, clone that new repository into the ADE via the steps above


### 4.8.2 Working with the MAAP GitLab

**Note:** `git` can behave slowly and strangely over s3 bucket-based storage (i.e., `my-private-bucket` and `my-public-bucket`). It is recommended to set up your git-tracked repos on the root (somewhere inside of `~` or `/projects`).


The MAAP GitLab instance is located at <https://repo.maap-project.org/>. Make sure you can access this from the browser using your MAAP (EarthData Login) credentials.

For NASA security reasons, MAAP cannot communicate with its GitLab instance over SSH. There also isn't a username-password authentication option. Therefore, the recommended way to access MAAP repositories is to use GitLab Personal Access Tokens.

1. In GitLab, in the top-right corner, click your user icon → “Preferences”



2. In the “User settings” menu, navigate to “Access Tokens”.



3. Create a new token with at least “read\_repository” and “write\_repository” permissions.

### Personal Access Tokens

You can generate a personal access token for each application you use that needs access to the GitLab API.

You can also use personal access tokens to authenticate against Git over HTTP. They are the only accepted password when you have Two-Factor Authentication (2FA) enabled.

#### Add a personal access token

Enter the name of your application, and we'll return a unique personal access token.

##### Token name

For example, the application using the token or the purpose of the token. Do not give sensitive information for the name of the token, as it will be visible to all project members.

##### Expiration date


##### Select scopes

Scopes set the permission levels granted to the token. [Learn more.](#)

- api**  
Grants complete read/write access to the API, including all groups and projects, the container registry, and the package registry.
- read\_api**  
Grants read access to the API, including all groups and projects, the container registry, and the package registry.
- read\_user**  
Grants read-only access to the authenticated user's profile through the /user API endpoint, which includes username, public email, and full name. Also grants access to read-only API endpoints under /users.
- read\_repository**  
Grants read-only access to repositories on private projects using Git-over-HTTP or the Repository Files API.
- write\_repository**  
Grants read-write access to repositories on private projects using Git-over-HTTP (not using the API).
- read\_registry**  
Grants read-only access to container registry images on private projects.
- write\_registry**  
Grants write access to container registry images on private projects.

Create personal access token

- After clicking “create personal access token”, you’ll see a message like this pop up. Make sure you copy this token into a text file — you will not be able to access it again.




### Personal Access Tokens

You can generate a personal access token for each application you use that needs access to the GitLab API.

You can also use personal access tokens to authenticate against Git over HTTP. They are the only accepted password when you have Two-Factor Authentication (2FA) enabled.

#### Your new personal access token

Make sure you save it - you won't be able to access it again.

#### Add a personal access token

Enter the name of your application, and we'll return a unique personal access token.

##### Token name


- In the MAAP ADE, include this access token as part of the remote URL; e.g.,

```
git clone https://username:AccessToken@repo.maap-project.org/username/repo_name
```

For example:

```
git clone https://ashiklom:JJVimxhV8nmRNDqcCnr7@repo.maap-project.org/ashiklom/fireatlas
```

You can also clone the repository via the Git side tab and enter your personal access token instead of password when



prompted.

If you want to use multiple code repositories, it's possible to configure a repository to have multiple remotes — e.g.,

To add the maap remote and set the URL, cd into the repo and use this:

```
git remote add maap https://username:AccessToken@repo.maap-project.org/username/repo_name
```

If you already have the remote called maap set up, you can set the remote URL using this instead:

```
git remote set-url maap https://username:AccessToken@repo.maap-project.org/username/repo_name
```

Then, you can use these commands to push your code and effectively synchronize between Github and MAAP GitLab (for algorithm registration):

Push to Github:

```
git push origin <branch name>
```


Push to MAAP GitLab:

```
git push maap <branch name>
```

### 4.8.3 Initializing a new repository

**Note** It is recommended to create a new repository on Git, then clone it and paste files in, especially if you are starting from scratch and don't have any files yet

1. Navigate to the folder you would like to make a Git repository



2. Click the Git sidebar
3. Select “Initialize a Repository”
4. Create a new, empty repository on GitHub or MAAP GitLab instance with the same name as your folder
5. Add a remote with the following code in your terminal

```
git remote add origin https://github.com/username/repo_name.git
git remote set-url origin https://github.com/username/repo_name.git
```

Or if you are using MAAP GitLab

```
git remote add maap https://username:AccessToken@repo.maap-project.org/username/repo_name
git remote set-url maap https://username:AccessToken@repo.maap-project.org/username/repo_
↵name
```

And make code changes with

```
git add .
git commit -m <message>
git push --set-upstream origin <branch>
```

And enter classic personal access token instead of password when prompted

### 4.8.4 Committing Changes to a Git Repository

Before you update your project with your changes, you need to get a classic personal access token from GitHub. MAAP currently doesn't supported fine-grained tokens. Create a classic personal access token by following [these steps](#) in Developer settings. Remember to save your personal access token for later use.

Jupyter notebook checkpoints bloat git unnecessarily, so you can add the following to your `.gitignore` file to prevent this:


```
.ipynb_checkpoints
*/.ipynb_checkpoints/*
```

For more information on `.gitignore` files, see [here](#).


Using the left side panel in the Jupyter interface, you can push changes to your Git project whether it is on the MAAP GitLab, or a public repository on GitHub.

If you are more comfortable using the command line to interact with Git, you do not need to use the side panel. It will work the same way in the terminal, once you navigate to the project's filepath.

When you are ready to update your project with your changes, navigate to the Git panel. Add the files you want to change to the list of staged changes by clicking the + to the right of the file name. Then write a commit message, and blue commit button.



Now you need to push your changes by selecting the push changes button on the toolbar in the upper right.




You then may be prompted for your Git username and personal access token that you got above



You should then see “Successfully pushed”

If you want to check your commit history, look at branches, and confirm your updates have been pushed, you can see this on the history tab.




## 4.9 Other Custom Extensions

### 4.9.1 MAAP Libraries


This Jupyter extension generates boilerplate code that imports and initializes MAAP libraries for usage in Jupyter notebooks. It currently supports the maap-py client library.

#### Access

1. From your workspace, create a Jupyter notebook from the launcher pane.



2. Click on the **MAAP** icon.



3. The Jupyter notebook will be populated with the following code block. Run this code block to use functions from the maap-py client library.

The screenshot shows a JupyterLab notebook window titled 'Untitled.ipynb'. The toolbar includes icons for MAAP, save, add, copy, paste, run, stop, refresh, and a dropdown menu currently set to 'Code'. Below the toolbar, there are two code cells. The first cell contains the following Python code:

```
[ ]: from maap.maap import MAAP
      maap = MAAP(maap_host='api.maap-project.org')
```


The second cell is empty and shows the prompt [ ]:.

## 4.9.2 MAAP Help Jupyter Extension

This Jupyter extension provides an interactive tutorial on a new user's first launch of the ADE and adds MAAP specific information to the help tab. The interactive tutorial can be accessed again from the help menu.

### Interactive Tour

1. Launch the ADE for your first time as a new user, and see the MAAP tour notification



2. Step through the tour with the "Next" button.

## Welcome to MAAP!



The following tutorial will point out some of the MAAP jupyter extension features within JupyterLab.


Skip

Next (1/8)

3. The MAAP tour will no longer appear on launch if you a) finish the tour, b) press skip during the tour, or c) press “Don’t show me again.” You can revisit the MAAP tour by selecting it from the help menu.

## MAAP Help Menu

Options show MAAP specific help information along with default JupyterLab help information.



## 4.10 FAQ

### 4.10.1 Which Files In My Workspace Are Persistent?

When you first start your workspace, there should be at least three folders already in the file browser: `my-private-bucket`, `my-public-bucket`, and `shared-buckets`.


- `my-private-bucket` is an S3 bucket with persistent storage, but only visible to you. However, when you share your workspace with another user, both users’ personal folders will be mounted and accessible from the shared workspace.
- `my-public-bucket` is an S3 bucket with persistent storage. It is the same as `~/shared-buckets/<my_username>/` — anything you put in here will be accessible to other users via `~/shared-buckets/<my_username>/`

<my\_username> as a read-only file. Likewise, to find shared files from another user, look in ~/shared-buckets/<their\_username>.

Anything placed within a s3-backed folder will be added to s3 and be persistent. Anything outside those folders will be ephemeral. Please clone your git repositories (e.g., dps\_plot) outside the s3-backed folders, as they should already be version controlled elsewhere.

#### 4.10.2 How Do I Copy My EARTHDATA Search Into My Jupyter Notebook?


Launch EarthData Search by Data Search-> Open EarthData Search. After setting your search parameters or adding layers using the green plus, switch tabs back to your Jupyter notebook. At the top, open the Data Search menu, and select *Paste Search Query*.



Caveat: This call uses the MAAP Python library. Make sure you import it before running the inserted code. You can do this by clicking on the blue “MAAP” text just below your notebook name.

### 4.10.3 How Do I Import Granules Over From My EARTHDATA Search Into My Jupyter Notebook?

Launch EarthData Search by Data Search-> Open EarthData Search. After setting your search parameters or adding layers using the green plus, switch tabs back to your Jupyter notebook. At the top, open the Data Search menu, and select *Paste Granule Search Results*.



Caveat: The *Paste Granule Search Query* call uses the MAAP Python library. Make sure you import it before running the inserted code. You can do this by clicking on the blue “MAAP” button just below your notebook name (upper left corner).

### 4.10.4 What is the Jupyter Server Extension?

This is the backend extension for the MAAP common collection of custom Jupyter extensions. This backend is accessible to users and other Jupyter extensions through a RESTful interface. The supported endpoints interact with the MAAP API and user workspace. For a list of the endpoints, refer to the [repo documentation](#).

### 4.10.5 How do I request new data to be available in MAAP?

Authors: Emile Tenezakis (DevSeed), Sheyenne Kirkland (UAH)

Date: September 27, 2023

Description: in this example, we’ll show you how to access MAAP’s Data Request Form in Github, as well as provide an example on how to fill out and submit it. The purpose of this form is to provide a way for users to request data to be ingested into the MAAP platform for use.


#### Accessing the Form



#### Direct Access Link

You can directly access the form through [this link](#).

## Navigate Manually to the Form


The form is hosted as an “issue template” in the [MAAP Community Github repository](#). Navigate to this repository. From there, go to “Issues”, and then click on “New Issue”. There are three different options for users to open an issue. To request data, select “Get Started” next to “Data Request”.





## Filling out the Form

Once you open the form, you will see several fields to complete, some of which are required (marked with a red \*) and some optional. This helps ensure that the data team receives enough information. Assignees and labels are also automatically included, so all users have to do is enter information about the data.



The screenshot shows a GitHub issue form titled "Issue: Data Request" on the MAAAP-Project repository. The form is for suggesting a data set for ingestion. The title field contains "[Data]:". Below the title, there is a prompt: "Please use this form to make sure you are providing enough information about the data." The form includes several required fields, each marked with a red asterisk:

- Dataset Name \***: "What is the name of the data requested?"
- Dataset Description \***: "Please provide a short description of the data."
- Requestor Name/Affiliation \***: "What is your name and research affiliation?"
- Platform/Method/Sensor \***: "What sensor and/or platform is used to collect the data?"
- URL or DOI to Dataset Description \***
- URL to Download or Access the Data \***
- Data License \***

On the right side of the form, there are sections for "Assignees" (listing freitagb and wildintellect), "Labels" (with MSFC selected), "Projects" (None yet), "Milestone" (No milestone), "Development" (Shows branches and pull requests linked to this issue), and "Helpful resources" (GitHub Community Guidelines). A beta notice at the bottom right states: "You're using an issue form, a new type of issue template."

## Submission

Click on 'Submit new issue'. We've provided a screenshot of an example submitted issue below :

[Data]: ESA CCI AGB version 4 #1

Edit New issue

Open
emileten opened this issue now · 0 comments

**emileten** commented now

**Dataset Name**

ESA Climate Change Initiative Above-Ground Biomass Dataset

**Dataset Description**

This dataset comprises estimates of forest above-ground biomass.

**Requestor Name/Affiliation**

Emile Tenezakis/Devseed.

**Platform/Method/Sensor**

The estimates are derived from a combination of Earth Observation Data, depending on the year, including Sentinel-1, ASAR, ALOS-1 and ALOS-2 and other Earth Observation sources.

**URL or DOI to Dataset Description**

<https://catalogue.ceda.ac.uk/uuid/af60720c1e404a9e9d2c145d2b2ead4e>

**URL to Download or Access the Data**

<https://data.ceda.ac.uk/neodc/esacci/biomass/data/agb/maps/v4.0>

**Data License**

[https://artefacts.ceda.ac.uk/licences/specific\\_licences/esacci\\_biomass\\_terms\\_and\\_conditions.pdf](https://artefacts.ceda.ac.uk/licences/specific_licences/esacci_biomass_terms_and_conditions.pdf)

**Intended Science Use Case**

The primary purpose is to make it available for visualizations on the MAAP platform (ADE, Dashboard).

**Format of the Data**

GeoTiff

**Approximate Size of the Data**

281.3 GB, ±6000 files.

**Date Needed By**

01/01/23

**Additional Information**

No additional information.

**Assignees**

emileten

**Labels**

None yet

**Projects**

None yet

**Milestone**

No milestone

**Development**

[Create a branch](#) for this issue or link a pull request.

**Notifications** Customize

Unsubscribe

You're receiving notifications because you're watching this repository.

1 participant

🔒 Lock conversation

📌 Pin issue ⓘ

➔ Transfer issue

🗑️ Delete issue

emileten self-assigned this now

## 4.10.6 How Do I Delete My Algorithm From MAS?

### Algorithm

Select algorithm...

test:develop

my\_test\_2:develop

gedi-subset:0.6.1

eis-fire-feds-dps-main-v3test:0.99.1

eis-fire-feds-dps-main-v3test:0.99.0

dps\_test\_gdal\_rt:main

RTC\_via\_s3:https\_to\_s3

Example of registered algorithm ids:

The code snippet below will delete an algorithm registered as “test:develop”.

```

from maap.maap import MAAP
maap = MAAP(maap_host='api.maap-project.org')

algorithm_name = "test"
branch = "develop"

# Takes in an algorithm id
maap.deleteAlgorithm(f"{algorithm_name}:{branch}")

```

[ ]:



## RELEASE NOTES

### 5.1 3.1.5

April 1, 2024

Minor feature additions and bug fixes.

#### 5.1.1 Added

- Open in file browser button for output of completed jobs in Jobs UI: <https://github.com/MAAP-Project/Community/issues/656>
- Bug submission reporting new option for help menu: <https://github.com/MAAP-Project/Community/issues/302>
- Cancel/dismiss a job from the Jobs UI: <https://github.com/MAAP-Project/Community/issues/753>
- Added more packages to pangeo/r images: <https://github.com/MAAP-Project/Community/issues/898>, <https://github.com/MAAP-Project/Community/issues/902>
- Implemented cache for /edcCredentials: <https://github.com/MAAP-Project/Community/issues/910>
- Added stac\_ipyleaflet to all ADE images: <https://github.com/MAAP-Project/Community/issues/884>
- Upgraded PHP to 8.x: <https://github.com/MAAP-Project/Community/issues/921>
- Upgraded WordPress to 6.4.3 and disabled auto updates: <https://github.com/MAAP-Project/Community/issues/899>, <https://github.com/MAAP-Project/Community/issues/912>
- New algorithm UI frontend jupyter extension: <https://github.com/MAAP-Project/Community/issues/686>, <https://github.com/MAAP-Project/Community/issues/832>
- EBS encryption on all instances in MCP: <https://github.com/MAAP-Project/Community/issues/892>
- All jupyter extensions now available on pip: <https://github.com/MAAP-Project/Community/issues/817>

#### 5.1.2 Fixed

- SSH key uploads fixed: <https://github.com/MAAP-Project/Community/issues/850>
- Link updates for MAAP API and MAAP logo in help menu: <https://github.com/MAAP-Project/Community/issues/920>, <https://github.com/MAAP-Project/Community/issues/945>
- Buttons for Jobs UI no longer remain grayed out after click: <https://github.com/MAAP-Project/Community/issues/911>

- Jobs inputs numbers now appear properly in Jobs UI Inputs tab: <https://github.com/MAAP-Project/Community/issues/858>
- Duplicate Job tag in Jobs UI resolved: <https://github.com/MAAP-Project/Community/issues/797>
- Mounting for triaged-jobs folder: <https://github.com/MAAP-Project/Community/issues/933>
- Added missing dependency for awscli: <https://github.com/MAAP-Project/Community/issues/938>
- Fixed triaged-jobs s3fs mapping: <https://github.com/MAAP-Project/Community/issues/932>
- Shared buckets no longer dropping frequently: <https://github.com/MAAP-Project/Community/issues/759>

### 5.1.3 Changed

- rio\_tiler package now in base image so available for DPS images: <https://github.com/MAAP-Project/Community/issues/929>
- Removed ability to navigate to /search from our homepage: <https://github.com/MAAP-Project/Community/issues/924>
- Removed rgedi and isce2 workspaces: <https://github.com/MAAP-Project/Community/issues/893>

## 5.2 3.1.4

January 22, 2024

Minor feature additions and bug fixes.

### 5.2.1 Added

- Log rotation for MAAP API: <https://github.com/MAAP-Project/Community/issues/887>
- Added dps-job-management shared workspace to track job status: <https://github.com/MAAP-Project/Community/issues/754>
- Added new packages to workspaces: <https://github.com/MAAP-Project/Community/issues/729>, <https://github.com/MAAP-Project/Community/issues/743>, <https://github.com/MAAP-Project/Community/issues/742>
- Submit Job button disables after submit to prevent users double submitting jobs: <https://github.com/MAAP-Project/Community/issues/663>

### 5.2.2 Fixed

- Resolved UWG-reported workspace sluggishness: <https://github.com/MAAP-Project/Community/issues/877>, <https://github.com/MAAP-Project/Community/issues/807>
- Resolved libarchive error: <https://github.com/MAAP-Project/Community/issues/860>
- Resolved maap-py package dependency issues: <https://github.com/MAAP-Project/Community/issues/885>
- Fixed bug where username was not attached to job unless you opened the View Jobs tab before submitting: <https://github.com/MAAP-Project/Community/issues/866>

## 5.2.3 Changed

- Set conda-forge as default channel: <https://github.com/MAAP-Project/Community/issues/862>
- Changed MAAP API flask service to gunicorn: <https://github.com/MAAP-Project/Community/issues/886>
- Cleaned up obsolete token code in maap-py: <https://github.com/MAAP-Project/Community/issues/868>
- Switch to libmamba solver: <https://github.com/MAAP-Project/Community/issues/731>
- STAC ipyleaflet bumped to v0.3.6 in Pangeo: <https://github.com/MAAP-Project/Community/issues/890>
- Updated MAAP API CMR data endpoint to better handle error responses: <https://github.com/MAAP-Project/Community/issues/888>
- Updated interface to maap-py `granule.getDownloadUrl()` to return http url: <https://github.com/MAAP-Project/Community/issues/848>

## 5.3 3.1.3

November 2, 2023

Minor feature additions and bug fixes.

### 5.3.1 Added

- Capability to stop running jobs from the MAAP API (`maap-py maap.cancelJob("id")`): <https://github.com/MAAP-Project/Community/issues/640>
- New maap-py method `aws.workspace_bucket_credentials()` for accessing user workspace bucket from outside the ADE: <https://github.com/MAAP-Project/Community/issues/825>
- Jobs UI: expose the entire stderr; split “View” and “Submit” into two tabs: <https://github.com/MAAP-Project/Community/issues/651>
- maap-py: add `maap.downloadGranule()` direct download of Earthdata Cloud URLs: <https://github.com/MAAP-Project/Community/issues/515>
- Add ‘listContainer’ support to MAAP API and maap-py: <https://github.com/MAAP-Project/Community/issues/818>

### 5.3.2 Fixed

- Removed 5-second delay when submitting jobs to DPS: <https://github.com/MAAP-Project/Community/issues/762>
- ADE menu cleanup: updated menu items for jobs/algorithms and persistence of extensions on page refresh: <https://github.com/MAAP-Project/Community/issues/833>

### 5.3.3 Changed

- Sort/filtering enhancements in the ADE Jobs UI: <https://github.com/MAAP-Project/Community/issues/649>
- Copy submit job code with formatting when using Submit Job UI: <https://github.com/MAAP-Project/Community/issues/791>
- Alphabetize the list of algorithms available in the job submission ui: <https://github.com/MAAP-Project/Community/issues/829>

### 5.3.4 Removed

- Archived shared documents from the MAAP portal along with Memphis WordPress Plugin: <https://github.com/MAAP-Project/Community/issues/821>

## 5.4 3.1.1

October 4, 2023

Minor feature additions and bug fixes.

### 5.4.1 Added

- DPS authentication support—jobs can now access secure API endpoints such as `aws.earthdata_s3_credentials`: <https://github.com/MAAP-Project/Community/issues/717>
- Added memory extension in the footer bar of Jupyter workspaces indicating memory usage within a notebook: <https://github.com/MAAP-Project/Community/issues/749>

### 5.4.2 Fixed

- Presigned url bug fix for missing output when generated s3 urls: <https://github.com/MAAP-Project/Community/issues/758>
- Fixed `maap-py.deleteAlgorithm()` 404 error: <https://github.com/MAAP-Project/Community/issues/814>

### 5.4.3 Changed

- Updated `stac_ipyleaflet` to 0.3.5 for Pangeo.
- Updated MAAP help tour: <https://github.com/MAAP-Project/Community/issues/618>
- Migrated DPS instances to OL8: <https://github.com/MAAP-Project/Community/issues/739>

## 5.4.4 Removed

- isce2 workspaces are now deprecated.

## 5.5 3.1.0

August 4, 2023

Hotfix to handle bugs that make working in the “new” ops ADE difficult

### 5.5.1 Added

- Added more capacity to the new ADE cluster to support more concurrent users.

### 5.5.2 Fixed

- Error with cursor jumping around in Jupyter & Opening blank notebook error (disable Jupyter collaboration feature): <https://github.com/MAAP-Project/Community/issues/735>
- Nested eclipse che menu error: <https://github.com/MAAP-Project/Community/issues/733> (PR: <https://github.com/MAAP-Project/maap-workspaces/pull/47>)
- Add Show/Hide Che sidebar extension: <https://github.com/MAAP-Project/Community/issues/692>
- DPS notifications bug: <https://github.com/MAAP-Project/Community/issues/778>
- Maap libs extension can now show notifications: <https://github.com/MAAP-Project/Community/issues/780>
- Api\_server now present in MAAP() instance (changing use of maapsec): <https://github.com/MAAP-Project/Community/issues/781>
- Open SSL fix: <https://github.com/MAAP-Project/Community/issues/737>
- Update Jupyter server to include API endpoints: <https://github.com/MAAP-Project/Community/issues/685>

### 5.5.3 Changed

### 5.5.4 Removed

- Remove ipycmc from default MAAP icon upper left of notebooks: <https://github.com/MAAP-Project/Community/issues/779>



## INDICES AND TABLES

- genindex
- modindex
- search